

Certificate of Analysis

Client: [REDACTED]

Project: 24092333

Quote: BEC240234209 V5.1

Project Ref: Scheduled Samples 09-2024

Site: Stoney Hill Ground Water 1

Contact: [REDACTED]

Address: [REDACTED]
[REDACTED]
[REDACTED]

E-Mail: [REDACTED]

Phone: [REDACTED]

No. Samples Received: 5

Date Received: 18/09/2024

Analysis Completed: 03/10/2024

Date Issued: 03/10/2024

Report Type: Version 01

This report supersedes any versions previously issued by the laboratory

[REDACTED]

Reported by Reporting Officer

[REDACTED]



Project Number: [24092333](#)

Client: [REDACTED]

Date Issued: 03/10/2024

Project Name: Scheduled Samples 09-2024 - Stoney Hill Ground Water 1

Samples Analysed

| <u>Text ID</u> | <u>Sample Reference</u> | <u>Sampling Date</u> | <u>Sample Type</u> | <u>Sample Description</u> |
|-----------------------|--------------------------------|-----------------------------|---------------------------|----------------------------------|
| 24092333-001 | M6 | 16/09/2024 14:00:00 | WATER | Ground Water |
| 24092333-002 | M32 | 16/09/2024 13:00:00 | WATER | Ground Water |
| 24092333-003 | M13 | 16/09/2024 13:30:00 | WATER | Ground Water |
| 24092333-004 | M16 | 16/09/2024 12:30:00 | WATER | Ground Water |
| 24092333-005 | M24 | 16/09/2024 11:00:00 | WATER | Ground Water |



Project Number: 24092333

Client: [REDACTED]

Date Issued: 03/10/2024

Project Name: Scheduled Samples 09-2024 - Stoney Hill Ground Water 1



1252

Analysis Results

| SOCOTEC Sample ID: | 24092333-001 | 24092333-002 | 24092333-003 | 24092333-004 | 24092333-005 |
|--------------------|------------------|------------------|------------------|------------------|------------------|
| Sampling Date: | 16/09/2024 14:00 | 16/09/2024 13:00 | 16/09/2024 13:30 | 16/09/2024 12:30 | 16/09/2024 11:00 |
| Customer ID: | M6 | M32 | M13 | M16 | M24 |
| Accred. | | | | | |

| Method Code | Analysis | MDL | U | Accred. | M6 | M32 | M13 | M16 | M24 |
|--------------------|----------------------------|------------|---|---------|-------|-------|-------|-------|-------|
| PHCONDW | pH | 1 pH units | U | | 5.3 | 6.1 | 5.7 | 4.2 | 6.5 |
| WSLM11 | COD (Settled) | 5 mg/l | U | | 9 | 40 | 19 | <5 | 16 |
| KONENS | Ammoniacal Nitrogen as N | 0.01 mg/l | U | | 0.40 | 1.30 | 0.50 | 1.00 | 0.60 |
| PESTSW-OCP | 1,2,3,4-Tetrachlorobenzene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | 1,2,3-Trichlorobenzene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | 1,3,5-Trichlorobenzene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | 2,6-Dichlorobenzonitrile | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Aldrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Alpha-HCH | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Beta-HCH | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Chlorthalonil | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | cis-Chlordane | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | cis-Permethrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Delta-HCH | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Dieldrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Endosulfan I | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Endosulfan II | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Endosulfan sulfate | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Endrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Endrin ketone | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Gamma-HCH | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Heptachlor | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Heptachlor epoxide | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Hexachlorobenzene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Isodrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Methoxychlor | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | o,p'-DDD | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | o,p'-DDE | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | o,p'-DDT | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | p,p'-DDD | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | p,p'-DDE | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | p,p'-DDT | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Pendimethalin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Pentachlorobenzene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Propyzamide | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Tecnazene | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| trans-Chlordane | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| trans-Permethrin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Triadimefon | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Triallate | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Trifluralin | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| PESTSW-OPP | Azinphos-ethyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Azinphos-methyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Carbofenthiol | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Chlorpyrifos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Chlorpyrifos-methyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Clorfenvinfos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Diazinon | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Dichlorvos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Dimethoate | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Ethion | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Etrimphos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Fenitrothion | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Fenthion | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Malathion | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Methacrifos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Mevinphos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Parathion | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Parathion-methyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Phosalone | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Phosphamidon | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| Pirimiphos-ethyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Pirimiphos-methyl | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Propetamphos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| Triazophos | 0.01 µg/l | N | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | |
| AHBLCMS | 2,3,6-TBA | 0.02 µg/l | U | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | 2,4,5-T | 0.03 µg/l | U | | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| | 2,4-D | 0.03 µg/l | U | | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| | 2,4-DB | 0.04 µg/l | U | | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| | 2,4-Dinitrophenol | 0.05 µg/l | U | | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| | Benazolin | 0.04 µg/l | U | | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| | Bentazone | 0.02 µg/l | U | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | Bromoxynil | 0.03 µg/l | U | | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |
| | Clopyralid | 0.02 µg/l | U | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | Dicamba | 0.04 µg/l | U | | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| | Dichloroprop | 0.02 µg/l | U | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | DNOC | 0.04 µg/l | U | | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| Fenoprop | 0.02 µg/l | U | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Fluroxypyr | 0.03 µg/l | U | | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 | |



Project Number: 24092333

Client: [REDACTED]

Date Issued: 03/10/2024

Project Name: Scheduled Samples 09-2024 - Stoney Hill Ground Water 1



1252

Analysis Results

| SOCOTEC Sample ID: | 24092333-001 | 24092333-002 | 24092333-003 | 24092333-004 | 24092333-005 |
|--------------------|------------------|------------------|------------------|------------------|------------------|
| Sampling Date: | 16/09/2024 14:00 | 16/09/2024 13:00 | 16/09/2024 13:30 | 16/09/2024 12:30 | 16/09/2024 11:00 |
| Customer ID: | M6 | M32 | M13 | M16 | M24 |

| Method Code | Analysis | MDL | | Customer ID: | | | | |
|-------------|-------------------|-----------|---------|--------------|-------|-------|-------|-------|
| | | MDL | Accred. | M6 | M32 | M13 | M16 | M24 |
| AHBLCMS | Ioxynil | 0.04 µg/l | U | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| | MCPA | 0.02 µg/l | U | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | MCPB | 0.02 µg/l | U | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | Mecoprop | 0.02 µg/l | U | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| | Pentachlorophenol | 0.04 µg/l | U | <0.04 | <0.04 | <0.04 | <0.04 | <0.04 |
| | Triclopyr | 0.03 µg/l | U | <0.03 | <0.03 | <0.03 | <0.03 | <0.03 |



Project Number: 24092333

Client: [REDACTED]

Date Issued: 03/10/2024

Project Name: Scheduled Samples 09-2024 - Stoney Hill Ground Water 1

Deviating Sample Report

All samples received in an appropriate condition with no deviancies noted with the samples.

Analysis Method

| <u>Method Code</u> | <u>Method Description</u> | <u>Analysis Method</u> |
|--------------------|--|------------------------|
| AHBLCMS | Acid Herbicides (Suite 1) by LC/MS/MS | Unfiltered |
| KONENS | Ammoniacal Nitrogen as N | Filtered |
| PESTSW-OCP | OCP: Organochlorine Pesticides by GCMS | Unfiltered |
| PESTSW-OPP | OPP: Organophosphorus Pesticides by GCMS | Unfiltered |
| PHCONDW | pH | Unfiltered |
| WSLM11 | COD: Chemical Oxygen Demand (Settled) | Unfiltered |

Result Report Notes

Letters alongside results signify that the result has associated report notes.
The report notes are as follows:

| <u>Letter</u> | <u>Note</u> |
|---------------|--|
| A | Due to the matrix of the sample the laboratory has had to deviate from our standard protocols to be able to process the sample and provide a result. Where applicable the accreditation has been removed and this should be taken into consideration when utilising the data. |
| B | The QC associated with this result has not wholly met the QMS requirements, the accreditation has therefore been removed. However, the Laboratory has confidence in the performance of the method as a whole and that the integrity of the data has not been significantly compromised. |
| C | Due to matrix interference, the internal standard and/or surrogate has not met the QMS requirements. This should be taken into consideration when utilising the data. |
| D | A non-standard volume or mass has been used for this test which has resulted in a raised detection limit. |
| E | Due to the parameter value being beyond our calibration range (and following the maximum size of dilution allowed, where applicable), the result cannot be quantified and as such the result will appear as a greater than symbol (>) with the accreditation removed. This data should be used for indicative purposes only. |
| F | Based on the sample history, appearance and smell a dilution was applied prior to testing. Unfortunately, the result is either above (>) or below (<) our calibration range. Results above our calibration range have accreditation removed. The data should be used for indicative purposes only. |
| G | The day 5 oxygen reading was below the capability of the instrument to detect, and therefore the calculated BOD has been reported unaccredited for guidance purposes only. |

HWOL Acronym Key

| <u>Acronym</u> | <u>Description</u> |
|----------------|---|
| HS | Headspace Analysis |
| EH | Extractable Hydrocarbons - i.e everything extracted by the solvent(s) |
| CU | Clean up - e.g. by florisil, silica gel |
| 1D | GC - Single coil gas chromatography |
| Total | Aliphatics & Aromatics |
| AL | Aliphatics only |
| AR | Aromatics only |
| + | Operator to indicate cumulative e.g. EH_CU+HS_1D_Total |



Project Number: [24092333](#)

Client: [REDACTED]

Date Issued: 03/10/2024

Project Name: Scheduled Samples 09-2024 - Stoney Hill Ground Water 1

Additional Information

This report refers to samples as received. SOCOTEC UK Ltd takes no responsibility for accuracy or competence of sampling by others.

Results within this report relate only to the samples tested.

The accreditation codes are as follows:

- U = UKAS accredited analysis
- M = MCERT accredited analysis
- N = Unaccredited analysis

Any accreditation marked with ^ signify results are reported on a dry weight basis of 105° c.

All Air Dried and Ground Samples (ADG) are oven dried at less than 35° c.

This report shall not be reproduced except in full, without written approval of the laboratory.

Opinions and interpretations given are outside the scope of our UKAS accreditation.

Any results marked with * are not covered by our scope of UKAS accreditation. If applicable, further report notes have been added.

Any solid samples where the Major Constituents are not one of the following (Sand, Silt, Clay, Made Ground) are not one of our accredited matrix types.

Any samples marked with a tick in the deviant table is deviant for the specific reason.

Any samples reported as IS, NA, ND mean the following:

- IS = Insufficient Sample to complete analysis
- NA = Sample is not amenable for the required analysis
- ND = Results cannot be determined

Items listed with a 'SUB' method code prefix have been carried out by another SOCOTEC department or by an external subcontracted laboratory.

Our deviating sample report does not include deviancy information for Subcontracted analysis. Please see the report from the subcontracted lab for information regarding any deviancies for this analysis.

Summaries of analysis methods are available upon request.

End of Certificate of Analysis