

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404 **f:** 01923 237404

e: reception@i2analytical.com



Analytical Report Number: 19-67723

Project / Site name: Stoney Hill Samples received on: 22/10/2019

Your job number: EI236 Samples instructed on: 22/10/2019

Your order number: Analysis completed by: 30/10/2019

Report Issue Number: 1 **Report issued on:** 30/10/2019

Samples Analysed: 8 water samples



Senior Quality Specialist

For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are : soils - 4 weeks from reporting

leachates - 2 weeks from reporting waters - 2 weeks from reporting asbestos - 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 19-67723-1 Stoney Hill EI236



Analytical Report Number: 19-67723 Project / Site name: Stoney Hill

Lab Sample Number	1340390	1340391	1340392	1340393	1340394					
Sample Reference				10A	27	69	VP73	104		
Sample Number				None Supplied						
Depth (m) Date Sampled Time Taken				None Supplied						
				Deviating	Deviating	Deviating	Deviating	Deviating		
				None Supplied						
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status							
PCBs by GC-MS										
PCB Congener 28	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 52	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 101	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 118	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 138	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 153	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCB Congener 180	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02		
PCBs by GC-MS Total PCBs	μg/l	0.14	NONE	< 0.14	< 0.14	< 0.14	< 0.14	< 0.14		
PCBs - WHO12										
PCB Congener 77	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 81	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 105	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 114	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 118	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 123	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 126	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 156	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 157	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 167	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 169	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
PCB Congener 189	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020		
Total PCBs	μg/l	0.3	NONE	< 0.300	< 0.300	< 0.300	< 0.300	< 0.300		
Environmental Forensics										
p-Chloronitrobenzene	μg/l	1	NONE	< 1	< 1	< 1	< 1	< 1		



Analytical Report Number: 19-67723 Project / Site name: Stoney Hill

Lab Sample Number				1340395	1340396	1340397			
Sample Reference				139	86	LTP			
Sample Number				None Supplied	None Supplied	None Supplied			
Depth (m)				None Supplied	None Supplied	None Supplied			
Date Sampled				Deviating	Deviating	Deviating			
Time Taken				None Supplied	None Supplied	None Supplied			
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status						
PCBs by GC-MS									
PCB Congener 28	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 52	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 101	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 118	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 138	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 153	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCB Congener 180	μg/l	0.02	NONE	< 0.02	< 0.02	< 0.02			
PCBs by GC-MS Total PCBs	μg/l	0.14	NONE	< 0.14	< 0.14	< 0.14			
PCBs – WHO12									
PCB Congener 77	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 81	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 105	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 114	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 118	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 123	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 126	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 156	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 157	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 167	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 169	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
PCB Congener 189	μg/l	0.02	NONE	< 0.020	< 0.020	< 0.020			
Total PCBs	μg/l	0.3	NONE	< 0.300	< 0.300	< 0.300			
Environmental Forensics									
p-Chloronitrobenzene	μg/l	1	NONE	< 1	< 1	< 1			



Analytical Report Number : 19-67723 Project / Site name: Stoney Hill

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
PCB's By GC-MS in water	Determination of PCB by extraction with acetone and hexane followed by GC-MS.	In-house method based on USEPA 8082	L028-PL	W	NONE

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.



Sample ID	Other_ID	Sample Type	Job	Sample Number	Sample Deviation Code	test_name	test_ref	Test Deviation code
104		W	19-67723	1340394	а			
10A		W	19-67723	1340390	а			
139		W	19-67723	1340395	а			
27		W	19-67723	1340391	а			
69		W	19-67723	1340392	а			
86		W	19-67723	1340396	а			
LTP		W	19-67723	1340397	а			
VP73		W	19-67723	1340393	a			