

REPORT TO BE SENT TO:

[REDACTED]
 Telford & Wrekin Council (Stoney Hill)
 Highways Transport & Engineer
 Granville House
 Telford Shropshire
 TF2 7RA

ANALYSIS REPORT

SAMPLING POINT CODE 9980229

SAMPLE FROM: Telford & Wrekin Council (Stoney Hill)
 Stoney Hill
 Lightmoor
 Telford Shropshire
 TF4 3QQ

DESCRIPTION: leachate

SAMPLE NUMBER: 1423654
 SAMPLE DATE: 09/10/2023 SAMPLE METHOD: Dummy Code
 SAMPLE TIME: 09:00:00 SAMPLE REASON: Dummy Code
 CHARGEABLE N TAKEN BY : 914

DETERMINAND	RESULT VALUE	UNITS	CONSENT LIMITS
Iron (total) as Fe (mg/l)	4.2	mg/l	IM 0: 25
Aluminium (total) as Al (mg/l)	<0.075	mg/l	IM 0: 1
Chromium (total) as Cr (mg/l)	0.011	mg/l	
Copper (total) as Cu (mg/l)	<0.018	mg/l	
Lead (total) as Pb (mg/l)	<0.0030	mg/l	
Nickel (total) as Ni (mg/l)	0.047	mg/l	
Zinc (total) as Zn (mg/l)	<0.060	mg/l	IM 0: 1
Phenols monohydric	NO TESTS	mg/l	IM 0: 25
Sulphide as S (mg/l)	<0.01	mg/l	IM 0: 1
Sulphate Filtered	<4.40	mg/l	IM 0: 500
Visual Quality (site test)	P		
Sampling Access (TE site test)	P		
VISIBLE OIL (TE FIELD/ SITE TEST)	P		
PH	8.4	pH_unit	IM 6: 10
METHANE SOLUBLE	<0.010	mg/l	IM 0: .14

REPORT DATE: 30/10/23

ENQUIRIES REGARDING THIS REPORT SHOULD
 BE MADE TO: [REDACTED]

SIGNED:

DATE: