

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	0	0.1	20.8		1003	>>>>	0	0	NO ADJUSTMENT	7.46	-1.3	6.16	
15/06/2016	61	24.5	0.2		975	-1.99	0	0	NO ADJUSTMENT				
05/07/2016										7.17	-1.3	5.87	
11/08/2016										7.7	-1.3	6.4	
12/08/2016	37.6	12.8	9		1003	0.69	1	0	CLOSED				
24/08/2016	30.5	9.7	10.6		1000	-0.02	2	0	NO ADJUSTMENT				
31/08/2016	38	12.6	9.3		998	-0.22	1	0	NO ADJUSTMENT				
06/09/2016										7.9	-1.3	6.6	
19/09/2016	45.2	18	5.8		1003	0.46	2	0	NO ADJUSTMENT				
28/09/2016										8.08	-1.3	6.78	
28/09/2016	56	14.8	5.3		1000	0.53	4	1	NO ADJUSTMENT				
05/10/2016	70.2	19.3	1.4		1009	0.41	2	1	NO ADJUSTMENT	8.08	-1.3	6.78	
19/10/2016	70	21.1	1.7		1001	0.67	5	0	NO ADJUSTMENT				
25/10/2016										8.04	-1.3	6.74	
02/11/2016										8.13	-1.3	6.83	
07/11/2016	70.6	22.3	1.3						NO ADJUSTMENT				
10/11/2016										7.72	-1.3	6.42	
16/11/2016	69.5	22.5	1.4		991	4.82	4	0	NO ADJUSTMENT				
28/11/2016	73.4	20.1	1.4		1009		4	0	NO ADJUSTMENT				
02/12/2016										8.12	-1.3	6.82	
05/12/2016	69.5	27.9	0.4		1002	-13.55	8	0	OPENED 1/4 TURN				
08/12/2016										8.37	-1.3	7.07	
20/12/2016	70	26.5	0.6		996	4.85	4	0	NO ADJUSTMENT				
06/01/2017	69.8	25.3	0.7		1011	-1.78	3	0	NO ADJUSTMENT				
11/01/2017	71.2	26.2	0.7		990	-1.94	5	0	NO ADJUSTMENT				
24/01/2017										7.75	-1.3	6.45	
27/01/2017	76.9	19.3	1		986	-1.78	3	0	NO ADJUSTMENT				
30/01/2017										8.37	-1.3	7.07	
07/02/2017	72.5	25.1	0.8		992	6.26	5	0	NO ADJUSTMENT				
17/02/2017	70.6	25.3	0.8		1005	-18.99	4	1					
28/02/2017										7.19	-1.3	5.89	
02/03/2017	72	24.9	0.7		989	4.27	5	0	NO ADJUSTMENT				
17/03/2017	72.7	24.2	1.3		996	-2.37	1	0	Open 1/4				
29/03/2017										7.76	-1.3	6.46	
20/04/2017	41.2	22.6	1.7		1014	-23.23	36	0	NO ADJUSTMENT				
02/05/2017										7.47	-1.3	6.17	
04/05/2017	66.4	31.8	0.8		1003	3.18	2	0	NO ADJUSTMENT				
10/05/2017	10.9	14.5	7.5		988	-29.28	14	0	CLOSED TO 1/4				
08/06/2017	15.1	6.8	15.1		984	0	1	0	CLOSED	7.59	-1.3	6.29	
10/08/2017	44.8	14.7	6.7		1005	0.22	1	0	NO ADJUSTMENT	7.92	-1.3	6.62	
24/08/2017										7.88	-1.3	6.58	
05/10/2017	77.2	19.9	1		1000	0.12	1	0	NO ADJUSTMENT	8.31	-1.3	7.01	
13/10/2017									OPENED 1/2 TURN				
01/12/2017	77.5	22.6	1.5		1003	-0.05	1	0	NO ADJUSTMENT	8.34	-1.3	7.04	
07/12/2017									OPENED 1/4 TURN				
15/12/2017	73.7	20.5	0.7		999	1.15	3	0	NO ADJUSTMENT				
04/01/2018	66.6	24.1	0.7		1000	-2.17	10	0	NO ADJUSTMENT				
22/01/2018	68.8	21.2	0.7		998	-23.03	11	0	NO ADJUSTMENT				
23/01/2018													
08/02/2018	68.8	20.4	0.7		995	-23.03	10	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	80.3	15.6	0.8		1004	>>>>	2	0	NO ADJUSTMENT
15/06/2016	72.1	23.2	0.5		976	-0.09	2	0	NO ADJUSTMENT
12/08/2016	46.9	17.7	3.3		1003	-13.41	1	0	NO ADJUSTMENT
24/08/2016	74.9	22.2	0.9		1000	1.68	7	1	OPENED 1/2 TURN
31/08/2016	57.6	26.2	2.1		999	-9.94	2	0	NO ADJUSTMENT
19/09/2016	54.4	28.3	1.8		1003	-10.9	3	0	NO ADJUSTMENT
28/09/2016	62.7	26.2	1.7		1001	-9.57	6	1	CLOSED SLIGHTLY
05/10/2016	73.5	24.2	0.5		1009	0.45	4	1	NO ADJUSTMENT
19/10/2016	72.6	25.6	0.5		1002	0.58	13	1	NO ADJUSTMENT
07/11/2016	71.3	26	0.4		994	0.87	6	0	NO ADJUSTMENT
16/11/2016	70.3	26.8	0.4		991	13.31	4	0	NO ADJUSTMENT
28/11/2016	73.8	23.7	0.5		1009	3.58	5	0	NO ADJUSTMENT
05/12/2016	71.6	25.7	0.4		1002	-58.68	6	0	OPENED 1/4 TURN
20/12/2016	52.2	13.8	1.1		997	-38.47	2	0	NO ADJUSTMENT
06/01/2017	38.5	15.6	2.6		1012	-64.18	2	0	NO ADJUSTMENT
11/01/2017	34.1	20.6	2.6		990	-67.99	5	0	NO ADJUSTMENT
07/02/2017	58.8	16	0.7		993	-56.82	5	1	NO ADJUSTMENT
17/02/2017	43.2	19.5	1.8		1006	-78.97	12	1	NO ADJUSTMENT
02/03/2017	62.7	19.5	0.6		989	-53.74	4	0	NO ADJUSTMENT
17/03/2017	59.1	17.7	4.1		997	-60.52	0	0	NO ADJUSTMENT
20/04/2017	60	21.1	1.7		1015	-61.21	1	0	NO ADJUSTMENT
04/05/2017	72.9	24.9	0.7		1004	3.39	2	0	NO ADJUSTMENT
10/05/2017	62.6	19.5	2.9		989	-68.44	2	0	NO ADJUSTMENT
08/06/2017	23.5	12.5	8.5		984	-0.05	1	0	CLOSED
10/08/2017	74.2	24	0.6		1005	2.79	3	0	NO ADJUSTMENT
05/10/2017	74.9	25.1	0.5		1000	2.78	2	0	NO ADJUSTMENT
13/10/2017									OPENED 1/2 TURN
01/12/2017	50.7	23.7	2.6		1004	-105.73	1	0	NO ADJUSTMENT
15/12/2017	51.6	18.5	1.3		999	-82.62	4	0	NO ADJUSTMENT
04/01/2018	46.0	17.3	1.2		1000	-64.64	4	0	NO ADJUSTMENT
22/01/2018	48.1	18.4	0.9		998	-61.36	6	1	NO ADJUSTMENT

08/02/2018	52.2	18.9	0.6		995	-59.07	7	1	NO ADJUSTMENT
19/02/2018	57.4	19.0	0.3		1000	-66.54	5	1	NO ADJUSTMENT
05/03/2018	60.2	20.7	0.3		1002	-60.40	4	0	NO ADJUSTMENT
21/03/2018	64.1	20.7	0.4		999	-56.92	2	0	NO ADJUSTMENT
06/04/2018	64.6	19.3	0.9		998	-65.16	1	0	NO ADJUSTMENT
16/04/2018	65.8	20.6	1.3		1000	-62.26	2	0	NO ADJUSTMENT
04/05/2018	68.4	21.4	0.9		997	-58.52	2	0	NO ADJUSTMENT
17/05/2018	70.5	20.5	0.5		995	-63.41	2	0	NO ADJUSTMENT
01/06/2018	75.2	21.5	0.4		998	-66.92	2	0	NO ADJUSTMENT
12/06/2018	62.2	23.0	0.4		1002	-67.52	2	0	NO ADJUSTMENT
09/07/2018	56.4	21.4	0.5		1001	-61.05	2	0	NO ADJUSTMENT
27/07/2018	67.9	28.6	1		990	-37.45	3	0	NO ADJUSTMENT
10/08/2018	49.4	18.8	3.1		996	-48.11	2	0	NO ADJUSTMENT
04/09/2018	66.5	23.6	2.7		1003	-36.21	5	0	NO ADJUSTMENT
29/10/2018	54.3	21.3	3.6		989	-21.08	1	0	NO ADJUSTMENT
15/11/2018	72.1	24.4	1.1		999	5.41	2	0	OPENED 1/2 TURN
07/02/2019	70.7	21.2	1.4		981	0.15	0	0	OPENED 1/4 TURN
20/02/2019	72.9	21	1		996	-30.68	1	0	NO ADJUSTMENT
15/04/2019	77.2	22	0.6		996	-28.28	2	0	NO ADJUSTMENT
03/07/2019	46.2	15	7.6		1007	-22.78	2	1	NO ADJUSTMENT
17/07/2019	77.4	23.6	0.3		994	16.95	5	0	NO ADJUSTMENT
30/07/2019	78.3	23.2	0.4		983	6.64	5	0	NO ADJUSTMENT
07/04/2020	62.5	21.2	1.9		1008	-11.43	3	0	
11/11/2020	73.9	26.2	0.4	0	995	-9.29	1	0	
01/12/2020	56.7	20.9	4.5	17.9	1007	-12.65	1	0	
05/01/2021	71.3	25.4	1.4	1.9	1003	-14.87	1	2	
02/02/2021	73	28.9	0.6	0	972	4.57	1	18	
03/03/2021	65	25.8	3.4	5.8	1007	2.9	1	2	
06/04/2021	73.3	26.8	2.6	0	1000	-0.24	0	14	
05/05/2021	71.5	27.6	1.5	0	988	-0.38	1	10	
02/06/2021	81	18.2	0.7	0.1	993	0.24	1	1	
06/07/2021	69.2	30.7	1.6	0	974	9.04	1	12	
03/08/2021	62.8	21.9	5	10.3	992	-20.14	2	1	
07/09/2021	61.8	22.5	4.2	11.5	1001	-19.16	1	0	

05/10/2021	51.6	28	4	16.4	975	-15.31	40	0	
10/11/2021	54.7	21.4	3.7	20.2	1002	-20.07	39	0	
01/12/2021	45.8	20.8	7.2	26.2	977	-5.94	42	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	26.7	13.2	11.9		1003	>>>>	1	0	NO ADJUSTMENT
15/06/2016	28.9	11.4	11.6		975	0.21	2	0	NO ADJUSTMENT
12/08/2016	34.7	10.1	10.1		1003	0.28	3	0	NO ADJUSTMENT
24/08/2016	34.4	9.2	10.1		1000	0.09	4	0	NO ADJUSTMENT
31/08/2016	34.3	10.3	10.5		998	0.05	3	0	NO ADJUSTMENT
19/09/2016	30.7	12.2	9.8		1003	-0.09	3	0	NO ADJUSTMENT
28/09/2016	34.2	9.9	10.4		1000	0.15	4	1	NO ADJUSTMENT
05/10/2016	31.7	10.8	10.3		1009	0.53	3	1	NO ADJUSTMENT
19/10/2016	33.4	13.6	9.7		1001	0.07	5	0	NO ADJUSTMENT
07/11/2016	31.6	14.6	9.4		994	0.02	4	0	NO ADJUSTMENT
16/11/2016	31.1	14.1	9.3		991	0.17	4	0	NO ADJUSTMENT
28/11/2016	30.9	14.8	9.4		1009	0.58	3	0	NO ADJUSTMENT
05/12/2016	29.7	16.1	9.4		1002	-0.1	4	0	NO ADJUSTMENT
20/12/2016	29.8	15.6	9.5		996	0.15	3	0	NO ADJUSTMENT
06/01/2017	28.8	14.9	9.9		1011	-0.19	2	0	NO ADJUSTMENT
11/01/2017	30.5	14.9	10		990	-0.05	4	0	NO ADJUSTMENT
27/01/2017	31	14.2	10		987	-0.03	3	0	NO ADJUSTMENT
07/02/2017	31.7	14.8	9.6		992	0.12	4	0	NO ADJUSTMENT
17/02/2017	29.6	15	10		1005	0.27	3	0	NO ADJUSTMENT
02/03/2017	32.4	14.4	9.7		988	0.55	4	0	NO ADJUSTMENT
17/03/2017	33.2	13.6	10		996	-0.05	1	0	NO ADJUSTMENT
20/04/2017	32.4	12.9	10.3		1014	0.05	0	0	NO ADJUSTMENT
04/05/2017	33.1	14	9.7		1003	0.21	1	0	NO ADJUSTMENT
10/05/2017	33.8	12	9.9		988	0.15	2	0	NO ADJUSTMENT
08/06/2017	35.7	10.5	10.3		983	-0.05	2	0	NO ADJUSTMENT
10/08/2017	33.6	10.8	10		1004	0.98	3	0	NO ADJUSTMENT
05/10/2017	31.7	10.7	10		999	-0.02	2	0	NO ADJUSTMENT
01/12/2017	30.8	11	11.4		1003	0.1	2	0	NO ADJUSTMENT
15/12/2017	34.0	11.6	9.5		999	0.41	3	0	NO ADJUSTMENT
04/01/2018	33.9	10.2	9.7		1000	0.23	3	0	NO ADJUSTMENT
22/01/2018	33.7	9.9	10.0		998	0.18	2	0	NO ADJUSTMENT
08/02/2018	34.1	10.6	10.0		995	0.08	2	0	NO ADJUSTMENT
19/02/2018	34.1	13.4	9.8		1000	0.16	2	1	NO ADJUSTMENT
05/03/2018	34.6	14.7	9.8		1002	0.25	3	0	NO ADJUSTMENT

21/03/2018	35.1	14.3	9.9		999	0.40	2	0	NO ADJUSTMENT
06/04/2018	35.8	13.6	9.9		998	0.61	2	0	NO ADJUSTMENT
16/04/2018	36.2	13.5	10.2		1000	0.45	3	0	NO ADJUSTMENT
04/05/2018	36.5	13.0	10.0		997	0.28	1	0	NO ADJUSTMENT
17/05/2018	37.6	12.2	9.8		995	0.21	2	1	NO ADJUSTMENT
01/06/2018	37.9	11.1	10.1		998	0.32	2	1	NO ADJUSTMENT
12/06/2018	37.8	10.7	10.2		1002	0.51	1	0	NO ADJUSTMENT
09/07/2018	37.3	10.8	10.0		1001	0.46	1	0	NO ADJUSTMENT
27/07/2018	33.4	9.6	10.5		989	0.15	6	1	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	33.5	8.6	12		995	0.39	6	0	NO ADJUSTMENT
04/09/2018	33.5	11.5	10.7		1003	0.02	5	0	NO ADJUSTMENT
29/10/2018	32.2	10.7	11		988	-0.74	3	0	NO ADJUSTMENT
15/11/2018	32.3	10.7	10.7		998	-0.24	3	0	NO ADJUSTMENT
07/02/2019	31.8	11.4	10.6		980	-1.72	2	0	NO ADJUSTMENT
20/02/2019	31.6	11.7	10.1		995	0.38	2	0	NO ADJUSTMENT
15/04/2019	30.7	9.9	11.1		995	0.09	2	0	NO ADJUSTMENT
03/07/2019	39.8	10.5	8.8		1007	-0.03	5	1	NO ADJUSTMENT
17/07/2019	41.8	10.4	8.8		993	0.19	4	0	NO ADJUSTMENT
30/07/2019	42.2	10.4	8.9		983	3.09	4	0	NO ADJUSTMENT
07/04/2020	32.5	8.7	11.7		1008	-0.43	1	0	
11/11/2020	31.2	11	10.4	47.4	994	-0.77	3	0	
01/12/2020	30.8	11.3	11.1	46.8	1007	0.05	2	0	
05/01/2021	31.9	11.4	10.5	46.2	1003	-1.64	2	0	
02/02/2021	32.2	10.5	10.7	46.6	972	-0.33	1	0	
03/03/2021	31.8	9.2	12	47	1006	0.1	1	0	
06/04/2021	24.1	7.3	13	55.6	1000	0.12	1	0	
05/05/2021	29.9	8.7	12	49.4	988	-0.27	2	0	
02/06/2021	29.3	8.6	11.4	50.7	992	0.27	2	1	
06/07/2021	35	9.5	11.1	44.4	974	-0.02	3	1	
03/08/2021	34.6	9.6	11.4	44.4	992	0.05	4	0	
07/09/2021	31.7	9.3	11.5	47.5	1000	0.53	3	0	
05/10/2021	28.2	9.6	10.7	51.5	975	1.25	43	0	
10/11/2021	26.2	9.2	11	53.6	1001	-0.31	40	0	
01/12/2021	26.6	9.8	11.5	52.1	976	0.19	42	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Notes
02/06/2016	68.1	28.6	1.1		1003	>>>>	2	0	NO ADJUSTMENT	
15/06/2016	64.5	23.3	0.7		975	-0.02	2	0	NO ADJUSTMENT	
12/08/2016	46.6	24.3	4		1003	-14.7	3	0	NO ADJUSTMENT	
24/08/2016	67.6	29	1.2		1000	-21.34	4	0	NO ADJUSTMENT	
31/08/2016	68.2	27.7	1.4		998	-15.44	7	0	NO ADJUSTMENT	
19/09/2016	64	28.2	1.4		1003	-18	3	0	NO ADJUSTMENT	
28/09/2016	71.7	29.2	0.5		1000	-9.47	5	1	CLOSED SLIGHTLY	
05/10/2016	49.6	27	2.2		1007	2.2	6	1	NO ADJUSTMENT	
19/10/2016	65.5	30.3	0.6		1001	-24.73	5	0	NO ADJUSTMENT	
07/11/2016	55	28.1	0.9		994	-36.36	4	0	NO ADJUSTMENT	
16/11/2016	71.7	23.3	0.5		991	-26.04	8	0	NO ADJUSTMENT	
28/11/2016	71.5	24.8	0.7		1009	-38.04	15	0	NO ADJUSTMENT	
05/12/2016	67.6	27.7	0.8		1002	-41.35	15	0	NO ADJUSTMENT	
20/12/2016	63.5	29.7	0.6		996	6.31	4	0	NO ADJUSTMENT	
06/01/2017	61.7	24.6	0.7		1011	-39.05	11	0	NO ADJUSTMENT	
11/01/2017	68	28.5	0.4		990	-30.82	17	0	NO ADJUSTMENT	
27/01/2017	68.3	24.9	1.4		986	-50.31	12	0	NO ADJUSTMENT	
17/02/2017	68.1	24.7	0.5		1006	-45.19	15	1	NO ADJUSTMENT	
02/03/2017	62.3	27.2	0.4		988	-23.53	11	0	NO ADJUSTMENT	
17/03/2017	64.2	26.1	1.6		996	-31	7	0	OPENED 1/4 TURN	
20/04/2017	62.1	24.5	1.8		1014	-61.64	7	0	NO ADJUSTMENT	
04/05/2017	66.3	30.6	1		1003	3.63	2	0	NO ADJUSTMENT	
10/05/2017	66.9	23.1	2.7		988	-71.61	8	0	NO ADJUSTMENT	
08/06/2017	49.4	19	5.6		983	-66.05	3	0	NO ADJUSTMENT	
10/08/2017										Gas Tap had been knocked off - Couldn't take reading, Air entering system, Valve closed.
05/10/2017	75.9	22.2	0.8		999	0.1	1	0	NO ADJUSTMENT	
13/10/2017									OPENED 1/2 TURN	
01/12/2017	81.7	15.4	2.3		1004	-0.45	3	0	NO ADJUSTMENT	
07/12/2017									OPENED 1/4 TURN	
15/12/2017	61.7	26.1	1.8		999	-12.88	4	0	NO ADJUSTMENT	
04/01/2018	61.6	27.3	2.0		1000	-17.37	4	0	NO ADJUSTMENT	
22/01/2018	67.9	28.5	1.1		998	-16.06	1	0	NO ADJUSTMENT	
08/02/2018	63.4	28.0	1.4		995	-10.18	8	1	NO ADJUSTMENT	
19/02/2018	62.7	28.7	1.2		1000	-12.50	6	1	NO ADJUSTMENT	
05/03/2018	60.5	28.7	1.1		1002	-17.09	2	1	NO ADJUSTMENT	
21/03/2018	60.5	27.2	1.1		999	-21.23	5	0	NO ADJUSTMENT	
06/04/2018	65.9	26.6	0.7		998	-31.29	7	0	NO ADJUSTMENT	
16/04/2018	66.5	26.0	0.7		1000	-35.45	2	0	NO ADJUSTMENT	
04/05/2018	68.6	26.4	0.7		997	-24.78	3	0	NO ADJUSTMENT	
17/05/2018	66.1	26.7	0.7		995	-28.03	5	0	NO ADJUSTMENT	
01/06/2018	65.2	27.6	0.6		998	-26.23	6	0	NO ADJUSTMENT	
12/06/2018	65.4	26.9	0.8		1002	-28.47	6	0	NO ADJUSTMENT	
09/07/2018	66.5	25.7	0.8		1001	-41.34	7	0	NO ADJUSTMENT	
27/07/2018	69.2	11.6	3.2		989	0.48	10	1	NO ADJUSTMENT	
03/08/2018									CLOSED	
10/08/2018	71.1	10.8	3.8		995	-1.45	10	0	NO ADJUSTMENT	
04/09/2018	75	10.9	4.1		1003	-1.06	12	0	NO ADJUSTMENT	
29/10/2018	78.9	8.3	4.1		988	0.03	9	0	NO ADJUSTMENT	
15/11/2018	78.7	7.6	4.4		998	0.56	10	0	NO ADJUSTMENT	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	64	31.1	11.7		1002	>>>>	2	0	CLOSED
15/06/2016	42.2	12.2	1.8		975	0.02	2	0	NO ADJUSTMENT
12/08/2016	53.9	7.5	6.8		1002	-0.07	1	0	NO ADJUSTMENT
24/08/2016	75.3	9.7	2.4		1000	1.38	2	0	NO ADJUSTMENT
31/08/2016	80.1	10.9	1.7		998	0.1	0	0	NO ADJUSTMENT
19/09/2016	26.9	11.3	10.7		1003	-0.17	0	0	NO ADJUSTMENT
28/09/2016	26.5	6.3	13		1000	0.39	1	1	NO ADJUSTMENT
05/10/2016	32.9	7.9	10.1		1008	0.45	1	0	NO ADJUSTMENT
19/10/2016	19.1	10.4	14.6		1001	0.05	2	0	NO ADJUSTMENT
07/11/2016	13.4	10.6	15.3		993	0.05	1	0	NO ADJUSTMENT
16/11/2016	24	11.3	8.9		990	0.02	1	0	NO ADJUSTMENT
28/11/2016	38.3	15.9	6.2		1008	-1.27	1	0	NO ADJUSTMENT
05/12/2016	51.7	18.2	2.7		1002	0.03	3	0	NO ADJUSTMENT
20/12/2016	68.4	18.2	1.9		996	0.19	2	0	OPENED 1/4 TURN
06/01/2017	5.2	8.4	18.4		1011	-0.17			NO ADJUSTMENT
11/01/2017	10	8.7	16		989	-0.29	2	0	NO ADJUSTMENT
27/01/2017	17.9	9.6	15.2		986	0	1	0	NO ADJUSTMENT
07/02/2017	60.8	29.5	0.6		992	-36.05	7	0	CLOSED
17/02/2017	0.3	4.3	20		1005	0.12	1	0	NO ADJUSTMENT
02/03/2017	0.4	6.4	19.7		988	0	2	0	NO ADJUSTMENT
17/03/2017	0.6	7.1	17.8		995	-0.02	0	0	NO ADJUSTMENT
20/04/2017	1.7	5.4	18.4		1014	0.02	0	0	NO ADJUSTMENT
04/05/2017	32.6	10.4	6.2		1003	0.24	0	0	NO ADJUSTMENT
10/05/2017	36.8	9.2	7.1		988	0.1	0	0	NO ADJUSTMENT
08/06/2017	67.1	7.9	4.7		983	0.14	0	0	NO ADJUSTMENT
10/08/2017	79.3	8	2.2		1004	-0.12	1	0	NO ADJUSTMENT
05/10/2017	1.9	3.3	19.4		999	0.14	0	0	NO ADJUSTMENT
01/12/2017	32	7.7	8.1		1003	0.12	0	0	NO ADJUSTMENT
15/12/2017	58.9	15.1	5.7		999	0.44	2	0	NO ADJUSTMENT
04/01/2018	62.9	10.1	3.2		1000	0.36	1	0	NO ADJUSTMENT
22/01/2018	59.1	9.9	5.4		998	0.31	0	0	NO ADJUSTMENT
08/02/2018	52.2	9.6	7.0		995	0.43	1	0	NO ADJUSTMENT

19/02/2018	41.6	9.1	8.9		1000	0.19	1	0	NO ADJUSTMENT
05/03/2018	26.4	9.0	12.1		1002	0.18	1	0	NO ADJUSTMENT
21/03/2018	23.0	8.8	13.3		999	0.24	0	0	NO ADJUSTMENT
06/04/2018	22.4	10.1	12.2		998	0.14	1	0	NO ADJUSTMENT
16/04/2018	23.7	12.1	11.3		1000	-0.29	1	0	NO ADJUSTMENT
04/05/2018	31.9	14.0	8.3		997	-0.29	0	0	NO ADJUSTMENT
17/05/2018	45.6	15.9	4.9		995	-0.26	2	0	NO ADJUSTMENT
01/06/2018	40.9	15.2	7.3		998	-0.31	2	0	NO ADJUSTMENT
12/06/2018	33.8	13.4	9.8		1002	-0.06	0	0	NO ADJUSTMENT
09/07/2018	25.4	11.2	12.9		1001	-0.07	2	0	NO ADJUSTMENT
10/08/2018	13.8	3.7	17.1		995	-0.12	0	0	NO ADJUSTMENT
04/09/2018	29.4	7.8	10.5		1002	0.02	1	0	NO ADJUSTMENT
29/10/2018	20.3	6.3	10.3		988	-0.12	0	0	NO ADJUSTMENT
15/11/2018	6.1	2.9	17.5		998	0.34	0	0	NO ADJUSTMENT
07/02/2019	35.1	6.5	12.3		981	-0.1	0	0	NO ADJUSTMENT
20/02/2019	27.9	8.4	8.5		995	-0.02	1	0	NO ADJUSTMENT
15/04/2019	36.3	9.4	10.9		995	3.12	1	0	NO ADJUSTMENT
03/07/2019	59.2	12	5.3		1006	0.07	4	1	NO ADJUSTMENT
17/07/2019	70.4	13.6	3.3		993	0.19	2	0	NO ADJUSTMENT
30/07/2019	67.4	13.7	3.8		983	0.12	2	0	OPENED 1 TURN
07/04/2020	0.3	2.8	19.4		1008	-0.17	0	0	
11/11/2020	40.1	19.3	1.1	39.5	995	-0.41	2	21	
01/12/2020	59	19.2	1.6	20.2	1007	-0.51	0	43	
05/01/2021	69	19.2	1.7	10.1	1003	-0.6	1	93	
02/02/2021	75.1	19.4	1	4.5	971	-0.31	2	119	
03/03/2021	78.3	18.2	1.2	2.3	1006	-0.03	1	94	
06/04/2021	72.1	19.1	2.6	6.2	1000	-0.22	1	22	
05/05/2021	74.5	15.7	2.7	7.1	987	0.02	1	0	
02/06/2021	73.1	14.1	3	9.8	986	0.36	1	4	
06/07/2021	64.5	20.2	2.8	12.5	974	-1.66	1	66	
03/08/2021	78.4	18.8	1.5	1.3	992	0.14	2	20	
07/09/2021	75.9	13.1	1.7	9.3	1000	0.14	1	0	
05/10/2021	56.6	15.6	3.5	24.3	974	0.74	41	0	
10/11/2021	21.1	7.7	13.2	58	1001	0.22	38	0	

Date and Time	CH4 (%)	CO2 (%)	O2 (%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading	Notes
02/06/2016	55.2	10.6	3.7		1003	>>>>	1	0	NO ADJUSTMENT					
15/06/2016	60.1	11.2	1.8		975	0.62	1	0	NO ADJUSTMENT					
12/08/2016	68.7	23.1	1.8		1002	2.51	4	0	<1/4 TURN OPENED					
24/08/2016	31.3	4.3	10.4		999	0.36	1	0	CLOSED					
31/08/2016	44	5.3	6.7		998	0.64	0	0	NO ADJUSTMENT					
19/09/2016	44.4	6.2	5		1003	-3.56	1	0	NO ADJUSTMENT					
28/09/2016	49.9	4.5	4.1		1000	1.73	2	1	NO ADJUSTMENT					
05/10/2016	39.2	4.1	7.1		1007	0.41	1	0	NO ADJUSTMENT					
19/10/2016	47	6	3.7		1001	-3.38	2	0	NO ADJUSTMENT					
07/11/2016	45.3	6.1	3.6		993	0.77	2	0	NO ADJUSTMENT					
16/11/2016	47.2	6.8	2.6		990	6.52	2	0	NO ADJUSTMENT					
28/11/2016	45.7	8.4	3		1008	-17.44	2	0	NO ADJUSTMENT					
05/12/2016	32.9	9.1	1.1		1002	-63.34	2	0	OPENED 1/4 TURN					
20/12/2016														Pump flow fail Not read
06/01/2017	27.4	10.2	3		1011	-65.64	1	0	NO ADJUSTMENT					
11/01/2017	25.9	9.5	3.2		989	-67.3	3	0	NO ADJUSTMENT					
27/01/2017	20	9.1	11.1		986	-67.11	1	0	NO ADJUSTMENT					
07/02/2017	17.7	11.3	0.8		992	-59.24	3	0	NO ADJUSTMENT					
17/02/2017	49.1	13.8	2.6		1005	-79.77	10	0	NO ADJUSTMENT					
02/03/2017	18.3	9.1	0.7		988	-54.89	3	0	NO ADJUSTMENT					
17/03/2017	37.8	13	3.4		995	-50.41	1	0	NO ADJUSTMENT					
20/04/2017	59.8	25.7	2.9		1014	-22.37	2	0	NO ADJUSTMENT					
04/05/2017	51.7	24.9	2		1003	2.92	2	0	NO ADJUSTMENT					
10/05/2017	19.6	7.2	7		987	-63.29	1	0	NO ADJUSTMENT					
08/06/2017	24.5	9.1	7.4		983	-6.09	0	0	NO ADJUSTMENT					
10/08/2017	23.2	4.5	5.1		1004	-1.96	1	0	NO ADJUSTMENT					
05/10/2017	21.9	2.8	6.9		999	0	0	0	NO ADJUSTMENT					
01/12/2017	25.7	4.8	2.6		1003	0.53	0	0	NO ADJUSTMENT					
07/12/2017									CLOSED					
15/12/2017	47.1	9.7	6.0		999	1.57	2	0	NO ADJUSTMENT					
04/01/2018	42.4	5.1	6.6		1000	1.44	1	0	NO ADJUSTMENT					
22/01/2018	44.4	5.0	5.7		998	0.50	1	0	NO ADJUSTMENT					
08/02/2018	45.1	5.2	5.0		995	-1.46	2	0	NO ADJUSTMENT					
19/02/2018	45.4	5.2	4.6		1000	-0.92	2	0	NO ADJUSTMENT					
05/03/2018	44.7	5.8	4.3		1002	1.07	2	0	NO ADJUSTMENT					
09/03/2018										9.04	-1.23	7.81		
21/03/2018	46.3	6.8	3.2		999	-1.49	2	0	NO ADJUSTMENT					
06/04/2018	42.8	7.6	2.6		998	-1.31	2	0	NO ADJUSTMENT					
16/04/2018	41.9	8.1	2.2		1000	1.16	2	0	NO ADJUSTMENT					
04/05/2018	35.3	9.2	2.4		997	1.17	2	0	NO ADJUSTMENT					
17/05/2018	28.7	9.6	2.4		995	-0.85	2	0	NO ADJUSTMENT					
01/06/2018	24.4	9.6	5.8		998	-0.40	2	0	NO ADJUSTMENT					
12/06/2018	22.8	10.0	4.5		1002	-0.47	2	0	NO ADJUSTMENT					
09/07/2018	28.2	10.9	4.4		1001	-0.41	4	0	NO ADJUSTMENT					
27/07/2018	0	3.5	7.2		989	7.2	2	1	NO ADJUSTMENT					
10/08/2018	0.8	3.8	4.9		995	-0.05	2	0	NO ADJUSTMENT					
04/09/2018	3.3	5.9	3.4		1002	6.81	2	0	NO ADJUSTMENT					
29/10/2018	2.2	3.6	4.7		987	0.22	0	0	NO ADJUSTMENT					
15/11/2018	1.8	2.8	4.8		997	0.31	1	0	NO ADJUSTMENT					

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	62.9	29.2	0.2		1002	>>>>	1	0	NO ADJUSTMENT	11.12	-0.84	10.28	804767
15/06/2016	48.9	24	0.7		975	-5.11	18	0	NO ADJUSTMENT				
22/06/2016										10.95	-0.84	10.11	
04/07/2016										10.63	-0.84	9.79	804767
11/08/2016										10.83	-0.84	9.99	804769
12/08/2016	51.5	25.5	1.2		1002	-10.62	11	0	NO ADJUSTMENT				
24/08/2016	57.1	25.1	1.5		1000	-11.47	18	0	NO ADJUSTMENT				
31/08/2016	55.9	25.7	1.3		998	-15.59	11	0	NO ADJUSTMENT				
02/09/2016										11	-0.84	10.16	
06/09/2016										12.17	-0.84	11.33	813601
19/09/2016	58.4	21.7	1.3		1002	-10.33	9	0	NO ADJUSTMENT				
28/09/2016										11.96	-0.84	11.12	
28/09/2016	61	24.9	0.8		1000	-8.92	19	1	CLOSED SLIGHTLY				
05/10/2016	64.1	29.2	0.8		1008	0.41	4	0	NO ADJUSTMENT	14.66	-0.84	13.82	842753
19/10/2016	61.6	24	0.8		1001	-0.46	16	0	NO ADJUSTMENT				
25/10/2016										13.04	-0.84	12.2	
02/11/2016										12.9	-0.84	12.06	
07/11/2016	33.8	6.7	11.5		993	0.46	2	0	NO ADJUSTMENT				
10/11/2016										13.02	-0.84	12.18	
16/11/2016	64.5	29.3	0.4		990	4.32	4	0	NO ADJUSTMENT				
28/11/2016	10.7	4.5	16.7		1008	-4.03	1	0	NO ADJUSTMENT				
02/12/2016										12.26	-0.84	11.42	
05/12/2016	31.9	9	10.1		1001	0.99	2	0	NO ADJUSTMENT				
08/12/2016										12.76	-0.84	11.92	
20/12/2016	35.3	9.3	9.5		995	2.4	1	0	NO ADJUSTMENT				
06/01/2017										12.15	-0.84	11.31	
06/01/2017	2.8	5.2	20.1		1011	-0.48	1	0	NO ADJUSTMENT				
11/01/2017	3.8	5.1	20.3		989	4.1	2	0	NO ADJUSTMENT				
24/01/2017										12.13	-0.84	11.29	
27/01/2017	18.6	7.8	16.1		986	-8.08	2	0	NO ADJUSTMENT				
30/01/2017										11.6	-0.84	11.6	
07/02/2017	4.5	4.5	19.3		991	3.16	2	0	CLOSED				
17/02/2017	4.6	6.2	18.8		1005	-20.74	2	0	NO ADJUSTMENT				
28/02/2017										11.02	-0.84	10.18	
02/03/2017	3.2	4.7	19.8		988	-0.1	2	0	NO ADJUSTMENT				
03/03/2017										11.07	-0.84	11.07	
17/03/2017	20.7	8.7	14.5		995	-0.57	0	0	CLOSED				
29/03/2017										11.13	-0.84	10.29	
07/04/2017										11.17	-0.84	10.33	
20/04/2017	2	6.4	18.4		1014	-0.83	0	0	NO ADJUSTMENT				
02/05/2017										10.98	-0.84	10.14	
04/05/2017	57.8	21.2	3.9		1003	2.37	2	0	NO ADJUSTMENT				
08/05/2017										11.02	-0.84	10.18	
10/05/2017	1.7	3.2	18.9		988	-10.73	0	0	NO ADJUSTMENT				
08/06/2017	18.2	6.3	16		982	-6.6	0	0	NO ADJUSTMENT	10.85	-0.84	10.01	
09/06/2017										11.1	-0.84	10.26	
07/07/2017										11.09	-0.84	10.25	
10/08/2017	38.7	11.2	8.9		1004	0.22	1	0	NO ADJUSTMENT	11.29	-0.84	10.45	
24/08/2017										11.23	-0.84	10.39	
29/08/2017										11.25	-0.84	10.41	

19/09/2017										12.26	-0.84	11.42	
05/10/2017	86.2	12.3	0.8		999	1.58	0	0	NO ADJUSTMENT	13.26	-0.84	12.42	
06/10/2017										13.18	-0.84	12.34	
13/10/2017									OPENED 1/2 TURN				
06/11/2017										12.6	-0.84	11.76	
01/12/2017	83.4	15.4	1.8		1003	0.17	0	0	NO ADJUSTMENT	13.01	-0.84	12.17	
07/12/2017									OPENED 1/4 TURN				
15/12/2017	55.9	26.6	0.5		999	-5.11	2	0	NO ADJUSTMENT				
21/12/2017										15.56	-0.84	14.72	
04/01/2018	48.9	24.0	0.7		1000	-5.11	3	0	NO ADJUSTMENT				
22/01/2018	51.5	25.5	1.2		998	-10.62	2	0	NO ADJUSTMENT				
23/01/2018										12.88	-0.84	12.04	
08/02/2018	54.3	25.3	1.4		995	-11.05	2	0	NO ADJUSTMENT				
19/02/2018	54.8	25.4	1.3		1000	-12.56	2	0	NO ADJUSTMENT				
05/03/2018	54.8	25.4	1.3		1002	-12.76	2	0	NO ADJUSTMENT				
08/03/2018										12.11	-0.84	11.27	
09/03/2018										13.5	-0.91	12.59	
21/03/2018	56.5	25.4	1.4		999	-13.53	2	0	NO ADJUSTMENT				
06/04/2018										12.92	-0.91	12.01	
06/04/2018	57.2	23.7	1.3		998	-12.96	1	0	NO ADJUSTMENT				
16/04/2018	58.4	21.7	1.3		1000	-10.33	1	0	NO ADJUSTMENT				
04/05/2018	59.7	23.3	1.1		997	-9.63	1	0	NO ADJUSTMENT				
17/05/2018	61.2	25.3	1.0		995	-6.28	2	0	NO ADJUSTMENT				
25/05/2018										14.71	-0.91	13.8	
01/06/2018	62.2	26.0	0.8		998	-3.03	2	0	NO ADJUSTMENT				
04/06/2018										15.5	-0.91	11.56	
12/06/2018	62.2	26.0	0.8		1002	-2.99	2	0	NO ADJUSTMENT				
09/07/2018	62.9	26.6	0.8		1001	-4.57	2	0	NO ADJUSTMENT				
27/07/2018	42.8	7.1	8		989	0.12	3	1	NO ADJUSTMENT	13.03	-0.91	12.12	
03/08/2018									CLOSED				
06/08/2018										13.11	-0.91	12.2	
10/08/2018	19.6	3.8	16.3		995	-3.83	1	0	NO ADJUSTMENT	15.12	-0.91	14.21	
04/09/2018	53	7.8	7.5		1002	-3.29	3	0	NO ADJUSTMENT	12.73	-0.91	11.82	
12/10/2018										13.68	-0.91	12.77	
29/10/2018	24.9	5.8	13.1		987	0.22	3	0	NO ADJUSTMENT	15.5	-0.91	14.59	
15/11/2018	62.6	7.2	6.8		997	0.12	2	0	NO ADJUSTMENT				
01/02/2019										8.84	-0.91	7.93	
07/02/2019	24.2	4.7	15.2		981	1.1	1	0	NO ADJUSTMENT				
20/02/2019	32.5	6.6	11.6		995	0.02	2	0	NO ADJUSTMENT	13.55	-0.91	12.64	
15/04/2019	55.7	18.1	4.6		994	-0.12	3	0	NO ADJUSTMENT	15.95	-0.91	15.04	
03/07/2019	52.6	20.8	3.9		1006	0.09	3	1	NO ADJUSTMENT	13.65	-0.91	12.74	
10/07/2019										13.1	-0.91	12.19	
17/07/2019	0.3	3.8	19.8		993	0.24	1	0	NO ADJUSTMENT	15.56	-0.91	14.65	
30/07/2019	86.6	14.1	0.4		983	0.91	3	1	OPENED 1/2 TURN				
22/08/2019										13.65	-0.91	12.74	
22/10/2019										14.59	-0.91	13.68	
12/11/2019										13.47	-0.91	12.56	
12/12/2019										12.17	-0.91	11.26	
20/03/2020										12.7	-0.91	11.79	
01/04/2020										14.69	-0.91	13.78	
07/04/2020	51.7	22.6	3.5		1007	0.41	13	0					
22/04/2020										12.99	-0.91	12.08	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	62.7	31.6	0.1		1002	>>>>	1	0	NO ADJUSTMENT				
15/06/2016	65.3	28.4	0.5		975	2.36	3	0	NO ADJUSTMENT				
12/08/2016	68.6	28.3	0.8		1002	-13.86	3	0	NO ADJUSTMENT				
24/08/2016	68.9	29.5	0.7		1000	-14.82	4	0	NO ADJUSTMENT				
31/08/2016	69.5	28.8	1		998	-16.37	3	0	NO ADJUSTMENT				
19/09/2016	65.3	29.6	0.9		1002	-0.67	3	0	NO ADJUSTMENT				
28/09/2016	72.2	29.4	0.2		1000	0.38	6	1	OPENED SLIGHTLY				
05/10/2016	64.7	24.7	1		1008	0.79	3	0	NO ADJUSTMENT				
19/10/2016	67.3	22.3	0.7		1001	0.81	6	0	NO ADJUSTMENT				
07/11/2016	69.1	13	0.9		993	0.7	4	0	NO ADJUSTMENT				
16/11/2016	60.5	18.1	1		990	-3.38	3	0	NO ADJUSTMENT				
28/11/2016	72.4	10.5	0.9		1008	-3.48	4	0	NO ADJUSTMENT				
05/12/2016	59.5	13.3	1.4		1001	1.8	3	0	NO ADJUSTMENT				
20/12/2016	60.2	15.6	1.5		995	-4.1	3	0	NO ADJUSTMENT				
06/01/2017	64.8	16.5	1.2		1010	7.86	2	0	NO ADJUSTMENT				
11/01/2017	60.1	15.5	1.8		989	6.5	3	0	NO ADJUSTMENT				
27/01/2017	65	18.2	1.6		986	-7.14	2	0	NO ADJUSTMENT				
07/02/2017	59.1	16.8	1.7		991	5.52	5	0	NO ADJUSTMENT				
17/02/2017	63	18.1	1.3		1005	-11.25	4	0	NO ADJUSTMENT				
02/03/2017	35.7	11.7	6.8		988	6.48	4	0	NO ADJUSTMENT				
17/03/2017	41	15.3	5.6		995	0.62	1	0	NO ADJUSTMENT				
20/04/2017	54.4	17	3.5		1014	0.1	1	0	NO ADJUSTMENT				
04/05/2017	60.5	21	1.8		1003	2.87	1	0	NO ADJUSTMENT				
10/05/2017	64.7	15.9	3.3		988	-9.85	3	0	NO ADJUSTMENT				
08/06/2017	62.6	17.3	1.7		983	-5.74	1	0	NO ADJUSTMENT				
10/08/2017	75.2	10.3	0.9		1004	0.64	2	0	NO ADJUSTMENT				
05/10/2017	86.4	9.8	0.7		999	2.01	4	0	NO ADJUSTMENT				
13/10/2017									OPENED SLIGHTLY				
01/12/2017	85.6	12.3	1.4		1003	1.91	0	0	NO ADJUSTMENT				
07/12/2017									OPENED 1/4 TURN				
15/12/2017	69.0	29.3	0.7		999	-14.34	4	0	NO ADJUSTMENT				
04/01/2018	67.9	28.1	0.8		1000	-15.60	4	0	NO ADJUSTMENT				
22/01/2018	67.4	26.5	0.7		998	-8.52	5	0	NO ADJUSTMENT				
08/02/2018	68.3	22.4	0.7		995	-13.48	5	0	NO ADJUSTMENT				
19/02/2018	65.4	19.5	0.9		1000	-8.81	4	0	NO ADJUSTMENT				
05/03/2018	67.3	16.0	0.9		1002	-9.67	4	0	NO ADJUSTMENT				
09/03/2018										11.54	-1.3	10.24	
21/03/2018	65.4	13.7	1.1		999	-14.61	4	0	NO ADJUSTMENT				
06/04/2018	63.2	14.4	1.2		998	-10.44	3	0	NO ADJUSTMENT				
16/04/2018	64.2	14.0	1.3		1000	-15.02	3	0	NO ADJUSTMENT				
04/05/2018	61.2	15.2	1.5		997	-10.62	3	0	NO ADJUSTMENT				
17/05/2018	62.5	16.5	1.5		995	-12.36	3	0	NO ADJUSTMENT				
01/06/2018	62.3	16.8	1.6		998	-14.95	3	0	NO ADJUSTMENT				
12/06/2018	61.8	17.2	1.6		1002	-12.04	4	0	NO ADJUSTMENT				
09/07/2018	55.7	16.2	2.9		1001	-15.20	4	0	NO ADJUSTMENT				
27/07/2018	67.9	28.5	0.5		989	0.05	5	1	NO ADJUSTMENT				
03/08/2018									OPENED 1/2 TURN				
10/08/2018	50.5	24.7	1.1		995	-47.52	3	0	NO ADJUSTMENT				
04/09/2018	69.2	26.5	2		1002	-42.67	3	0	NO ADJUSTMENT				
29/10/2018	64.3	23.9	1.2		987	-31.98	2	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	63.5	32.6	0		1002	>>>>	1	0	NO ADJUSTMENT				223116
09/06/2016										6.3	-1.47	4.83	
15/06/2016	50.9	25.3	0.6		975	-13.05	13	0	NO ADJUSTMENT				
22/06/2016										6.33	-1.47	4.86	
04/07/2016										6.3	-1.47	4.83	223116
11/08/2016										6.47	-1.47	5	223116
12/08/2016	35.4	22.8	5.5		1002	-4.83	3	0	NO ADJUSTMENT				
24/08/2016	37.6	23.7	4.1		999	-2.37	4	0	NO ADJUSTMENT				
31/08/2016	41.7	25.2	3		997	-10.04	2	0	NO ADJUSTMENT				
02/09/2016										8.76	-1.47	7.29	
06/09/2016										7.2	-1.47	5.73	223122
19/09/2016	68.2	23.5	1.5		1002	-0.07	6	0	NO ADJUSTMENT				
28/09/2016										6.94	-1.47	5.47	
28/09/2016	76.6	20.6	1.2		1000	-2.92	12	0	OPENED SLIGHTLY				
05/10/2016	72.5	21.4	1.5		1008	3.19	9	0	NO ADJUSTMENT	7.28	-1.47	5.81	223122
19/10/2016	70.3	21.7	1.9		1001	8.08	11	0	NO ADJUSTMENT				
25/10/2016										7.26	-1.47	5.79	
02/11/2016										7.04	-1.47	5.57	223123
07/11/2016	68.8	18.8	2.5		993	0.34	9	0	NO ADJUSTMENT				
10/11/2016										6.9	-1.47	5.43	
16/11/2016	67.8	19.6	2.5		990	4.65	9	0	NO ADJUSTMENT				
28/11/2016	68.1	17.5	3		1008	-3.96	8	0	NO ADJUSTMENT				
02/12/2016										7.01	-1.47	5.54	223127
05/12/2016	64.1	17.8	3.6		1001	0.91	8	0	NO ADJUSTMENT				
08/12/2016										7.25	-1.47	5.78	
20/12/2016	63.9	18.9	3.5		995	2.69	7	0	NO ADJUSTMENT				
06/01/2017										6.93	-1.47	5.46	
06/01/2017	64.7	19	3.3		1010	-0.31	6	0	NO ADJUSTMENT				
11/01/2017	65.5	18.9	3.4		989	-0.53	8	0	NO ADJUSTMENT				
24/01/2017										6.71	-1.47	5.24	
27/01/2017	65.6	19.3	3.4		986	-6.36	6	0	NO ADJUSTMENT				
30/01/2017										6.5	-1.47	5.03	
07/02/2017	65.3	19.2	3.3		991	10.65	10	0	NO ADJUSTMENT				
17/02/2017	64.4	18.8	3.3		1005	-19.16	8	0					
28/02/2017										6.41	-1.47	4.94	224025
02/03/2017	64.2	17.5	3.5		988	1.22	10	0	NO ADJUSTMENT				
03/03/2017										6.18	-1.47	4.71	
17/03/2017	65.2	17.9	4.3		995	0.53	4	0	NO ADJUSTMENT				
29/03/2017										6.29	-1.47	4.82	224033
07/04/2017										6.4	-1.47	4.93	
20/04/2017	52.2	14.8	6.6		1014	0.33	4	0	CLOSED 1/8 TURN				
02/05/2017										6.53	-1.47	5.06	224037
04/05/2017	56.6	15.7	5.2		1003	3.25	4	0	NO ADJUSTMENT				
08/05/2017										6.56	-1.47	5.09	
10/05/2017	50.1	13.4	6.9		987	-9.11	5	0	NO ADJUSTMENT				
08/06/2017	51.3	12.4	6.1		983	-5.88	2	0	NO ADJUSTMENT	6.6	-1.47	5.13	224042
09/06/2017										6.75	-1.47	5.28	
07/07/2017										6.77	-1.47	5.3	224055
24/08/2017										7.02	-1.47	5.55	
29/08/2017										7.04	-1.47	5.57	224064

19/09/2017									9.17	-1.47	7.7	224185	
05/10/2017	79.6	18.3	0.9		999	0.39	1	0	NO ADJUSTMENT	7.93	-1.47	6.46	
06/10/2017										7.88	-1.47	6.41	224532
13/10/2017									OPENED 1/2 TURN				
06/11/2017										7.6	-1.47	6.13	
01/12/2017	81.3	17.1	2.5		1003	0.07	1	0	NO ADJUSTMENT	7.66	-1.47	6.19	224532
07/12/2017									OPENED 1/4 TURN				
15/12/2017	55.6	15.4	6.4		999	0.23	1	0	NO ADJUSTMENT				
21/12/2017										9.17	-1.47	7.7	224532
04/01/2018	76.4	17.7	5.2		1000	0.23	1	0	NO ADJUSTMENT				
22/01/2018	70.0	16.4	2.4		998	0.23	1	0	NO ADJUSTMENT				
23/01/2018										6.94	-1.47	5.47	249352
08/02/2018	67.3	14.7	3.1		995	0.39	1	0	NO ADJUSTMENT				
19/02/2018	77.6	15.6	2.0		1000	0.39	1	0	NO ADJUSTMENT				
05/03/2018	76.1	16.6	5.2		1002	-2.75	2	0	NO ADJUSTMENT				
08/03/2018										6.52	-1.47	5.05	249391
09/03/2018										6.12	-1.38	4.74	249391
21/03/2018	59.0	14.9	1.5		999	-4.87	3	0	NO ADJUSTMENT				
06/04/2018										8.16	-1.38	6.78	370803
06/04/2018	76.4	16.7	4.9		998	-7.50	4	0	NO ADJUSTMENT				
16/04/2018	57.0	17.3	1.7		1000	-3.91	4	0	NO ADJUSTMENT				
04/05/2018	57.8	17.0	0.8		997	-3.91	4	0	NO ADJUSTMENT				
17/05/2018	68.0	17.7	1.9		995	-2.85	4	0	NO ADJUSTMENT				
25/05/2018										6.97	-1.38	5.59	370803
01/06/2018	55.0	15.3	2.5		998	-2.85	4	0	NO ADJUSTMENT				
04/06/2018										6.98	-1.38	5.6	361558
12/06/2018	64.3	16.6	2.5		1002	-2.85	4	0	NO ADJUSTMENT				
09/07/2018	78.7	13.8	6.0		1001	-2.18	4	0	NO ADJUSTMENT				
23/07/2018													424670
27/07/2018	6	3.3	17.1		989	0.03	3	1	NO ADJUSTMENT	7.06	-1.38	5.68	424670
30/07/2018													436687
03/08/2018									CLOSED				
06/08/2018										7.5	-1.38	6.12	448899
10/08/2018	6.5	3.6	19.2		995	-3.92	2	0	NO ADJUSTMENT	8.46	-1.38	7.08	464444
13/08/2018													488341
20/08/2018													508538
27/08/2018													554884
03/09/2018													554884
04/09/2018	12.2	7.1	16.5		1002	-3.44	3	0	NO ADJUSTMENT	7.64	-1.38	6.26	554884
10/09/2018													556500
12/09/2018													556500
17/09/2018													577349
18/09/2018													577349
24/09/2018													612491
25/09/2018													612491
02/10/2018													650756
09/10/2018													685678
16/10/2018													702170
23/10/2018													734148
29/10/2018	26.7	7.7	13.6		987	0.58	4	0	NO ADJUSTMENT	8.67	-1.38	7.29	
30/10/2018													764007
06/11/2018										7.82	-1.38	6.44	795047

13/11/2018													822574
15/11/2018	32.4	8.1	12.2		991	-0.24	4	0	NO ADJUSTMENT				
20/11/2018													879016
29/11/2018													928977
04/12/2018												0	939801
11/12/2018												0	973872
18/12/2018												0	992776
24/12/2018												0	985
31/12/2018												0	17821
31/12/2018												0	17821
08/01/2019												0	33815
15/01/2019												0	51093
22/01/2019												0	67951
29/01/2019												0	72645
01/02/2019										8.56	-1.38	7.18	76025
07/02/2019	31.7	8.4	13		981	-0.07	2	0	NO ADJUSTMENT			0	
20/02/2019	24.5	7.1	14.4		995	0	2	0	NO ADJUSTMENT	7.73	-1.38	6.35	138727
22/02/2019												0	128995
26/02/2019										7.86	-1.38	6.48	159618
05/03/2019												0	159618
13/03/2019												0	159622
19/03/2019												0	159633
26/03/2019												0	159635
02/04/2019												0	159657
09/04/2019												0	159657
15/04/2019	38.9	14	4.9		994	8.92	2	0	NO ADJUSTMENT	8.51	-1.38	7.13	159671
16/04/2019												0	159674
23/04/2019												0	159679
29/04/2019												0	159706
08/05/2019												0	159709
14/05/2019												0	159709
21/05/2019												0	159718
28/05/2019										7.65	-1.38	6.27	159727
04/06/2019												0	159850
10/06/2019												0	160298
18/06/2019												0	160302
25/06/2019												0	160389
02/07/2019												0	160397
03/07/2019	4.3	17.7	15.7		1006	0.1	1	1	CLOSED	7.82	-1.38	6.44	
10/07/2019												0	160468
16/07/2019												0	160614
17/07/2019	44.5	12.4	4		993	3.12	5	0	NO ADJUSTMENT	9.1	-1.38	7.72	161123
24/07/2019												0	161388
30/07/2019												0	161447
30/07/2019	53.6	14	3.2		982	1.03	5	0	OPENED 1/2 TURN			0	161447
06/08/2019										8.21	-1.38	6.83	
22/08/2019										8.2	-1.38	6.82	169503
28/08/2019												0	171905
24/09/2019												0	190654
22/10/2019										7.93	-1.38	6.55	
30/10/2019												0	194896
12/11/2019										7.85	-1.38	6.47	194896

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/05/2016										11.08	-1.07	10.01	301839
02/06/2016	64	32.8	0.4		1002	>>>>	1	0	NO ADJUSTMENT	10.97	-1.07	9.9	283088
15/06/2016	59.6	25.9	0.4		975	-3.89	9	0	NO ADJUSTMENT				
22/06/2016										11.16	-1.07	10.09	
04/07/2016										11.10	-1.07	10.03	283088
11/08/2016										11.24	-1.07	10.17	284381
12/08/2016	52.8	27.2	1.8		1002	-11.05	4	0	NO ADJUSTMENT				
24/08/2016	63.7	29.5	1.8		999	-11.02	7	0	NO ADJUSTMENT				
31/08/2016	63.8	29.1	2		997	-0.07	5	0	NO ADJUSTMENT				
02/09/2016										12.43	-1.07	11.36	
06/09/2016										11.83	-1.07	10.76	287927
19/09/2016	64.5	30.2	0.8		1002	-14.54	4	0	NO ADJUSTMENT				
28/09/2016										11.79	-1.07	10.72	
28/09/2016	70.1	29.7	0.5		1000	-6.07	10	0	CLOSED SLIGHTLY				
05/10/2016	3.8	8.6	1.4		1008	0.41	7	0	NO ADJUSTMENT	12.00	-1.07	10.93	291294
19/10/2016	17.7	12.5	10.8		1001	-0.1	4	0	NO ADJUSTMENT				
25/10/2016										12.11	-1.07	11.04	
02/11/2016										12.02	-1.07	10.95	293249
07/11/2016	11.4	15.3	0.5		993	-0.1	7	0	NO ADJUSTMENT				
10/11/2016										12.06	-1.07	10.99	
16/11/2016	43.1	25.3	0.4		990	4.58	10	0	NO ADJUSTMENT				
28/11/2016	0.8	6.8	19.8		1008	-0.12	1	0	NO ADJUSTMENT				
02/12/2016										11.37	-1.07	10.3	295782
05/12/2016	30.5	20.8	0.5		1001	0.14	22	0	NO ADJUSTMENT				
08/12/2016										11.68	-1.07	10.61	
20/12/2016	27	20.6	0.5		995	5.13	21	0	NO ADJUSTMENT				
06/01/2017										11.19	-1.07	10.12	
06/01/2017	0.9	8.1	12.5		1010	-0.38	2	0	NO ADJUSTMENT				
11/01/2017	0.6	7.3	12.8		989	0	5	0	NO ADJUSTMENT				
24/01/2017										10.75	-1.07	9.68	
27/01/2017	1.1	6.3	20.3		985	2.78	1	0	NO ADJUSTMENT				
30/01/2017										11.04	-1.07	9.97	
07/02/2017	9.9	11.1	0.5		991	10.15	407	1	CLOSED				
17/02/2017	0.4	5.3	20		1005	8.47	2	0					
28/02/2017										9.37	-1.07	8.3	301811
02/03/2017	3	7.5	9.5		988	0.31	9	0	NO ADJUSTMENT				
03/03/2017										10.07	-1.07	9	
17/03/2017	5.4	4.9	13.9		995	-0.1	37	0					
29/03/2017										10.55	-1.07	9.48	301823
07/04/2017										10.81	-1.07	9.74	
20/04/2017	1.9	5.7	14.8		1007	0.02	0	0	CLOSED 1/8 TURN				
04/05/2017	46.4	24.2	0.9		1003	0.33	31	0	NO ADJUSTMENT				
08/05/2017										11.20	-1.07	10.13	
10/05/2017	0	4	19		987	-0.29	0	0	NO ADJUSTMENT				
08/06/2017	0	0.8	21.5		982	-0.31	0	0	CLOSED	11.34	-1.07	10.27	301847
09/06/2017										11.42	-1.07	10.35	
07/07/2017										11.51	-1.07	10.44	301853
10/08/2017	27.2	14.3	7.5		1004	0.02	11	0	NO ADJUSTMENT	11.77	-1.07	10.7	301863
24/08/2017										11.76	-1.07	10.69	
29/08/2017										11.80	-1.07	10.73	

15/11/2018	15.7	7.6	12		997	-0.58	1	0	NO ADJUSTMENT				
20/11/2018													406043
29/11/2018													406043
31/12/2018													414169
08/01/2019													416275
15/01/2019													416934
22/01/2019													417697
29/01/2019													418580
01/02/2019										12.71	-1.3	11.41	
07/02/2019	18.4	8.7	12.9		981	-0.15	1	0	NO ADJUSTMENT				
20/02/2019	14.3	7.1	14.6		995	-0.38	1	0	NO ADJUSTMENT	10.80	-1.3	9.5	426043
22/02/2019													425049
26/02/2019													427972
05/03/2019										10.90	-1.3	9.6	428504
13/03/2019													430331
19/03/2019													431407
26/03/2019													431891
02/04/2019													434660
09/04/2019													435371
15/04/2019	54.7	23	3		994	2.14	6	0	NO ADJUSTMENT	12.40	-1.3	11.1	437870
16/04/2019													438311
23/04/2019													439136
29/04/2019													440231
08/05/2019													441051
14/05/2019													441196
21/05/2019													441666
28/05/2019										8.38	-1.3	7.08	442015
04/06/2019													442115
10/06/2019													442228
18/06/2019													444657
25/06/2019													448666
02/07/2019													449597
03/07/2019	67.4	22.8	1.6		1006	-0.02	9	1	NO ADJUSTMENT	11.74	-1.3	10.44	450044
10/07/2019													450505
16/07/2019													451157
17/07/2019	68.6	27.1	1		993	3.33	8	0	NO ADJUSTMENT	13.21	-1.3	11.91	451234
24/07/2019													451423
30/07/2019													451751
30/07/2019	72	27.3	0.7		982	0.15	8	0	OPENED 1/2 TURN				451751
22/08/2019										12.47	-1.3	11.17	452015
28/08/2019													452015
24/09/2019													452015
22/10/2019										13.28	-1.3	11.98	
30/10/2019													454306
12/11/2019										10.29	-1.3	8.99	459548
25/11/2019													466182
12/12/2019										11.76	-1.3	10.46	
31/12/2019													476312
21/01/2020										13.60	-1.3	12.3	
28/01/2020													482797
26/02/2020													495369
17/03/2020										12.35	-1.3	11.05	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	12	16.4	0.6		1002	>>>>	5	0	NO ADJUSTMENT	11.62	-1.08	10.54	194588
15/06/2016	30.5	15.9	5		975	-1.41	10	0	NO ADJUSTMENT				
04/07/2016										11.63	-1.08	10.55	194588
11/08/2016										13.51	-1.08	12.43	194645
12/08/2016	1.5	4.3	18.7		1002	-0.29	1	0	NO ADJUSTMENT				
24/08/2016	4.9	7.3	11.5		999	-2.42	6	0	NO ADJUSTMENT				
31/08/2016	3.1	6.8	12.2		997	-1.03	4	0	NO ADJUSTMENT				
06/09/2016										12.94	-1.08	11.86	
19/09/2016	39.7	19.3	1.7		1002	-1.46	25	0	NO ADJUSTMENT				
28/09/2016	26.5	14.7	2.4		999	0.14	39	0	NO ADJUSTMENT				
05/10/2016	8.9	4.9	16.4		1007	0.31	8	0	NO ADJUSTMENT	13.25	-1.08	12.17	
19/10/2016	10.1	8.2	13.1		1001	0.26	12	0	NO ADJUSTMENT				
02/11/2016										13.36	-1.08	12.28	
07/11/2016	65.8	27.8	0.5		993	-2.85	3	0	NO ADJUSTMENT				
16/11/2016	37.8	19.1	1.8		990	-0.31	13	0	NO ADJUSTMENT				
28/11/2016	2.1	3.4	20.5		1008	-1.75	2	0	NO ADJUSTMENT				
02/12/2016										12.08	-1.08	11	
05/12/2016	8.4	14.3	2.9		1001	0.22	7	0	NO ADJUSTMENT				
20/12/2016	5.4	9.6	14.1		995	-3.14	3	0	NO ADJUSTMENT				
06/01/2017	0	3.3	21.3		1010	-8.83	1	0	NO ADJUSTMENT				
11/01/2017	0	3	22		989	-7.94	1	0	NO ADJUSTMENT				
24/01/2017										12.06	-1.08	10.98	
27/01/2017	0.1	2.8	21.9		985	-31.22	1	0	NO ADJUSTMENT				
07/02/2017	1.4	4.3	18.7		991	-4.27	8	0	NO ADJUSTMENT				
17/02/2017	0.4	2.3	20.6		1005	-35.61	2	0					
02/03/2017	0.1	2.8	20.8		988	-4.77	2	0	NO ADJUSTMENT				
03/03/2017										10.74	-1.08	9.66	
17/03/2017	2.6	7.1	13.8		995	-8.65	0	0	NO ADJUSTMENT				
28/03/2017										11.2	-1.08	10.12	
29/03/2017										11.15	-1.08	10.07	
07/04/2017										11.58	-1.08	10.5	
20/04/2017	0	2.2	20.9		1013	-6.67	0	0	CLOSED 1/8 TURN				
02/05/2017										11.42	-1.08	10.34	
04/05/2017	46.2	20.2	0.5		1002	1.79	9	0	NO ADJUSTMENT				
10/05/2017	0	1.6	20.4		987	-22.21	0	0	NO ADJUSTMENT				
08/06/2017	0.1	1.2	20.3		983	-14.49	0	0	CLOSED	11.42	-1.08	10.34	
09/06/2017										12.17	-1.08	11.09	
07/07/2017										15.14	-1.08	14.06	
10/08/2017	66.4	14.5	2.5		1004	-3.7	4	0	NO ADJUSTMENT	15.11	-1.08	14.03	
24/08/2017										15.15	-1.08	14.07	
29/08/2017										15.14	-1.08	14.06	
19/09/2017										15.15	-1.08	14.07	
05/10/2017	50.9	15.1	3.7		999	0.09	10	0	NO ADJUSTMENT	14.3	-1.08	13.22	
06/10/2017										13.92	-1.08	12.84	
06/11/2017										13.61	-1.08	12.53	
01/12/2017	28.2	12.2	9.9		1003	-0.36	1	0	NO ADJUSTMENT	13.72	-1.08	12.64	
15/12/2017	21.3	16.2	2.8		999	-1.41	6	0	NO ADJUSTMENT				
21/12/2017										16.08	-1.08	15	
04/01/2018	30.5	15.9	5.0		1000	-1.41	7	0	NO ADJUSTMENT				
22/01/2018	1.5	4.3	18.7		998	-0.29	4	0	NO ADJUSTMENT				

23/01/2018										13.3	-1.08	12.22	
08/02/2018	3.2	5.8	15.1		995	-1.36	5	0	NO ADJUSTMENT				
19/02/2018	3.2	6.1	14.1		1000	-1.25	2	0	NO ADJUSTMENT				
05/03/2018	4.0	7.1	11.9		1002	-1.73	1	0	NO ADJUSTMENT				
08/03/2018										12.93	-1.08	11.85	
09/03/2018										15.13	-1	14.13	
21/03/2018	21.4	13.1	7.0		999	-1.25	1	0	NO ADJUSTMENT				
06/04/2018										15.14	-1	14.14	
06/04/2018	33.1	17.0	2.1		998	-0.66	1	0	NO ADJUSTMENT				
16/04/2018	25.0	13.0	6.8		1000	-0.34	5	0	NO ADJUSTMENT				
04/05/2018	15.2	9.3	10.6		997	0.24	4	0	NO ADJUSTMENT				
17/05/2018	9.5	6.6	14.8		995	0.29	5	0	NO ADJUSTMENT				
25/05/2018										13.33	-1	12.33	
01/06/2018	38.0	18.0	6.8		998	-1.30	2	0	NO ADJUSTMENT				
04/06/2018										13.13	-1	12.13	
12/06/2018	51.8	23.5	1.2		1002	-1.58	2	0	NO ADJUSTMENT				
09/07/2018	35.2	16.8	7.6		1001	-1.64	1	0	NO ADJUSTMENT				
27/07/2018	0.3	6.6	17.5		988	-0.43	1	1	NO ADJUSTMENT	13.51	-1	12.51	
10/08/2018	72.3	13.9	1.3		994	4.84	22	0	NO ADJUSTMENT	14.59	-1	13.59	
13/08/2018										13.99	-1	12.99	
04/09/2018	22.8	10.7	6.8		1002	-1.06	5	0	NO ADJUSTMENT	13.88	-1	12.88	
12/10/2018										14.04	-1	13.04	
29/10/2018	44.5	15.1	5.4		987	3.92	6	0	NO ADJUSTMENT	15.15	-1	14.15	
15/11/2018	0.7	1.9	20.2		997	4.71	1	0	NO ADJUSTMENT				
04/12/2018										14.32	-1	13.32	
01/02/2019										12.91	-1	11.91	
07/02/2019	27	11.6	9.6		980	-0.17	2	0	NO ADJUSTMENT				
20/02/2019	19.9	8.9	12.1		995	-0.02	2	0	NO ADJUSTMENT	14.59	-1	13.59	
26/03/2019										14.16	-1	13.16	
15/04/2019	73.6	25.5	0.3		994	2.54	7	0	NO ADJUSTMENT	15.1	-1	14.1	
29/04/2019										13.4	-1	12.4	
03/07/2019	68	23.6	1.3		1006	0.43	5	1	NO ADJUSTMENT	14.06	-1	13.06	
16/07/2019										14.34	-1	13.34	
17/07/2019	65.1	22.7	2.2		993	1.17	4	0	NO ADJUSTMENT	9.1	-1	8.1	
30/07/2019	68.3	24	1.9		982	0.75	4	0	OPENED 1/2 TURN				
22/08/2019										14.13	-1	13.13	
22/10/2019										12.86	-1	11.86	
12/11/2019										13.52	-1	12.52	
12/12/2019										14.03	-1	13.03	
11/03/2020										13.27	-1	12.27	
20/03/2020										15.14	-1	14.14	
07/04/2020	55.7	25.6	2.3		1007	0.65	7	0					
22/04/2020										13.55	-1	12.55	
08/07/2020										13.14	-1	12.14	
11/11/2020	57.8	29.4	6.6	6.2	994	7.02	2	0					
19/11/2020										13.14	-1	12.14	
01/12/2020	56.7	27.5	2.8	13	1006	4.16	1	1					
17/12/2020										13.13	-1	12.13	
05/01/2021	59.5	28.2	3	9.3	1002	0.56	2	1		13.4	-1	12.4	
02/02/2021	69.3	32.3	0.4	0	971	6.47	2	14		12.59	-1	11.59	
03/03/2021	69.7	30.3	1.4	0	1006	2.14	1	2		15.2	-1	14.2	
06/04/2021	14.9	6.6	15.5	63	1000	-0.1	0	6					

05/05/2021	70.1	31.1	0.3	0	987	0.02	2	6					
02/06/2021	69.4	28	0.4	2.2	991	0.55	1	0					
06/07/2021	71.4	28.5	1	0	973	6.42	1	1					
03/08/2021	72.2	27.4	1.5	0	991	0.74	1	1					
07/09/2021	48.3	22.8	0.9	28	1000	1.01	0	0					
05/10/2021	26.7	13.4	10.6	49.3	975	-0.03	40	0					
10/11/2021	66.6	28.6	0.8	4	1000	0.22	38	0					
01/12/2021	41.2	24.2	5.7	28.9	976	2.71	40	0					

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016 10:29	66.1	30.5	0.6		1002	>>>>	1	0	NO ADJUSTMENT	4.86	-1.52	3.34	
15/06/2016 11:18	62.4	28.4	0.4		975	-13.1	2	0	NO ADJUSTMENT				
04/07/2016										4.93	-1.52	3.41	
11/08/2016										5.04	-1.52	3.52	
12/08/2016 11:45	63.3	28	1.2		1002	-10.62	2	0	NO ADJUSTMENT				
24/08/2016 12:50	66.6	29.7	1.4		999	-13.1	3	0	NO ADJUSTMENT				
31/08/2016 10:45	65.9	29.9	1.2		997	-16.14	2	0	NO ADJUSTMENT				
06/09/2016										5.24	-1.52	3.72	
19/09/2016 14:10	63.3	29.7	1		1002	-5.05	0	0	NO ADJUSTMENT				
28/09/2016 12:20	68.8	31	0.6		1000	-5.18	4	0	CLOSED SLIGHTLY				
05/10/2016 12:24	61.9	30.1	0.7		1008	0.89	3	0	NO ADJUSTMENT	5.35	-1.52	3.83	
19/10/2016 12:47	68.4	29.2	0.4		1001	-2.98	5	0	NO ADJUSTMENT				
02/11/2016										5.36	-1.52	3.84	
07/11/2016 14:25	15.1	12.5	8.4		993	-0.15	3	0	NO ADJUSTMENT				
16/11/2016 12:04	64.4	31.6	0.3		990	-0.84	3	0	NO ADJUSTMENT				
28/11/2016 11:46	62.8	25.2	0.6		1008	-4.2	3	0	NO ADJUSTMENT				
02/12/2016										5.07	-1.52	3.55	
05/12/2016 10:54	65.9	29.4	0.5		1001	-51.39	3	0	1/4 TURN				
20/12/2016 13:23	64.5	26.7	0.7		995	-42.26	2	0	NO ADJUSTMENT				
06/01/2017 10:28	42	20.4	0.9		1010	-62.07	2	0	NO ADJUSTMENT				
11/01/2017 14:37	37.1	19.3	0.9		989	-66.62	2	0	NO ADJUSTMENT				
27/01/2017 11:44	50.3	18.3	4.1		985	-67.27	2	0	NO ADJUSTMENT				
30/01/2017 00:00										4.38	-1.52	2.86	
07/02/2017 12:06	26.8	19.7	2.2		991	4.8	8	0	NO ADJUSTMENT				
17/02/2017 11:15	24.6	15.5	4.3		1005	-18.44	4	0	NO ADJUSTMENT				
02/03/2017 14:37	26.3	17.9	3.1		988	-0.33	5	0	NO ADJUSTMENT				
03/03/2017 00:00										5.25	-1.52	3.73	
17/03/2017 11:32	25.8	17.4	5.2		994	0	1	0	NO ADJUSTMENT				
07/04/2017 00:00										5.41	-1.52	3.89	
20/04/2017 09:39	23.7	15.7	5.7		1013	-1.08	3	0	NO ADJUSTMENT				
04/05/2017 10:25	23	18	5.6		1002	2.46	2	0	CLOSED				
08/05/2017 00:00										5.81	-1.52	4.29	
10/05/2017 11:27	22.6	12.5	7		987	-9.32	5	0	NO ADJUSTMENT				
08/06/2017 13:26	22.6	11.9	7		983	-3.78	5	0	NO ADJUSTMENT	6	-1.52	4.48	56679
09/06/2017										6.1	-1.52	4.58	
07/07/2017										6.11	-1.52	4.59	
10/08/2017 13:00	21.5	10.9	8.1		1004	-0.74	7	0	NO ADJUSTMENT	6.28	-1.52	4.76	56680
24/08/2017										6.2	-1.52	4.68	
29/08/2017										6.21	-1.52	4.69	56680
19/09/2017										6.37	-1.52	4.85	56681
05/10/2017 15:03	22.6	9.8	8.5		999	0.14	7	0	NO ADJUSTMENT	6.51	-1.52	4.99	
06/10/2017										6.54	-1.52	5.02	56680
06/11/2017										6.64	-1.52	5.12	
01/12/2017 11:35	24.4	9.1	10.3		1003	-0.02	7	0	NO ADJUSTMENT	6.34	-1.52	4.82	56684
15/12/2017 09:52	34.2	12.3	3.8		999	-4.66	6	0	NO ADJUSTMENT				
21/12/2017										6.12	-1.52	4.6	56684
04/01/2018 11:41	37.8	17.0	6.8		1000	-4.66	6	0	NO ADJUSTMENT				
22/01/2018 10:43	25.4	16.7	4.8		998	-6.26	3	0	NO ADJUSTMENT				
23/01/2018										5.83	-1.52	4.31	56684
08/02/2018 10:21	44.8	14.5	6.9		995	-0.17	3	0	NO ADJUSTMENT				

19/02/2018 10:39	39.8	17.5	6.0		1000	-0.54	2	0	NO ADJUSTMENT				
05/03/2018 10:47	25.0	16.7	2.1		1002	0.46	2	0	NO ADJUSTMENT				
08/03/2018										5.16	-1.52	3.64	56684
09/03/2018										5.21	-1.43	3.78	56684
21/03/2018 12:36	24.4	19.1	7.0		999	0.69	3	0	NO ADJUSTMENT				
06/04/2018 11:50	33.7	12.7	4.6		998	-2.65	3	0	NO ADJUSTMENT				
16/04/2018 12:09	37.2	17.0	5.5		1000	-3.55	4	0	NO ADJUSTMENT				
04/05/2018 09:47	22.8	13.1	6.2		997	-6.55	5	0	NO ADJUSTMENT				
17/05/2018 10:11	43.4	16.7	3.7		995	-6.55	5	0	NO ADJUSTMENT				
25/05/2018										4.95	-1.43	3.52	
01/06/2018 12:45	39.4	15.3	4.4		998	-2.26	6	0	NO ADJUSTMENT				
04/06/2018										4.96	-1.43	3.53	136277
12/06/2018 10:56	29.4	18.4	7.0		1002	-0.74	7	0	NO ADJUSTMENT				
09/07/2018 12:11	27.1	19.2	3.3		1001	-0.74	7	0	NO ADJUSTMENT				
23/07/2018													403873
27/07/2018 11:29	31.8	4.9	9.6		988	-0.22	17	1	NO ADJUSTMENT	5.48	-1.43	4.05	152208
30/07/2018													150214
06/08/2018													152211
10/08/2018 12:33	31.6	7.1	10.2		994	-3.68	14	0	NO ADJUSTMENT	5.58	-1.43	4.15	152212
13/08/2018													152211
27/08/2018										5.66	-1.43	4.23	152211
29/08/2018										5.66	-1.43	4.23	
03/09/2018													152211
04/09/2018 11:03	32.2	8.4	10.2		1002	-3.34	14	0	NO ADJUSTMENT	5.61	-1.43	4.18	
10/09/2018													152211
12/09/2018													152211
17/09/2018													152212
18/09/2018													152212
24/09/2018													152212
25/09/2018													152212
02/10/2018													152212
09/10/2018													152213
12/10/2018										5.63	-1.43	4.2	
16/10/2018													152217
23/10/2018													152217
29/10/2018 12:39	31.6	6.9	10.8		987	-0.09	13	0	NO ADJUSTMENT	6.13	-1.43	4.7	
30/10/2018													152220
06/11/2018										5.7	-1.43	4.27	152221
13/11/2018													152223
15/11/2018 00:00	31.4	4.3	11.7		997	0.1	15	0	NO ADJUSTMENT				
20/11/2018													152223
29/11/2018													152223
04/12/2018													152223
11/12/2018													152223
18/12/2018													152223
24/12/2018													152223
31/12/2018													152223
08/01/2019													152223
15/01/2019													152223
22/01/2019													152223
29/01/2019													152223
01/02/2019										5.07	-1.43	3.64	152224

11/11/2020	43.6	7.8	9.6	39	994	5.05	12	0					
19/11/2020										5.54	-1.43	4.11	
01/12/2020	43.5	8	9.8	38.7	1006	0.53	12	0					
17/12/2020										5.54	-1.43	4.11	
05/01/2021	43.8	7.9	10	38.3	1002	-0.55	13	0		5.92	-1.43	4.49	
02/02/2021	43.8	7.7	9.7	38.8	971	6.06	9	0		4.61	-1.43	3.18	
03/03/2021	43.2	7.8	9.7	39.3	1006	4.41	13	0		5.45	-1.43	4.02	
06/04/2021	42.3	7.4	9.4	40.9	1000	0.7	12	1					
05/05/2021	42.5	7.4	8.6	41.5	987	0.99	12	0					
02/06/2021	38.6	6.3	9.2	45.9	991	0.6	11	0					
06/07/2021	41.4	6.7	8.8	43.1	973	7.16	12	1					
03/08/2021	43.6	6.7	8.5	41.2	991	2.66	13	1					
07/09/2021	44.4	6.5	9.1	40	1000	0.89	14	1					
05/10/2021	37.9	6	9.9	46.2	974	3.45	54	0					
10/11/2021	41.5	6.4	8.6	43.5	1001	0.33	51	0					
01/12/2021	41.5	6.6	9.3	42.6	976	7.32	55	0					

Date and Time	CH4(%)	CO2(%)	O2(%)	Barometric Pressure (mb)	Balance	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	64.1	32.5	0.5	1002		>>>>	1	0	NO ADJUSTMENT				111006
09/06/2016										2.6	-1.3	1.3	
15/06/2016	59.3	30.2	0.7	975		-13.36	5	0	NO ADJUSTMENT				
22/06/2016										2.77	-1.3	1.47	
04/07/2016										2.67	-1.3	1.37	111006
11/08/2016										2.81	-1.3	1.51	111006
12/08/2016	4.1	4.5	18.9	1002		-17.36	0	0	CLOSED				
24/08/2016	7.3	5.7	18.2	999		0.19	1	0	NO ADJUSTMENT				
31/08/2016	9	5.9	17.8	997		-0.09	1	0	NO ADJUSTMENT				
02/09/2016										3.22	-1.3	1.92	
06/09/2016										3.28	-1.3	1.98	112130
19/09/2016	11.7	12.2	12.3	1002		-0.21	1	0	NO ADJUSTMENT				
28/09/2016										3.43	-1.3	2.13	
28/09/2016	15.6	7.5	12	1000		0.15	3	0	NO ADJUSTMENT				
05/10/2016	14.8	7.3	11.5	1008		0.77	2	0	NO ADJUSTMENT	3.52	-1.3	2.22	115769
19/10/2016	16.3	12.2	9.2	1001		0.15	3	0	NO ADJUSTMENT				
02/11/2016										3.7	-1.3	2.4	118671
07/11/2016	64	25.8	0.4	993		-6.21	3	0	NO ADJUSTMENT				
10/11/2016										3.69	-1.3	2.39	
16/11/2016	17.9	14	6.6	990		0.15	2	0	NO ADJUSTMENT				
28/11/2016	15	12.4	6.2	1008		-0.07	2	0	NO ADJUSTMENT				
02/12/2016										3.19	-1.3	1.89	120900
05/12/2016	14.3	13.2	6.9	1001		0.27	2	0	NO ADJUSTMENT				
08/12/2016										3.38	-1.3	2.08	
20/12/2016	16.3	13.4	7.5	995		-0.15	2	0	NO ADJUSTMENT				
06/01/2017										2.86	-1.3	1.56	
06/01/2017	10.3	10.5	9.4	1010		0.1	2	0	NO ADJUSTMENT				
11/01/2017	9	9.6	11	989		0.07	3	0	NO ADJUSTMENT				
24/01/2017										2.57	-1.3	1.27	126633
27/01/2017	12.5	11.4	10.4	985		3.58	2	0	NO ADJUSTMENT				
30/01/2017										2.41	-1.3	1.11	
07/02/2017	8.5	9.2	13.6	991		-0.65	4	0	NO ADJUSTMENT				
17/02/2017	5.7	7.6	15.8	1005		0.09	2	0					
28/02/2017										2.15	-1.3	0.85	126637
02/03/2017	2.6	6.7	18.3	988		0.02	3	0	NO ADJUSTMENT				
03/03/2017										2.19	-1.3	0.89	
17/03/2017	1.6	6.6	18.7	994		-0.1	0	0	NO ADJUSTMENT				
29/03/2017										2.32	-1.3	1.02	126647
07/04/2017										2.49	-1.3	1.19	
20/04/2017	1.4	5.2	19.2	1013		0.02	0	0	CLOSED				
02/05/2017										2.72	-1.3	1.42	126652
04/05/2017	1.6	5.4	19.2	1002		0.14	0	0	NO ADJUSTMENT				
08/05/2017										2.8	-1.3	1.5	
10/05/2017	1.1	4.6	18.7	987		0.09	1	0	NO ADJUSTMENT				
08/06/2017	1	2.3	20	983		2.17	2	0	NO ADJUSTMENT	2.88	-1.3	1.58	N/A
09/06/2017										3.56	-1.3	2.26	
07/07/2017										5.67	-1.3	4.37	130903
10/08/2017	6.8	3.4	10.8	1004		0.22	2	0	NO ADJUSTMENT	5.67	-1.3	4.37	137145
24/08/2017										5.65	-1.3	4.35	
29/08/2017										5.7	-1.3	4.4	140332

19/09/2017										5.61	-1.3	4.31	142107
05/10/2017	16	6.1	4.9	999		0.02	1	0	NO ADJUSTMENT	5.63	-1.3	4.33	
06/10/2017										5.04	-1.3	3.74	142992
25/10/2017										3.76	-1.3	2.46	
06/11/2017										3.97	-1.3	2.67	143368
01/12/2017	11.1	4.9	11.7	1003		-0.84	1	0	NO ADJUSTMENT	3.42	-1.3	2.12	144189
15/12/2017	12.9	19.3	6.4	999		-0.03	2	0	NO ADJUSTMENT				
21/12/2017										5.61	-1.3	4.31	149268
04/01/2018	8.1	21.4	9.2	1000		0.24	2	0	NO ADJUSTMENT				
22/01/2018	7.6	12.4	9.4	998		0.36	3	0	NO ADJUSTMENT				
23/01/2018										2.84	-1.3	1.54	161306
08/02/2018	9.4	13.9	3.7	995		0.36	3	0	NO ADJUSTMENT				
19/02/2018	6.7	14.5	7.2	1000		0.46	3	0	NO ADJUSTMENT				
05/03/2018	8.1	19.6	4.6	1002		-3.03	3	0	NO ADJUSTMENT				
08/03/2018										2.27	-1.3	0.97	164488
09/03/2018										5.65	-1.26	4.39	164621
21/03/2018	13.3	22.7	9.1	999		-6.21	3	0	NO ADJUSTMENT				
06/04/2018										5.67	-1.26	4.41	169373
06/04/2018	10.3	13.9	10.4	998		-3.03	3	0	NO ADJUSTMENT				
16/04/2018	13.4	18.6	5.6	1000		-2.04	2	0	NO ADJUSTMENT				
04/05/2018	7.6	22.6	10.2	997		0.12	2	0	NO ADJUSTMENT				
17/05/2018	11.1	19.4	4.1	995		0.12	2	0	NO ADJUSTMENT				
25/05/2018										2.84	-1.26	1.58	178367
01/06/2018	10.8	23.1	3.5	998		0.10	2	0	NO ADJUSTMENT				
04/06/2018										3.14	-1.26	1.88	
12/06/2018	13.1	9.5	8.1	1002		0.06	2	0	NO ADJUSTMENT				
09/07/2018	14.3	15.5	12.1	1001		-0.15	2	0	NO ADJUSTMENT				
23/07/2018													187333
27/07/2018	1.4	1.7	16.4	988		0	3	1	NO ADJUSTMENT	3.38	-1.26	2.12	187813
30/07/2018													188252
06/08/2018													189352
10/08/2018	2.3	2.6	16	994		0.12	2	0	NO ADJUSTMENT	5.61	-1.26	4.35	189721
13/08/2018										4.25	-1.26	2.99	189870
20/08/2018													189874
27/08/2018													189876
03/09/2018													189876
04/09/2018									NO ADJUSTMENT	3.58	-1.26	2.32	189876
10/09/2018													189880
12/09/2018													189880
17/09/2018													189882
18/09/2018													189882
25/09/2018													189892
02/10/2018													189901
09/10/2018													189909
12/10/2018										3.71	-1.26	2.45	189911
16/10/2018													189911
23/10/2018													189912
29/10/2018	3.9	5.6	20.1	987		2.87	0	0	NO ADJUSTMENT	3.44	-1.26	2.18	
30/10/2018													189915
06/11/2018													189919
13/11/2018													189920
15/11/2018	1	3.5	19.5	997		0.79	1	0	NO ADJUSTMENT				

20/11/2018													189929
29/11/2018													189935
04/12/2018										3.12	-1.26	1.86	189935
11/12/2018													193774
18/12/2018													195845
24/12/2018													196607
31/12/2018													198543
08/01/2019													200200
15/01/2019													201693
22/01/2019													203549
29/01/2019													204450
01/02/2019										5.63	-1.26	4.37	205082
07/02/2019	0.8	2.2	21.1	871		-0.02	0	0	NO ADJUSTMENT				
20/02/2019	0.1	1.6	21.6	994		-0.12	0	0	NO ADJUSTMENT	2.5	-1.26	1.24	211834
22/02/2019													210752
26/02/2019													214672
05/03/2019													215685
13/03/2019													218256
19/03/2019													219279
26/03/2019													219949
02/04/2019													225846
09/04/2019													226924
15/04/2019	0.5	1.9	19.9	994		-0.03	1	0	NO ADJUSTMENT	5.62	-1.26	4.36	230064
16/04/2019													231008
23/04/2019													232431
29/04/2019										3.23	-1.26	1.97	235568
08/05/2019													237628
14/05/2019													238310
21/05/2019													239835
28/05/2019													241264
04/06/2019													242086
10/06/2019													243467
18/06/2019													244477
25/06/2019													246186
02/07/2019													247140
03/07/2019	0.2	1.9	20	1006		0.1	1	0	NO ADJUSTMENT	2.93	-1.26	1.67	247801
10/07/2019													248483
16/07/2019										3.37	-1.26	2.11	
17/07/2019	0.1	1.7	20.4	993		-0.12	1	0	NO ADJUSTMENT	2.97	-1.26	1.71	250635
24/07/2019													250635
30/07/2019													253153
30/07/2019	0.5	1.4	20.4	982		0.15	1	0	NO ADJUSTMENT				253153
22/08/2019										3.47	-1.26	2.21	258722
28/08/2019													259433
24/09/2019													264684
22/10/2019										3.36	-1.26	2.1	
30/10/2019													272205
12/11/2019										2.05	-1.26	0.79	276231
25/11/2019													280339
12/12/2019										4.07	-1.26	2.81	
31/12/2019													286566
21/01/2020										2.7	-1.26	1.44	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)2	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016 10:34	48	26.8	0.5		1002	>>>>	1	0	NO ADJUSTMENT
15/06/2016 11:24	42.8	25.9	0.3		975	-12.5	2	0	NO ADJUSTMENT
12/08/2016 11:50	60.3	24.2	1.3		1002	-15.65	2	0	NO ADJUSTMENT
24/08/2016 12:55	66.5	27.6	1.1		999	-10.14	3	0	NO ADJUSTMENT
31/08/2016 10:49	64.5	26.8	1.3		997	-21.82	2	0	NO ADJUSTMENT
19/09/2016 14:14	65.8	26.9	1.2		1002	-19.86	2	0	NO ADJUSTMENT
28/09/2016 12:27	67.9	28.7	0.5		1000	-7.96	4	0	CLOSED SLIGHTLY
05/10/2016 12:44	62	25	0.5		1008	0.39	3	0	NO ADJUSTMENT
19/10/2016 12:52	69.8	27.1	0.4		1000	-7.65	4	0	NO ADJUSTMENT
07/11/2016 14:29	64.9	31.4	0.3		993	-4.39	2	0	NO ADJUSTMENT
16/11/2016 12:09	68.7	28.4	0.4		990	-3.45	3	0	NO ADJUSTMENT
28/11/2016 11:53	58.9	24.7	0.5		1008	-4.1	2	0	NO ADJUSTMENT
05/12/2016 11:00	68	26.2	0.7		1001	-58.56	2	0	OPENED 1/4 TURN
20/12/2016 13:28	59.6	29	0.3		995	-44.46	2	0	NO ADJUSTMENT
06/01/2017 10:34	36.4	19	0.8		1010	-65.57	2	0	NO ADJUSTMENT
11/01/2017 14:41	34.4	21.2	0.6		989	-66.14	3	0	NO ADJUSTMENT
27/01/2017 11:48	39.6	23.1	1.2		985	-66.41	3	0	NO ADJUSTMENT
07/02/2017 12:10	29.9	19.6	0.5		991	-59.35	7	0	NO ADJUSTMENT
17/02/2017 11:19	16.9	17.9	0.9		1005	-78.8	19	0	NO ADJUSTMENT
02/03/2017 14:41	34.5	19.1	0.5		988	-55.02	6	0	NO ADJUSTMENT
17/03/2017 11:36	34.2	18.3	3.3		994	-54.17	2	0	NO ADJUSTMENT
20/04/2017 09:43	23.5	18.5	2.4		1013	-62.41	2	0	NO ADJUSTMENT
04/05/2017 10:30	68	29.4	1.3		1002	1.01	3	0	NO ADJUSTMENT
10/05/2017 11:33	25	18	2.5		987	-70.47	5	0	NO ADJUSTMENT
08/06/2017 13:40	20.9	19.9	0.9		983	-61.79	3	0	NO ADJUSTMENT
10/08/2017 13:07	53.5	23.3	0.9		1004	-83.9	2	0	NO ADJUSTMENT
05/10/2017 15:10	68.1	28.1	0.7		999	-98.07	2	0	NO ADJUSTMENT
01/12/2017 11:39	70.3	26.8	3.3		1003	-100.82	1	0	NO ADJUSTMENT
15/12/2017 09:57	64.3	26.4	1.2		999	-67.68	8	0	NO ADJUSTMENT
04/01/2018 11:46	66.2	27.5	1.0		1000	-64.37	4	0	NO ADJUSTMENT
22/01/2018 10:48	65.1	26.9	0.9		998	-60.65	3	0	NO ADJUSTMENT
08/02/2018 10:26	66.4	26.9	0.7		995	-58.68	2	0	NO ADJUSTMENT

19/02/2018 10:44	66.2	28.1	0.4		1000	-43.17	2	0	NO ADJUSTMENT
05/03/2018 10:52	66.4	28.0	0.4		1002	-27.64	2	0	NO ADJUSTMENT
21/03/2018 12:41	65.6	27.9	0.4		999	-17.63	2	0	NO ADJUSTMENT
06/04/2018 11:55	65.1	27.7	0.5		998	-4.90	3	0	NO ADJUSTMENT
16/04/2018 12:14	63.8	27.1	0.5		1000	-3.78	3	0	NO ADJUSTMENT
04/05/2018 09:52	55.7	24.7	0.6		997	-4.90	3	0	NO ADJUSTMENT
17/05/2018 10:16	49.6	23.9	0.6		995	-8.77	3	0	NO ADJUSTMENT
01/06/2018 12:50	42.5	23.1	0.7		998	-12.31	3	0	NO ADJUSTMENT
12/06/2018 11:01	35.1	20.7	0.8		1002	-14.95	3	0	NO ADJUSTMENT
09/07/2018 12:16	30.2	20.5	0.8		1001	-16.87	2	0	NO ADJUSTMENT
10/08/2018 12:41	53.7	21.5	2.2		994	2.63	2	0	NO ADJUSTMENT
04/09/2018 11:08	19.6	15	5.3		1002	-4.77	7	0	NO ADJUSTMENT
29/10/2018 12:46	54.1	18.1	2.1		987	3.85	2	0	NO ADJUSTMENT
15/11/2018	68.3	23	1.3		997	-20.64	2	0	OPENED 1/4 TURN
07/02/2019 10:53	69.3	21.8	0.7		981	-20.36	2	0	OPENED 1/4 TURN
20/02/2019 11:24	63.3	26.7	1.5		994	0.46	7	0	NO ADJUSTMENT
15/04/2019	69.6	25.6	0.4		994	3.26	3	0	NO ADJUSTMENT
03/07/2019 14:35	58.7	13.4	5.5		1006	0.86	8	0	CLOSED
17/07/2019 10:52	59.2	12.3	5.8		993	2.3	8	0	NO ADJUSTMENT
30/07/2019 10:33	71.1	27.3	0.7		982	-0.36	7	0	OPENED 1/2 TURN
07/04/2020 12:22	56.3	24.4	1.7		1006	-4.24	1	0	
11/11/2020 00:00	71.3	29.8	0.1	0	994	5.49	2	1	
01/12/2020 00:00	68.1	29.5	0.6	1.8	1006	0.48	4	3	
05/01/2021 00:00	69.9	30.2	0.9	0	1002	0.12	1	1	
02/02/2021 00:00	71.9	30.8	0.2	0	971	6.42	2	12	
03/03/2021 00:00	72	30.6	1.2	0	1006	1.45	1	5	
06/04/2021 00:00	67.8	29.2	2.5	0.5	999	0.15	1	7	
05/05/2021 00:00	71.2	30.7	0.3	0	987	0.24	1	6	
02/06/2021 00:00	69	29.1	0.5	1.4	992	1.06	1	3	
06/07/2021 00:00	69.8	30	0.3	0	974	7.5	1	6	
03/08/2021 00:00	69.9	29.1	1.8	0	992	0.33	0	6	
07/09/2021 00:00	63.9	29	1.8	5.3	1000	-20.62	0	1	
05/10/2021 00:00	52.8	26.7	4.5	16	974	-15.03	42	0	
10/11/2021 00:00	46.9	23.4	6.2	23.5	1001	-18.61	40	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	64	32.2	0.5		1002	>>>>	2	0	NO ADJUSTMENT
15/06/2016	64.9	28.6	0.4		975	-4.88	1	0	NO ADJUSTMENT
12/08/2016	69.1	29.7	1.1		1002	-4.4	1	0	NO ADJUSTMENT
24/08/2016	68.7	30.6	1.1		999	-5.21	2	0	NO ADJUSTMENT
31/08/2016	68.9	30.3	1.1		997	-5.12	1	0	NO ADJUSTMENT
19/09/2016	63.9	31.5	0.9		1002	-3.89	1	0	NO ADJUSTMENT
28/09/2016	70.5	30.7	0.3		1000	0.24	2	0	OPENED SLIGHTLY
05/10/2016	59.4	32	0.6		1007	-3.16	3	0	NO ADJUSTMENT
19/10/2016	66.8	31.9	0.3		1000	-4.08	2	0	NO ADJUSTMENT
07/11/2016	47.9	30.6	0.4		993	-14.44	12	0	NO ADJUSTMENT
16/11/2016	65	32.6	0.3		990	-2.2	2	0	NO ADJUSTMENT
28/11/2016	66.5	29.9	0.4		1008	-0.81	2	0	NO ADJUSTMENT
05/12/2016	66.7	30.7	0.5		1001	-52.14	2	0	NO ADJUSTMENT
20/12/2016	66.1	30.6	0.6		995	-43.69	1	0	NO ADJUSTMENT
06/01/2017	60.4	24.6	1		1010	-63.22	1	0	NO ADJUSTMENT
11/01/2017	59.5	25.3	0.6		989	-66.41	2	0	NO ADJUSTMENT
27/01/2017	67	27.3	0.8		985	-65.62	1	0	NO ADJUSTMENT
07/02/2017	62.1	29.9	0.4		991	-58.86	4	0	NO ADJUSTMENT
17/02/2017	53.9	26.3	0.5		1005	-77.63	2	0	NO ADJUSTMENT
02/03/2017	63.8	29.6	0.4		988	-54.56	3	0	NO ADJUSTMENT
17/03/2017	63.8	28.6	2.6		994	-53.09	1	0	OPENED 1/4 TURN
20/04/2017	54.5	26.9	2.2		1014	-61.96	0	0	NO ADJUSTMENT
04/05/2017	65.6	32.4	0.9		1003	0.95	3	0	NO ADJUSTMENT
10/05/2017	58.6	26.8	2.5		987	-69.7	2	0	NO ADJUSTMENT
08/06/2017	49.8	27.4	0.9		983	-67.69	1	0	NO ADJUSTMENT
10/08/2017	49.2	26.6	1.3		1004	-83.35	0	0	NO ADJUSTMENT
05/10/2017	68.4	31	0.5		999	2.5	0	0	NO ADJUSTMENT
01/12/2017	41	20.3	9.5		1003	-102.83	0	0	NO ADJUSTMENT
07/12/2017									NO ADJUSTMENT
15/12/2017	63.2	27.8	0.7		999	-56.37	2	0	NO ADJUSTMENT
04/01/2018	63.3	27.0	0.8		1000	-59.74	1	0	NO ADJUSTMENT
22/01/2018	62.3	26.8	0.7		998	-63.53	2	0	NO ADJUSTMENT

08/02/2018	60.6	27.2	0.6		995	-67.13	2	0	NO ADJUSTMENT
19/02/2018	61.7	28.3	0.5		1000	-64.17	3	0	NO ADJUSTMENT
05/03/2018	60.9	28.6	1.0		1002	-61.04	3	0	NO ADJUSTMENT
21/03/2018	59.0	27.9	1.4		999	-61.81	2	0	NO ADJUSTMENT
06/04/2018	61.9	29.4	1.5		998	-42.17	2	0	NO ADJUSTMENT
16/04/2018	60.6	28.7	2.1		1000	-45.95	2	0	NO ADJUSTMENT
04/05/2018	57.1	28.4	1.6		997	-49.60	2	0	NO ADJUSTMENT
17/05/2018	55.8	28.3	1.4		995	-54.95	2	0	NO ADJUSTMENT
01/06/2018	56.5	28.0	1.3		998	-54.56	1	0	NO ADJUSTMENT
12/06/2018	52.1	26.3	3.1		1002	-62.84	0	0	NO ADJUSTMENT
09/07/2018	52.9	26.0	3.8		1001	-61.23	0	0	NO ADJUSTMENT
27/07/2018	57.5	25	2.5		988	-39.11	3	1	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	58.4	25.9	2.3		994	-0.02	2	0	NO ADJUSTMENT
04/09/2018	61.1	25.5	2.9		1002	0.33	2	0	NO ADJUSTMENT
29/10/2018	61.7	20.8	4.2		986	0.02	2	0	NO ADJUSTMENT
15/11/2018	60.8	20.3	4.3		997	1.71	3	0	NO ADJUSTMENT
07/02/2019	60.1	18	4.6		981	-0.03	3	0	NO ADJUSTMENT
20/02/2019	61.3	16.5	4.7		994	0.46	4	0	NO ADJUSTMENT
15/04/2019	61.1	12.7	5.1		994	3.46	5	0	CLOSED
03/07/2019	71.7	25.8	0.6		1006	1.01	11	1	NO ADJUSTMENT
17/07/2019	74.9	22.8	0.4		993	3.22	4	0	NO ADJUSTMENT
30/07/2019	62	8.4	6.4		982	3.04	9	0	OPENED 1/2 TURN
07/04/2020	71.2	14.4	4.9		1007	1.1	4	0	
11/11/2020	64.7	31.9	1.5	1.9	994	5.78	2	0	
01/12/2020	57.3	27.7	2.4	12.6	1006	0.6	2	1	
05/01/2021	59	28.2	3.1	9.7	1002	0.75	2	0	
02/02/2021	68.4	32.5	0.9	0	969	6.26	1	8	
03/03/2021	68.6	31.1	1.9	0	1005	2.92	1	1	
06/04/2021	69.6	31.5	1.9	0	999	0.51	1	4	
05/05/2021	70.8	30.7	0.6	0	987	0.26	2	7	
02/06/2021	66.3	29.9	0.9	2.9	991	0.34	1	3	
06/07/2021	66.1	32.4	1.4	0.1	974	7.84	1	6	
03/08/2021	66	30.7	2.2	1.1	992	0.65	1	6	

07/09/2021	68.3	31.9	2.1	0	1000	-20.51	0	0	
05/10/2021	55.6	30.9	4.4	9.1	975	-10.84	41	0	
10/11/2021	56.6	30	2.3	11.1	1001	-20.46	40	0	
01/12/2021	31.7	19.2	10.1	39	976	7.54	41	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	63.8	32.5	0.2		1002	>>>>	2	0	NO ADJUSTMENT				
15/06/2016	45.8	27.8	0.4		975	-6.29	15	0	NO ADJUSTMENT				
12/08/2016	56.5	28.9	1.1		1002	-6.74	12	0	NO ADJUSTMENT				
24/08/2016	66.3	30.6	1		999	-6.95	14	0	NO ADJUSTMENT				
31/08/2016	62.5	31.6	0.5		997	-8.32	8	0	NO ADJUSTMENT				
19/09/2016	62.7	32.4	0.7		1002	-6.48	9	0	NO ADJUSTMENT				
28/09/2016	69	31	0.3		1000	-7.94	18	0	CLOSED SLIGHTLY				
05/10/2016	48.5	30.6	0.2		1007	-8.27	11	0	NO ADJUSTMENT				
19/10/2016	61.5	32.9	0.3		1000	-13.29	15	0	NO ADJUSTMENT				
07/11/2016	19.5	15.3	13		993	-0.12	1	0	NO ADJUSTMENT				
16/11/2016	61.1	33.2	0.4		990	-10	11	0	NO ADJUSTMENT				
28/11/2016	30.4	28	0.8		1008	-3.36	9	0	NO ADJUSTMENT				
05/12/2016	56.1	31.4	0.4		1000	-11.23	10	0	NO ADJUSTMENT				
20/12/2016	57.7	31.8	0.5		995	-7.63	9	0	NO ADJUSTMENT				
06/01/2017	32.1	26.1	0.6		1010	-15.76	15	0	NO ADJUSTMENT				
11/01/2017	29.9	24.7	0.5		989	-16.79	20	0	NO ADJUSTMENT				
27/01/2017	41.8	28.3	0.6		985	-29.86	12	0	NO ADJUSTMENT				
07/02/2017	54.9	30	0.3		991	-11.08	20	0	NO ADJUSTMENT				
17/02/2017	20.2	21.5	1.6		1005	-35.23	37	0	NO ADJUSTMENT				
02/03/2017	51.5	29.4	0.3		987	-14.1	28	0	NO ADJUSTMENT				
17/03/2017	52	28.9	1.6		994	-13.91	10	0	NO ADJUSTMENT				
20/04/2017	34.9	25.7	1.3		1013	-15.63	9	0	NO ADJUSTMENT				
04/05/2017	65.2	32.5	0.7		1002	1.86	3	0	NO ADJUSTMENT				
10/05/2017	23.5	25	1.3		987	-24.62	12	0	NO ADJUSTMENT				
08/06/2017	16.3	21.1	0.9		983	-17.78	8	0	NO ADJUSTMENT				
10/08/2017	60.3	28.8	0.6		1004	-19.79	8	0	CLOSED				
05/10/2017	59.2	24.1	1.2		999	-0.29	7	0	NO ADJUSTMENT				
01/12/2017	66.6	23.7	2.5		1003	-0.02	2	0	NO ADJUSTMENT				
07/12/2017									OPENED 1/8 TURN				
15/12/2017	60.7	31.4	0.4		999	-7.75	12	0	NO ADJUSTMENT				
04/01/2018	60.4	31.7	0.4		1000	-9.00	7	0	NO ADJUSTMENT				
22/01/2018	49.6	27.5	3.5		998	-7.41	4	0	NO ADJUSTMENT				
08/02/2018	47.7	28.0	3.5		995	-7.92	6	0	NO ADJUSTMENT				
19/02/2018	43.1	27.4	3.6		1000	-6.69	3	0	NO ADJUSTMENT				
05/03/2018	41.8	27.0	3.7		1002	-6.18	10	0	NO ADJUSTMENT				
09/03/2018										9.56	-1.43	8.13	
21/03/2018	51.3	31.1	0.5		999	-8.06	5	0	NO ADJUSTMENT				
06/04/2018	44.1	29.3	0.6		998	-9.50	8	0	NO ADJUSTMENT				
16/04/2018	44.0	28.5	0.5		1000	-12.85	6	0	NO ADJUSTMENT				
04/05/2018	40.4	27.7	0.6		997	-17.51	6	0	NO ADJUSTMENT				
17/05/2018	39.7	27.3	0.5		995	-18.37	8	0	NO ADJUSTMENT				
01/06/2018	36.7	26.1	0.8		998	-23.24	7	0	NO ADJUSTMENT				
12/06/2018	42.1	27.3	0.7		1002	-22.57	8	0	NO ADJUSTMENT				
09/07/2018	44.7	27.5	1.0		1001	-18.58	3	0	NO ADJUSTMENT				
27/07/2018	55.3	27.2	0.9		988	-34.34	14	1	NO ADJUSTMENT				
03/08/2018									OPEN 1/4 TURN				
10/08/2018	39.2	25.5	1.2		994	-41.65	7	0	NO ADJUSTMENT				
04/09/2018	31.5	1.7	0.3		1002	-38.7	9	0	NO ADJUSTMENT				
29/10/2018	51.5	27.7	1.3		986	-30.51	6	0	NO ADJUSTMENT				
15/11/2018	53.6	26.7	1.4		997	-20.53	8	0	OPEN 1/4 TURN				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	64.1	32.4	0.3		1002	>>>>	2	0	NO ADJUSTMENT
15/06/2016	1.1	10	17.7		975	0.28	0	0	CLOSED
12/08/2016	6.6	5.2	18.2		1002	-0.1	2	0	NO ADJUSTMENT
24/08/2016	69.8	15	3.1		999	0.14	4	0	NO ADJUSTMENT
31/08/2016	69.8	14.9	3.4		997	0.22	3	0	NO ADJUSTMENT
19/09/2016	62	19.1	3		1002	-0.17	2	0	NO ADJUSTMENT
28/09/2016	71.2	15.1	2.6		1000	0.62	4	0	NO ADJUSTMENT
05/10/2016	13.9	6.9	16.2		1008	0.72	1	0	NO ADJUSTMENT
19/10/2016	65.8	22.6	1.1		1000	3.45	2	0	NO ADJUSTMENT
07/11/2016	14	9.2	17.2		993	-0.22	2	0	NO ADJUSTMENT
16/11/2016	51.4	20.4	4.3		989	-2.5	2	0	NO ADJUSTMENT
28/11/2016	51.9	14.8	4.3		1008	-0.09	1	0	NO ADJUSTMENT
05/12/2016	62	19.5	2.8		1001	0	2	0	NO ADJUSTMENT
20/12/2016	75.5	15.4	1		995	3.14	2	0	NO ADJUSTMENT
06/01/2017	19.4	10.9	13.3		1010	0.53	0	0	NO ADJUSTMENT
11/01/2017	50.7	9.7	6.3		989	5.15	2	0	NO ADJUSTMENT
27/01/2017	73	16.3	1.9		985	-0.19	2	0	NO ADJUSTMENT
17/02/2017	8.1	6.8	16.6		1005	0.1	2	0	NO ADJUSTMENT
02/03/2017	13.7	7.9	15.8		988	-0.09	2	0	NO ADJUSTMENT
17/03/2017	17.2	9.7	14.1		994	-0.02	0	0	NO ADJUSTMENT
20/04/2017	52.1	14	4.4		1013	0.17	0	0	NO ADJUSTMENT
04/05/2017	46.7	15.5	6.4		1002	0.33	0	0	NO ADJUSTMENT
10/05/2017	66.7	17.5	2.1		987	0.19	2	0	NO ADJUSTMENT
08/06/2017	14	4.9	16.6		983	0.1	0	0	CLOSED
10/08/2017	41	13	8.2		1003	0.17	0	0	NO ADJUSTMENT
05/10/2017	1.1	12.9	18.1		999	2.9	0	0	NO ADJUSTMENT
01/12/2017	2.4	13.1	17.6		1003	2.24	0	0	NO ADJUSTMENT
15/12/2017	14.8	11.3	10.6		999	0.14	2	0	NO ADJUSTMENT
04/01/2018	6.1	13.6	6.9		1000	0.02	3	0	NO ADJUSTMENT
22/01/2018	7.8	16.0	3.0		998	0.20	3	0	NO ADJUSTMENT
08/02/2018	9.6	14.0	6.3		995	0.35	3	0	NO ADJUSTMENT
19/02/2018	7.8	15.9	5.7		1000	1.16	2	0	NO ADJUSTMENT

05/03/2018	6.4	13.5	9.3		1002	1.14	2	0	NO ADJUSTMENT
21/03/2018	8.1	14.8	9.7		999	0.36	2	0	NO ADJUSTMENT
06/04/2018	9.2	16.8	6.7		998	0.16	2	0	NO ADJUSTMENT
16/04/2018	7.5	16.0	7.2		1000	-0.70	2	0	NO ADJUSTMENT
04/05/2018	8.0	17.5	3.1		997	0.14	2	0	NO ADJUSTMENT
17/05/2018	8.2	15.2	5.4		995	0.90	1	0	NO ADJUSTMENT
01/06/2018	7.8	13.9	5.9		998	2.21	2	0	NO ADJUSTMENT
12/06/2018	7.9	13.1	5.6		1002	2.16	2	0	NO ADJUSTMENT
09/07/2018	8.2	10.9	9.5		1001	1.40	2	0	NO ADJUSTMENT
27/07/2018	44.5	12.4	5.5		988	-0.17	3	0	NO ADJUSTMENT
10/08/2018	45.5	14.1	6		994	-0.03	1	0	NO ADJUSTMENT
04/09/2018	15.3	8.1	37.6		1002	0.24	1	0	NO ADJUSTMENT
29/10/2018	50.6	15.6	3.1		986	1.08	0	0	NO ADJUSTMENT
15/11/2018	19.8	9.4	11.2		996	-0.05	0	0	NO ADJUSTMENT
07/02/2019	44.7	8.8	9		981	0.51	1	0	NO ADJUSTMENT
20/02/2019	42.7	6.5	10.1		994	-0.57	6	0	NO ADJUSTMENT
15/04/2019	0.3	3.9	20.7		994	-0.19	0	0	
03/07/2019	0.2	3.3	19.5		1006	0.09	1	0	
17/07/2019	70.3	29.5	0.3		993	3.84	4	0	
07/04/2020	18.5	7	13		1006	0	0	0	
11/11/2020	61	5.4	4.1	29.5	994	-0.17	0	0	
01/12/2020	53	4.1	8.8	34.1	1006	-0.48	0	0	
05/01/2021	34.2	2.6	8.5	54.7	1001	-0.7	0	2	
02/02/2021	58.2	3.1	2.7	36	971	-0.43	0	10	
03/03/2021	68.3	3.2	4.3	24.2	1005	-0.03	0	30	
06/04/2021	74.4	4.2	4	17.4	999	-0.02	0	59	
05/05/2021	85.6	12.7	1.1	0.6	987	0.44	1	69	
02/06/2021	62.1	4.6	5.3	28	992	0.32	0	19	
06/07/2021	85.6	12.5	1.5	0.4	974	0.05	1	1	
03/08/2021	80.7	17.9	1.1	0.3	991	0.09	1	25	
07/09/2021	79.3	19.2	1.8	0	1000	-0.29	0	0	
05/10/2021	70.4	19	3	7.6	975	-1.43	42	0	
10/11/2021	10.5	9.4	13.8	66.3	1001	-15.26	39	0	
01/12/2021	19.3	2.8	11.5	66.4	976	2.75	41	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
02/06/2016	64	32.4	0.2		1002	>>>>	2	0	NO ADJUSTMENT
15/06/2016	23.1	11.2	13.5		975	-13.53	1	0	CLOSED
12/08/2016	0.1	1.4	20.8		1002	0.03	0	0	NO ADJUSTMENT
24/08/2016	45.6	19	7.3		999	0.65	2	0	NO ADJUSTMENT
31/08/2016	44.3	17.5	8.2		997	0.14	1	0	NO ADJUSTMENT
19/09/2016	49.5	20.9	5.6		1002	-0.03	1	0	NO ADJUSTMENT
28/09/2016	0.3	3.1	20.7		1000	-0.34	1	0	NO ADJUSTMENT
05/10/2016	18.7	8.3	15.6		1007	0.39	2	0	NO ADJUSTMENT
19/10/2016	17.4	11.6	15.8		1000	0.03	2	0	NO ADJUSTMENT
07/11/2016	0.4	4.5	21.4		993	-0.33	1	0	NO ADJUSTMENT
16/11/2016	15.4	10.3	16.2		990	0.19	2	0	NO ADJUSTMENT
28/11/2016	16	8.5	16.5		1008	0.22	2	0	NO ADJUSTMENT
05/12/2016	1.1	6.9	20.1		1001	0.09	1	0	NO ADJUSTMENT
20/12/2016	1.4	4.8	20.2		995	-0.12	0	0	NO ADJUSTMENT
06/01/2017	0.7	3.8	21		1010	0.05	1	0	NO ADJUSTMENT
11/01/2017	0.9	3.2	21.8		988	0.1	1	0	NO ADJUSTMENT
27/01/2017	1.5	5.2	20.5		985	-0.14	1	0	NO ADJUSTMENT
17/02/2017	0.4	2.5	20.8		1005	0.09	2	0	CLOSED
02/03/2017	0.7	2.5	21.5		988	-0.02	2	0	NO ADJUSTMENT
17/03/2017	1.6	3.1	20.8		994	-0.09	0	0	OPEN 1/4 TURN
20/04/2017	1.2	3.8	19.4		1013	0.14	1	0	NO ADJUSTMENT
04/05/2017	1.3	4.3	19.6		1002	0.22	1	0	NO ADJUSTMENT
10/05/2017	1.8	4.6	18.3		987	0.17	2	0	NO ADJUSTMENT
08/06/2017	12.9	3.8	17.5		983	0.67	1	0	CLOSED
10/08/2017	38.9	15.9	7.1		1003	0.09	3	0	NO ADJUSTMENT
01/12/2017	48.6	21.4	7.7		1002	0.1	1	0	NO ADJUSTMENT
15/12/2017	33.2	16.0	10.5		999	-4.28	1	0	NO ADJUSTMENT
04/01/2018	28.3	12.3	12.5		1000	-3.18	1	0	NO ADJUSTMENT
22/01/2018	34.9	14.7	10.5		998	0.20	1	0	NO ADJUSTMENT
08/02/2018	34.9	15.1	10.5		995	0.11	1	0	NO ADJUSTMENT
19/02/2018	28.2	12.5	12.5		1000	0.04	1	0	NO ADJUSTMENT
05/03/2018	21.5	11.0	14.4		1002	0.01	2	0	NO ADJUSTMENT

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	45.4	19.7	4.3		1002	>>>>	8	0	NO ADJUSTMENT				110405
09/06/2016										5.45	-1.34	4.11	
15/06/2016	61.9	19.5	2.2		975	0.36	7	0	NO ADJUSTMENT				
04/07/2016										5.51	-1.34	4.17	110405
05/07/2016										5.65	-1.34	4.31	
11/08/2016										5.76	-1.34	4.42	111129
12/08/2016	0.1	1.4	20.8		1002	0.03	0	0	NO ADJUSTMENT				
24/08/2016	27.1	10.3	11		999	-0.24	7	0	NO ADJUSTMENT				
31/08/2016	30.7	12.2	9		997	0.1	6	0	NO ADJUSTMENT				
06/09/2016										5.82	-1.34	4.48	113013
19/09/2016	35.4	18.3	4.2		1002	-0.21	10	0	NO ADJUSTMENT				
28/09/2016										5.92	-1.34	4.58	
28/09/2016	13.5	3.4	16.1		1000	-0.03	8	0	NO ADJUSTMENT				
19/10/2016	6.4	6	18.5		1000	-0.45	4	0		5.94	-1.34	4.6	114290
25/10/2016										5.96	-1.34	4.62	
02/11/2016										5.99	-1.34	4.65	115707
07/11/2016	62.5	26.4	0.7		993	-7.2	19	0					
10/11/2016										5.95	-1.34	4.61	
16/11/2016	57.5	20.5	0.5		989	2.23	13	0	NO ADJUSTMENT				
28/11/2016	0.5	4	21.1		1008	-2.13	1	0	NO ADJUSTMENT				
02/12/2016										5.71	-1.34	4.37	117531
05/12/2016	0.9	3.4	21.5		1000	0.72	1	0	NO ADJUSTMENT				
08/12/2016										5.73	-1.34	4.39	
20/12/2016	0	2.5	21.7		995	2.93	1	0	NO ADJUSTMENT				
06/01/2017										5.61	-1.34	4.27	
06/01/2017	0	1.9	21.9		1010	-0.55	1	0	NO ADJUSTMENT				
11/01/2017	0	1.6	22.6		988	-0.75	1	0	NO ADJUSTMENT				
24/01/2017										N/A			121655
27/01/2017	70.8	23.4	1.6		985	-11.94	4	0	NO ADJUSTMENT				
30/01/2017										5.44	-1.34	4.1	
17/02/2017	0	1.3	21.3		1005	-17.63	2	0	CLOSED				
28/02/2017										N/A			298199
02/03/2017	0	1.4	22		988	-1.65	2	0	NO ADJUSTMENT				
03/03/2017										6.07	-1.34	4.73	
17/03/2017	0	1.5	22		994	0.69	0	0	NO ADJUSTMENT				
29/03/2017													
07/04/2017										6.07	-1.34	4.73	
20/04/2017	0	1.5	21.1		1014	-2.97	0	0	NO ADJUSTMENT				
02/05/2017										N/A			446344
04/05/2017	35	14.4	8.1		1002	2.7	1	0	NO ADJUSTMENT				
08/05/2017										6.95	-1.34	5.61	
10/05/2017	0	1.7	20.4		987	-9.47	1	0	NO ADJUSTMENT				
08/06/2017	0	1.2	21		983	-2.84	0	0	NO ADJUSTMENT	N/A			466679
09/06/2017										7.03	-1.34	5.69	
07/07/2017										7.1	-1.34	5.76	466684
10/08/2017	0	2.1	20.7		17.3	1003	1	0	NO ADJUSTMENT				466684
29/08/2017										7.02	-1.34	5.68	466684
19/09/2017										7.09	-1.34	5.75	466684
05/10/2017	0.2	3.3	20.7		999	2.54	0	0	NO ADJUSTMENT				
06/10/2017										7.76	-1.34	6.42	

Date and Time	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
30/01/2017	3.71	-0.86	2.85	23437
03/03/2017	4.23	-0.86	3.37	238563
07/04/2017	4.29	-0.86	3.43	341362
08/06/2017	6.85	-0.86	5.99	801884
09/06/2017	7.01	-0.86	6.15	818951
07/07/2017	7.06	-0.86	6.2	908240
10/08/2017	5.43	-0.86	4.57	51324
24/08/2017	5.26	-0.86	4.4	
29/08/2017	5.25	-0.86	4.39	51364
19/09/2017	5.61	-0.86	4.75	141611
05/10/2017	5.96	-0.86	5.1	
06/10/2017	5.95	-0.86	5.09	256276
06/11/2017	5.85	-0.86	4.99	306991
01/12/2017	5.64	-0.86	4.78	119142
21/12/2017	5.12	-0.86	4.26	336865
23/01/2018	4.79	-0.86	3.93	343835
08/03/2018	4.08	-0.86	3.22	343836
09/03/2018	5.12	-0.86	4.26	
06/04/2018	4.13	-0.86	3.27	343873
04/06/2018	3.93	-0.86	3.07	343911
27/07/2018	4.38	-0.86	3.52	343911
30/07/2018				343910
06/08/2018	4.62	-0.86	3.76	343910
10/08/2018	6.54	-0.86	5.68	262591
13/08/2018				343910
03/09/2018				343910
04/09/2018	4.59	-0.86	3.73	343911
10/09/2018				343910
12/09/2018				343910
17/09/2018				343910
18/09/2018				343910
24/09/2018				343912
25/09/2018				343912
02/10/2018				343912
09/10/2018				343912
12/10/2018	5.99	-0.86	5.13	
16/10/2018				343911
23/10/2018				343911
29/10/2018	6.16	-0.86	5.3	
30/10/2018				343911
06/11/2018				343911
13/11/2018				343911
20/11/2018				343911
29/11/2018				343911
04/12/2018				343911
11/12/2018				343911
18/12/2018				343911
24/12/2018				343911
31/12/2018				343911
08/01/2019	4.77	-0.86	3.91	343911

15/01/2019				343911
22/01/2019				343911
29/01/2019				343911
01/02/2019	3.85	-0.86	2.99	343911
12/02/2019	4.20	-0.86	3.34	
20/02/2019	3.86	-0.86	3	343911
09/04/2019	4.50	-0.86	3.64	
15/04/2019	4.67	-0.86	3.81	343911
04/06/2019	4.50	-0.86	3.64	
02/07/2019				343911
03/07/2019	3.95	-0.86	3.09	343911
10/07/2019				343911
16/07/2019				343911
17/07/2019	4.44	-0.86	3.58	343911
24/07/2019				343911
30/07/2019				343911
30/07/2019				343911
22/08/2019	4.89	-0.86	4.03	
28/08/2019				343911
24/09/2019				343911
08/10/2019	5.15	-0.86	4.29	
22/10/2019	4.76	-0.86	3.9	
30/10/2019				343911
12/11/2019	4.46	-0.86	3.6	343911
25/11/2019				343911
12/12/2019	5.44	-0.86	4.58	
31/12/2019				343911
28/01/2020				343911
26/02/2020				343911
20/03/2020	4.23	-0.86	3.37	343911
24/03/2020				373911
07/04/2020	4.70	-0.86	3.84	
22/04/2020	4.55	-0.86	3.69	343911
28/04/2020				343911
27/05/2020				343911
30/06/2020				343911
28/07/2020				343911
18/08/2020	5.00	-0.86	4.14	
25/08/2020				343911
30/09/2020				343911
20/10/2020	4.48	-0.86	3.62	343911
27/10/2020				343911
19/11/2020	4.50	-0.86	3.64	
17/12/2020	4.55	-0.86	3.69	
05/01/2021	4.23	-0.86	3.37	
02/02/2021	3.65	-0.86	2.79	
03/03/2021	4.30	-0.86	3.44	
06/04/2021				343911
05/05/2021				343911
01/06/2021				343911
05/10/2021				343911
04/11/2021				343911

01/12/2021				343911
------------	--	--	--	--------

Date and Time	CH4(%)	CO2(%)	O2(%)	Balan ce	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	54.8	27.1	0.5		1002	>>>>	6	0	NO ADJUSTMENT	8.64	-1.45	7.19	
15/06/2016	50	28.6	0.3		975	-11.6	15	0	NO ADJUSTMENT				
04/07/2016										7.53	-1.45	6.08	
11/08/2016										8.5	-1.45	7.05	
12/08/2016	54.8	24.2	1.5		1002	-14.63	18	0	NO ADJUSTMENT				
24/08/2016	64.5	30.5	1		999	-14.51	22	0	NO ADJUSTMENT				
31/08/2016	61.5	29.6	1.2		997	-17.66	16	0	NO ADJUSTMENT				
06/09/2016										8.66	-1.45	7.21	
19/09/2016	62.6	29.7	1.3		1002	-16.04	16	0	NO ADJUSTMENT				
28/09/2016	68.7	27.3	0.8		1000	-8.95	35	0	CLOSED SLIGHTLY				
19/10/2016	65.9	29.8	0.6		1000	-7.58	25	0	NO ADJUSTMENT	8.62	-1.45	7.17	
02/11/2016										8.55	-1.45	7.1	
07/11/2016	63.9	31.4	0.4		993	1.53	6	0	NO ADJUSTMENT				
16/11/2016	63.6	32.8	0.4		989	-4.1	15	0	NO ADJUSTMENT				
28/11/2016	56	25.8	1.3		1008	-10.12	13	0	NO ADJUSTMENT				
02/12/2016										8.5	-1.45	7.05	
05/12/2016	66.7	27.7	0.8		1000	-5.93	16	0	OPENED 1/4 TURN				
20/12/2016	64.8	25.7	1		995	-3.69	11	0	NO ADJUSTMENT				
06/01/2017	37.2	23.5	0.5		1010	-11.22	13	0	NO ADJUSTMENT				
11/01/2017	33.9	21.5	0.8		989	-12.16	14	0	NO ADJUSTMENT				
24/01/2017										8.57	-1.45	7.12	
27/01/2017	44.4	29.3	0.8		985	-28.71	9	0	NO ADJUSTMENT				
17/02/2017	21.2	15.6	1.9		1005	-34.99	10	0	OPENED 1/4				
28/02/2017										8.52	-1.45	7.07	
02/03/2017	39.5	19.3	0.9		987	-34.27	31	0	NO ADJUSTMENT				
17/03/2017	41.7	19.4	3.1		994	-32.51	11	0	NO ADJUSTMENT				
24/03/2017	34.9	21.5	2.4		1009	-0.09	4	0	NO ADJUSTMENT				
29/03/2017										8.72	-1.45	7.27	
20/04/2017	34.2	19.1	2.3		1013	-36.07	12	0	NO ADJUSTMENT				
02/05/2017										8.66	-1.45	7.21	
04/05/2017	66.1	30.6	0.9		1002	3.56	3	0	NO ADJUSTMENT				
10/05/2017	25.6	12.4	8.5		987	-46.92	8	0	NO ADJUSTMENT				
08/06/2017	17.1	9.4	12.5		983	-10.01	2	0	CLOSED	8.6	-1.45	7.15	
10/08/2017	22.4	10.3	14.6		1003	-1	1	0	NO ADJUSTMENT	9	-1.45	7.55	
24/08/2017										9.04	-1.45	7.59	
05/10/2017	68.8	31.4	0.4		999	0.34	7	0	NO ADJUSTMENT	9.23	-1.45	7.78	
01/12/2017	68.9	32.6	1.4		1002	0.36	1	0	NO ADJUSTMENT	9.14	-1.45	7.69	
15/12/2017	52.4	27.9	0.4		999	0.35	8	0	NO ADJUSTMENT				
04/01/2018	50.0	28.6	0.3		1000	0.34	8	0	NO ADJUSTMENT				
22/01/2018	54.8	24.2	1.5		998	0.33	12	0	NO ADJUSTMENT				
08/02/2018	59.7	27.4	1.3		995	0.34	8	0	NO ADJUSTMENT				
19/02/2018	60.3	28.1	1.2		1000	0.35	6	0	NO ADJUSTMENT				
05/03/2018	63.0	30.1	1.1		1002	0.35	4	0	NO ADJUSTMENT				
09/03/2018										8.67	-1.12	7.55	
21/03/2018	62.1	29.7	1.3		999	0.35	4	0	NO ADJUSTMENT				
06/04/2018	65.7	28.5	1.1		998	0.32	2	0	NO ADJUSTMENT				
16/04/2018	65.7	28.9	0.9		1000	0.35	4	0	NO ADJUSTMENT				
04/05/2018	67.3	28.6	0.7		997	0.35	4	0	NO ADJUSTMENT				
17/05/2018	64.9	30.6	0.5		995	0.36	4	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	65.5	30.3	0.5		1002	>>>>	5	0	NO ADJUSTMENT				135
09/06/2016										12.94	-1.2	11.74	
15/06/2016	61.5	30.2	1.1		975	-18.41	3	0	NO ADJUSTMENT				
04/07/2016										14.99	-1.2	13.79	135
05/07/2016										12.94	-1.2	11.74	
11/08/2016										12.92	-1.2	11.72	135
12/08/2016	69.4	29.1	0.6		1002	-17.93	3	0	NO ADJUSTMENT				
24/08/2016	65.9	28.3	0.6		999	-18.07	4	0	NO ADJUSTMENT				
31/08/2016	70.3	29.1	0.6		997	-24.41	3	0	NO ADJUSTMENT				
06/09/2016										12.94	-1.2	11.74	135
19/09/2016	65	30	1.2		1002	-21.03	2	0	NO ADJUSTMENT				
28/09/2016										13	-1.2	11.8	
28/09/2016	0.6	4.3	20.4		1000	0.21	2	0	CLOSED				
19/10/2016	67	31.2	0.4		1000	0.79	14	0	NO ADJUSTMENT	12.96	-1.2	11.76	135
25/10/2016										12.96	-1.2	11.76	
02/11/2016										12.96	-1.2	11.76	135
07/11/2016	67	31.7	0.3		993	2.28	4	0	NO ADJUSTMENT				
10/11/2016										12.96	-1.2	11.76	
16/11/2016	65.4	31.9	0.3		990	5.87	10	0	NO ADJUSTMENT				
28/11/2016	57.2	30	0.5		1008	-3.41	7	0	NO ADJUSTMENT				
02/12/2016										12.96	-1.2	11.76	135
05/12/2016	66.5	31.2	0.4		1000	-0.09	10	0	OPENED 1/4 TURN				
20/12/2016	67	31.2	0.4		995	4.79	7	0	NO ADJUSTMENT				
06/01/2017										13.01	-1.2	11.81	
06/01/2017	48.7	26.9	1.3		1010	-1.61	2	0	NO ADJUSTMENT				
11/01/2017	0.4	7.5	20.8		989	-0.02	1	0	NO ADJUSTMENT				
24/01/2017										12.94	-1.2	11.74	135
27/01/2017	58.4	27.4	0.8										
30/01/2017										12.75	-1.2	11.55	
17/02/2017	38.5	26.4	0.7		1005	-55.26	5	0	NO ADJUSTMENT				
28/02/2017										12.81	-1.2	11.61	135
02/03/2017	56	28.5	0.6		987	-33.33	7	0	NO ADJUSTMENT				
03/03/2017										12.87	-1.2	11.67	
17/03/2017	67.7	29.7	1.3		994	-1.98	10	0	OPENED 1/4 TURN				
24/03/2017	39.1	25.6	1		1009	-27.58	4	0	NO ADJUSTMENT				
29/03/2017										12.75	-1.2	11.55	135
07/04/2017										12.88	-1.2	11.68	
20/04/2017	55	27.8	1.2		1013	-29.04	2	0	NO ADJUSTMENT				
02/05/2017										12.9	-1.2	11.7	135
04/05/2017	66.9	30.4	0.8		1002	3.85	3	0	NO ADJUSTMENT				
08/05/2017										12.93	-1.2	11.73	
10/05/2017	56.1	27.5	1.7		987	-43.76	3	0	NO ADJUSTMENT				
08/06/2017	23.4	15.7	7.9		982	-9.87	3	0	CLOSED	12.89	-1.2	11.69	135
09/06/2017										12.93	-1.2	11.73	
07/07/2017										12.93	-1.2	11.73	135
10/08/2017	68	27.7	1		997	0.1	4	0	NO ADJUSTMENT				135
24/08/2017										12.95	-1.2	11.75	
29/08/2017										12.98	-1.2	11.78	135
19/09/2017										12.97	-1.2	11.77	
05/10/2017	72.3	27.8	0.4		999	2.61	3	0	NO ADJUSTMENT	13.01	-1.2	11.81	

29/11/2018													136 Counter Removed
01/02/2019										12.91	-1.32	11.59	
07/02/2019	68.8	28.4	0.6		981	2.88	2	0	NO ADJUSTMENT				
20/02/2019	67.7	28.1	0.3		994	1.44	3	0	NO ADJUSTMENT	12.93	-1.32	11.61	
15/04/2019	70.5	29.5	0.3		994	5.57	3	0	NO ADJUSTMENT	12.88	-1.32	11.56	
03/07/2019	57.6	23	3.8		1006	0.41	5	0	NO ADJUSTMENT	12.99	-1.32	11.67	
17/07/2019	69	29.2	0.2		993	3.52	7	0	NO ADJUSTMENT	12.97	-1.32	11.65	
30/07/2019	60	25	2.9		983	0	1	0	OPENED 1/4 TURN				
22/08/2019										13	-1.32	11.68	
22/10/2019										12.89	-1.32	11.57	
12/11/2019										12.88	-1.32	11.56	
12/12/2019										12.96	-1.32	11.64	
20/03/2020										12.89	-1.32	11.57	
07/04/2020	48.1	22.4	4.6		1006	0	5	0					
22/04/2020										12.91	-1.32	11.59	
20/10/2020										12.96	-1.32	11.64	
11/11/2020	64.9	30.2	1.6	3.3	994	5.31	1	0					
19/11/2020										13.2	-1.32	11.88	
01/12/2020	60	28.3	3.2	8.5	1006	1.3	1	0					
17/12/2020										13.22	-1.32	11.9	
05/01/2021	66.6	31.5	5.6	0	1002	3.47	0	0		12.82	-1.32	11.5	
02/02/2021										12.91	-1.32	11.59	
03/03/2021										12.9	-1.32	11.58	
02/06/2021	0.7	0.7	13.8	84.8	992	0.12	0	0					

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	61.6	31.3	0.7		1002	>>>>	5	0	NO ADJUSTMENT	7.26	-1.15	6.11	786363
15/06/2016	54.6	31.1	1.9		975	-19.03	13	0	NO ADJUSTMENT				
04/07/2016										7.1	-1.15	5.95	786363
11/08/2016										7.29	-1.15	6.14	794994
12/08/2016	49.2	24.3	5.8		1001	-18.16	14	0	NO ADJUSTMENT				
24/08/2016	47.7	24.7	5.5		999	-19.14	16	0	CLOSED 1/4 TURN				
31/08/2016	49.7	26.8	3.6		997	-23	6	0	NO ADJUSTMENT				
06/09/2016										8.77	-1.15	7.62	816460
19/09/2016	58.8	32	1.7		1002	-21.04	14	0	NO ADJUSTMENT				
28/09/2016	46	21.5	6.3		1000	-8.2	20	0	CLOSED SLIGHTLY				
19/10/2016	9.2	11.1	17.5		1000	2.52	1	0		8.72	-1.15	7.57	830622
02/11/2016										7.93	-1.15	6.78	832380
07/11/2016	63.6	34.4	0.4		993	8.7	2	0	NO ADJUSTMENT				
16/11/2016	66.3	31.2	0.3		990	6.29	4	0	NO ADJUSTMENT				
28/11/2016	0.6	10	19.3		1008	-2.38	1	0	NO ADJUSTMENT				
02/12/2016										7.74	-1.15	6.59	838500
05/12/2016	63	30.3	1.4		1002	-39.5	5	0	OPENED 1/4 TURN				
20/12/2016	54.4	31.6	1.5		995	-35.04	13	0	NO ADJUSTMENT				
06/01/2017	47.8	29.8	1.4		1010	-50.68	10	0	NO ADJUSTMENT				
11/01/2017	39.1	23.8	1.4		988	-58.76	12	0	NO ADJUSTMENT				
24/01/2017										11.86	-1.15	10.71	
27/01/2017	57.3	28.4	1.7		985	-62.14	6	0	NO ADJUSTMENT				
30/01/2017										7.6	-1.15	6.45	
17/02/2017	30.9	25.5	0.9		1005	-67.42	9	0	NO ADJUSTMENT				
28/02/2017										6.88	-1.15	5.73	895933
02/03/2017	42.7	26.9	1.2		988	-52.06	21	0	NO ADJUSTMENT				
03/03/2017										6.9	-1.15	5.75	
17/03/2017	49.9	27.4	3.3		994	-45.7	5	0	NO ADJUSTMENT				
24/03/2017	36.3	22	3.9		1009	-28.94	4	0	NO ADJUSTMENT				
29/03/2017										7.3	-1.15	6.15	904050
07/04/2017										6.85	-1.15	5.7	
20/04/2017	28	16.2	10.2		1013	-3.8	0	0	CLOSED				
02/05/2017										7.12	-1.15	5.97	904052
04/05/2017	68	30.1	0.8		1002	4.32	5	0	NO ADJUSTMENT				
08/05/2017										7.19	-1.15	6.04	
10/05/2017	0.1	5.6	19		987	-15.28	1	0	NO ADJUSTMENT				
08/06/2017	0	2.2	20.8		983	-8.51	0	0	NO ADJUSTMENT	7.24	-1.15	6.09	904064
09/06/2017										7.37	-1.15	6.22	
07/07/2017										7.34	-1.15	6.19	904072
10/08/2017										8.47	-1.15	7.32	904082
24/08/2017										8.89	-1.15	7.74	
29/08/2017										9.04	-1.15	7.89	
19/09/2017										11.83	-1.15	10.68	
05/10/2017										9.52	-1.15	8.37	
06/10/2017										8.6	-1.15	7.45	943789
06/11/2017										8.6	-1.15	7.45	943789
01/12/2017										8.65	-1.15	7.5	949663
15/12/2017	5.5	2.5	13.1		999	-14.9	1	0	NO ADJUSTMENT			-1.18	
21/12/2017										11.89	-1.15	10.74	986060

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	63.2	34.1	0.4		1002	>>>>	16	0	NO ADJUSTMENT	7.78	-1.13	6.65	
15/06/2016	60.4	34.3	0.9		975	-19.58	26	0	NO ADJUSTMENT				
04/07/2016										7.69	-1.13	6.56	
11/08/2016										7.76	-1.13	6.63	
12/08/2016	64.3	30.7	2.2		1002	-17.74	23	0	NO ADJUSTMENT				
24/08/2016	62.2	31.4	1.8		999	-20.25	27	0	NO ADJUSTMENT				
31/08/2016	63.1	31.6	2		997	-24.12	18	0	NO ADJUSTMENT				
06/09/2016										7.77	-1.13	6.64	
19/09/2016	59.7	33.9	1.3		1002	-22.56	20	0	NO ADJUSTMENT				
28/09/2016	45.9	23.9	6.1		1000	-6.4	32	1	CLOSED SLIGHTLY				
19/10/2016	67.5	30.7	0.5		1000	0.09	4	0		7.81	-1.13	6.68	
02/11/2016										7.8	-1.13	6.67	
07/11/2016	31.7	24.9	3.9		993	-0.62	6	0	NO ADJUSTMENT				
16/11/2016	62.2	34.8	0.3		990	14.25	2	0	NO ADJUSTMENT				
28/11/2016	66.6	30.2	0.7		1008	2.26	2	0	NO ADJUSTMENT				
02/12/2016										7.8	-1.13	6.67	
05/12/2016	63.6	34.6	0.5		1001	-40.87	43	0	OPENED 1/4 TURN				
20/12/2016	61	33.7	1.1		995	-44.39	19	0	NO ADJUSTMENT				
06/01/2017	62.9	33.4	0.8		1010	-64.7	20	0	NO ADJUSTMENT				
11/01/2017	63.2	32.4	0.8		989	-67.34	25	0	NO ADJUSTMENT				
24/01/2017										7.77	-1.13	6.64	
27/01/2017	64.8	34.8	0.9		984	-65.9	16	0					
17/02/2017	62.1	33	0.4		1005	-70.58	23	0	OPENED 1/4 TURN				
28/02/2017										7.66	-1.13	6.53	
02/03/2017	39.1	21	4.2		988	-3.6	8	0	NO ADJUSTMENT				
17/03/2017	64.2	32.1	3.2		994	-49.27	9	0	NO ADJUSTMENT				
24/03/2017	40.8	24.7	1.8		1009	-0.09	4	0	NO ADJUSTMENT				
29/03/2017										7.75	-1.13	6.62	
20/04/2017	61.3	30.2	2.7		1013	-63.46	12	0	NO ADJUSTMENT				
02/05/2017										7.74	-1.13	6.61	
04/05/2017	64.3	34	0.8		1002	3.44	9	0	NO ADJUSTMENT				
10/05/2017	57.8	26.1	4.7		987	-71.04	15	0	NO ADJUSTMENT				
08/06/2017	21.9	13.7	9.7		983	-6.79	2	0	CLOSED	7.65	-1.13	6.52	
10/08/2017	65.2	32.5	1.1		1004	7.46	3	0	NO ADJUSTMENT	7.77	-1.13	6.64	
24/08/2017										7.68	-1.13	6.55	
05/10/2017	67.1	32.9	0.3		1000	6.9	1	0	NO ADJUSTMENT	7.8	-1.13	6.67	
01/12/2017	69.4	32.1	1.7		1003	6.6	0	0	NO ADJUSTMENT	7.85	-1.13	6.72	
07/12/2017									OPENED 1/4 TURN				
15/12/2017	65.1	25.2	7.1		999	-52.99	0	0	NO ADJUSTMENT				
04/01/2018	59.1	24.2	1.6		1000	-40.34	5	0	NO ADJUSTMENT				
22/01/2018	62.0	21.9	0.5		998	-52	1	0	NO ADJUSTMENT				
08/02/2018	66.7	18.6	3.0		995	-60.97	1	0	NO ADJUSTMENT				
19/02/2018	57.8	30.5	3.3		1000	-55.54	5	0	NO ADJUSTMENT				
05/03/2018	63.4	20.6	0.7		1002	-61.65	1	0	NO ADJUSTMENT				
09/03/2018										7.31	-1.09	6.22	
21/03/2018	66.8	16.5	1.6		999	-71.44	1	0	NO ADJUSTMENT				
06/04/2018	58.4	18.4	2.6		998	-69.92	0	0	NO ADJUSTMENT				
16/04/2018	59.3	24.8	4.2		1000	-63.56	3	0	NO ADJUSTMENT				
04/05/2018	63.4	28.6	3.8		997	-43.48	4	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	62.8	32	0.5		1002	>>>>	4	0	NO ADJUSTMENT				
15/06/2016	38	26.4	3.6		975	-7.43	5	0	NO ADJUSTMENT				
12/08/2016	37.8	23.6	3		1002	0.02	4	0	NO ADJUSTMENT				
24/08/2016	51.6	28.6	0.8		993	-2.39	18	0	NO ADJUSTMENT				
31/08/2016	35.4	25.9	2.6		998	-3.87	2	0	NO ADJUSTMENT				
19/09/2016	30.6	24.7	3.5		1002	-1.74	2	0	NO ADJUSTMENT				
28/09/2016	33.6	22.8	3.4		1000	-2.54	7	1	NO ADJUSTMENT				
19/10/2016	31.7	24.7	3.8		1000	-0.87	7	0	NO ADJUSTMENT				
07/11/2016	10.3	14.1	8.3		994	-0.12	3	0	NO ADJUSTMENT				
16/11/2016	31.7	24.3	3.8		990	0.81	6	0	NO ADJUSTMENT				
28/11/2016	33.3	24	3.9		1008	-3.02	6	0	NO ADJUSTMENT				
05/12/2016	32.5	24.3	4.1		1001	-0.67	5	0	NO ADJUSTMENT				
20/12/2016	33.9	23.7	3.9		995	0.45	5	0	NO ADJUSTMENT				
06/01/2017	34.9	23.3	4.1		1010	-2.69	5	0	NO ADJUSTMENT				
11/01/2017	36.5	23	4.2		989	-3.22	6	0	NO ADJUSTMENT				
27/01/2017	37.5	22.7	4.6		985	-15.76	5	0	NO ADJUSTMENT				
17/02/2017	36.9	19.9	5		1005	-20.36	8	0	NO ADJUSTMENT				
02/03/2017	12.4	13.5	2.8		988	-0.31	3	0	NO ADJUSTMENT				
17/03/2017	41	21.3	4.8		994	-2.6	3	0	NO ADJUSTMENT				
24/03/2017	42.1	17	5		1009	-24	4	0	NO ADJUSTMENT				
20/04/2017	40.5	19.3	5.2		1014	-3.61	4	0	NO ADJUSTMENT				
04/05/2017	40.8	19.5	4.9		1003	2.11	4	0	NO ADJUSTMENT				
10/05/2017	40.2	18.4	5.3		987	-9.28	6	0	NO ADJUSTMENT				
08/06/2017	43.4	15.3	5.2		983	-4.02	4	0	NO ADJUSTMENT				
10/08/2017	48.7	14.6	5.4		1004	-1.13	4	0	NO ADJUSTMENT				
05/10/2017	52.9	14.6	5.1		1000	-0.09	2	0	NO ADJUSTMENT				
01/12/2017	57.2	14.7	6.3		1003	0.52	2	0	NO ADJUSTMENT				
07/12/2017									CLOSED				
15/12/2017	63.6	14.2	1.4		999	-3.56	2	0	NO ADJUSTMENT				
04/01/2018	67.8	22.3	0.9		1000	-2.82	6	0	NO ADJUSTMENT				
22/01/2018	71.7	21.4	4.2		998	-1.7	5	0	NO ADJUSTMENT				
08/02/2018	70.4	18.6	1.1		995	-1.31	6	0	NO ADJUSTMENT				
19/02/2018	59.8	18.1	5.8		1000	-2.58	5	0	NO ADJUSTMENT				
05/03/2018	62.9	20.5	3.4		1002	0.63	6	0	NO ADJUSTMENT				
16/03/2018										5.39	-1.41	3.98	
21/03/2018	70.8	13.3	1.9		999	-0.81	4	0	NO ADJUSTMENT				
06/04/2018	69.1	15.4	1.8		998	-0.51	2	0	NO ADJUSTMENT				
16/04/2018	55.4	16.2	2.8		1000	-2.91	2	0	NO ADJUSTMENT				
04/05/2018	71.1	21.8	0.6		997	-0.32	2	0	NO ADJUSTMENT				
17/05/2018	68.6	20.8	8.1		995	0.58	6	0	NO ADJUSTMENT				
01/06/2018	68.3	21.9	7.0		998	-3.79	4	0	NO ADJUSTMENT				
12/06/2018	69.9	22.8	1.4		1002	-2.44	4	0	NO ADJUSTMENT				
09/07/2018	63.5	14.3	7.0		1001	-1.4	5	0	NO ADJUSTMENT				
27/07/2018	43.4	9.8	9.5		988	-0.72	5	0	NO ADJUSTMENT				
10/08/2018	65.4	13.4	5.4		994	-1.3	4	0	NO ADJUSTMENT				
04/09/2018	66.9	17.4	5.1		1002	-2.36	2	0	NO ADJUSTMENT				
29/10/2018	69.6	14.8	5.4		986	-0.94	2	0	NO ADJUSTMENT				
15/11/2018	70.2	12.9	6		997	-1.66	3	0	NO ADJUSTMENT				
07/02/2019	69.5	14	5.3		981	4.85	3	0	NO ADJUSTMENT				
20/02/2019	70.5	14	5		995	3.82	3	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	6.1	10.6	15.8		1002	>>>>	2	0	CLOSED	4	-1.67	2.33	
15/06/2016	5.9	8.2	16.6		975	3.25	3	0	NO ADJUSTMENT				
04/07/2016										4.02	-1.67	2.35	
11/08/2016										4.17	-1.67	2.5	
12/08/2016	7.3	6.2	15.9		1002	1.2	3	0	NO ADJUSTMENT				
24/08/2016	7.5	6.2	15.1		1000	-0.14	3	0	NO ADJUSTMENT				
31/08/2016	7.6	6.7	14.8		998	0	3	0	NO ADJUSTMENT				
06/09/2016										4.22	-1.67	2.55	
19/09/2016	7.4	12	12.1		1002	-0.53	3	0	NO ADJUSTMENT				
28/09/2016	10	7.4	12.2		1000	-0.31	5	1	NO ADJUSTMENT				
19/10/2016	10	13.4	10		1001	2.42	4	0	NO ADJUSTMENT	4.4	-1.67	2.73	
02/11/2016										4.43	-1.67	2.76	
07/11/2016	59.8	33.5	1.4		994	8.87	2	0	NO ADJUSTMENT				
16/11/2016	10.4	14.6	7.3		990	3.76	3	0	NO ADJUSTMENT				
28/11/2016	11.6	15.1	6.3		1008	0.12	2	0	NO ADJUSTMENT				
02/12/2016										3.85	-1.67	2.18	
05/12/2016	11.9	15.3	5.8		1001	2.97	2	0	NO ADJUSTMENT				
20/12/2016	12.6	15.2	5		995	-0.19	2	0	NO ADJUSTMENT				
06/01/2017	12.9	15	4.1		1010	1.13	2	0	NO ADJUSTMENT				
06/01/2017	58.7	36.5	1		1010	18.61	2	0	NO ADJUSTMENT				
11/01/2017	13.6	14.8	4		989	-0.07	2	0	NO ADJUSTMENT				
24/01/2017										4.25	-1.67	2.58	
27/01/2017	13.3	15.2	3.5		985	-0.03	1	0	NO ADJUSTMENT				
17/02/2017	12.2	13.3	2.8		1005	0.15	3	0	NO ADJUSTMENT				
28/02/2017													
02/03/2017	12.4	13.5	2.8		988	-0.31	3	0	NO ADJUSTMENT				
17/03/2017	12.3	13.1	4.2		994	-0.17	1	0	NO ADJUSTMENT				
24/03/2017	11	9.5	4.9		1010	0	1	0	NO ADJUSTMENT				
29/03/2017										3.85	-1.67	2.18	
20/04/2017	7.8	8.9	11.3		1014	0.38	1	0	CLOSED 1/8 TURN				
02/05/2017										4	-1.67	2.33	
04/05/2017	7.1	8.6	12.9		1003	0.07	1	0	CLOSED				
10/05/2017	6.6	7.7	13.2		987	0.24	2	0	NO ADJUSTMENT				
08/06/2017	6.1	4.3	16		983	2.44	2	0	NO ADJUSTMENT	4.12	-1.67	2.45	
10/08/2017	3.6	4.8	13.3		1004	0.45	3	0	NO ADJUSTMENT	4.45	-1.67	2.78	
24/08/2017										4.36	-1.67	2.69	
05/10/2017	5.5	6.9	9.6		1000	0.1	1	0	NO ADJUSTMENT	4.52	-1.67	2.85	
01/12/2017	7.8	10.1	7.1		1003	0.52	1	0	NO ADJUSTMENT	4.56	-1.67	2.89	
15/12/2017	6.0	7.0	15.3		999	2.07	3	0	NO ADJUSTMENT				
04/01/2018	4.5	4.5	8.1		1000	0.77	3	0	NO ADJUSTMENT				
22/01/2018	4.6	5.9	7.5		998	1.07	2	0	NO ADJUSTMENT				
08/02/2018	7.6	7.3	12.7		995	1.56	3	0	NO ADJUSTMENT				
19/02/2018	6.5	6.3	15.1		1000	1.12	1	0	NO ADJUSTMENT				
05/03/2018	6.6	4.9	15.2		1002	2.33	1	0	NO ADJUSTMENT				
09/03/2018										4.05	-1.3	2.75	
21/03/2018	3.6	6.0	15.9		999	1.72	1	0	NO ADJUSTMENT				
06/04/2018	4.0	6.1	13.2		998	0.95	3	0	NO ADJUSTMENT				
16/04/2018	7.2	4.9	8.3		1000	0.69	3	0	NO ADJUSTMENT				
04/05/2018	3.7	5.4	8.5		997	0.57	1	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	65.3	30.8	0.4		1002	>>>>	3	0	NO ADJUSTMENT	5.13	-1.46	3.67	
15/06/2016	60	33.3	1.5		975	-20.73	2	0	NO ADJUSTMENT				
04/07/2016										5	-1.46	3.54	
11/08/2016										5.08	-1.46	3.62	
12/08/2016	33.2	20.8	9.2		1002	-20.17	1	0	NO ADJUSTMENT				
24/08/2016	57.2	34.7	0.8		1000	-21.18	2	0	NO ADJUSTMENT				
31/08/2016	36.4	21.5	9		998	-24.79	1	0	CLOSED 1/4 TURN				
06/09/2016										6.78	-1.46	5.32	
19/09/2016	56.8	30.8	2.5		1002	5.6	2	0	NO ADJUSTMENT				
28/09/2016	38.1	25.6	7.4		1000	-8.97	3	0	CLOSED				
19/10/2016	58.8	33.3	1.5		1001	16.98	3	0	NO ADJUSTMENT	5.37	-1.46	3.91	
02/11/2016										5.39	-1.46	3.93	
07/11/2016	0.7	11.4	19.1		993	-0.29	4	0	NO ADJUSTMENT				
16/11/2016	57.6	35.2	1.2		990	16.19	3	0	NO ADJUSTMENT				
28/11/2016	60.6	34.4	1.3		1009	10.82	2	0	NO ADJUSTMENT				
02/12/2016										5.25	-1.46	3.79	
05/12/2016	61	33	1.4		1001	16.57	2	0	NO ADJUSTMENT				
20/12/2016	59	35.7	1.1		996	25.66	2	0	NO ADJUSTMENT				
06/01/2017	0.4	11.2	18.5		1010	0.34	3	0	NO ADJUSTMENT				
11/01/2017	59.7	37.1	0.9		989	25.08	2	0	NO ADJUSTMENT				
24/01/2017										5.13	-1.46	3.67	
27/01/2017	60	38	0.8		985	41.92	1	0	NO ADJUSTMENT				
17/02/2017	60.2	36.5	0.8		1005	34.29	3	0	OPENED 1/4 TURN				
02/03/2017	59.4	37.6	0.4		988	45.93	3	0	NO ADJUSTMENT				
17/03/2017	64	35.6	0.8		994	46.35	1	0	NO ADJUSTMENT				
24/03/2017	41.4	23.9	1.9		1010	-27.3	5	0	NO ADJUSTMENT				
29/03/2017										4.96	-1.46	3.5	
20/04/2017	57.8	30.4	3.3		1014	-63.78	1	0	NO ADJUSTMENT				
02/05/2017										5.19	-1.46	3.73	
04/05/2017	63.5	34.2	1.2		1003	3.59	1	0	NO ADJUSTMENT				
10/05/2017	31.8	16.6	11.5		987	-71.31	1	0	CLOSED 1/4 TURN				
08/06/2017	45.7	24.3	5.7		983	6.14	2	0	NO ADJUSTMENT	5.39 (DRY)	-1.46	3.93	
10/08/2017	42.9	25.2	5.7		1004	-80.05	2	0	NO ADJUSTMENT	5.04	-1.46	3.58	
24/08/2017										5.39 (DRY)	-1.46	3.93	
05/10/2017	33.1	16.8	10		1000	-101.59	3	0	NO ADJUSTMENT	4.68	-1.46	3.22	
01/12/2017	11.3	6.8	19		1003	-107.11	0	0	NO ADJUSTMENT	4.42	-1.46	2.96	
07/12/2017									CLOSED				
15/12/2017	51.4	6.3	13.2		999	15.24	0	0	NO ADJUSTMENT				
04/01/2018	42.9	5.1	7.3		1000	7.23	2	0	NO ADJUSTMENT				
22/01/2018	12.1	6.4	12.9		998	9.72	1	0	NO ADJUSTMENT				
08/02/2018	26.0	5.9	8.7		995	8.23	3	0	NO ADJUSTMENT				
19/02/2018	24.9	7.0	12.2		1000	15.11	0	0	NO ADJUSTMENT				
05/03/2018	45.9	7.0	12.0		1002	16.63	2	0	NO ADJUSTMENT				
09/03/2018										5.08	-1.22	3.86	
21/03/2018	13.0	4.3	13.1		999	8.64	2	0	NO ADJUSTMENT				
06/04/2018	17.4	7.4	12.9		998	16.76	3	0	NO ADJUSTMENT				
16/04/2018	51.6	5.0	14.5		1000	15.58	0	0	NO ADJUSTMENT				
04/05/2018	53.5	4.6	13.5		997	10.52	2	0	NO ADJUSTMENT				
17/05/2018	34.5	7.7	10.7		995	3.32	0	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016	0.3	9.1	18.1		1002	>>>>	2	0	NO ADJUSTMENT				
09/06/2016										2.23	-1.33	0.9	
15/06/2016	0	7.5	18.6		975	-0.21	3	0	CLOSED				
04/07/2016										1.59	-1.33	0.26	13562
05/07/2016										1.63	-1.33	0.3	
11/08/2016										2.44	-1.33	1.11	13569
12/08/2016	0.1	3.5	19.9		1002	0.12	4	0	NO ADJUSTMENT				
24/08/2016	0.4	3.4	20.1		1000	-0.43	4	0	NO ADJUSTMENT				
31/08/2016	0.4	2.9	20.4		997	0.21	4	0	NO ADJUSTMENT				
06/09/2016										2.6	-1.33	1.27	13570
19/09/2016	0.4	10.4	17.3		1003	-0.03	4	0	NO ADJUSTMENT				
28/09/2016										2.2	-1.33	0.87	
28/09/2016	0.2	3.9	20.6		1000	0.74	6	0	NO ADJUSTMENT				
19/10/2016	0.4	9.6	19.4		1001	1.39	6	0	NO ADJUSTMENT	2.34	-1.33	1.01	14370
25/10/2016										2.77	-1.33	1.44	
02/11/2016										2.67	-1.33	1.34	15386
07/11/2016	66.2	31.9	0.4		994	57.42	2	0	NO ADJUSTMENT				
10/11/2016										2.33	-1.33	1	
16/11/2016	0.1	8.8	19.6		990	2.81	5	0	NO ADJUSTMENT				
28/11/2016	0.5	11.5	18.5		1008	0.46	4	0	NO ADJUSTMENT				
02/12/2016										1.38	-1.33	0.05	16655
05/12/2016	0.6	11.5	18.4		1001	0.75	4	0	OPENED 1/4 TURN				
08/12/2016										1.9	-1.33	0.57	
20/12/2016	0.6	11.2	18.6		996	-0.19	4	0	NO ADJUSTMENT				
06/01/2017										1.44	-1.33	0.11	
06/01/2017	0.4	11.2	18.5		1010	0.34	3	0	NO ADJUSTMENT				
11/01/2017	0.4	9.5	19.8		989	-0.51	4	0	NO ADJUSTMENT				
24/01/2017										1.38	-1.33	0.05	20038
27/01/2017	0.5	11.5	18.9		985	0.31	3	0	NO ADJUSTMENT				
30/01/2017										2.87	-1.33	1.54	
17/02/2017	0.3	8.8	19.1		1005	0.05	4	0	CLOSED				
02/03/2017	0.4	9.5	19.7		988	-0.67	4	0	NO ADJUSTMENT				
03/03/2017										1.26	-1.33	-0.07	
17/03/2017	0.5	9.5	18.1		994	0.07	2	0	NO ADJUSTMENT				
24/03/2017	0	3.3	20.2		1009	-0.15	2	0	NO ADJUSTMENT				
29/03/2017										3.71	-1.33	2.38	27725
07/04/2017										1.82	-1.33	0.49	
20/04/2017	0.2	7.4	18.5		1014	0.48	2	0	CLOSED				
02/05/2017										2.72	-1.33	1.39	34754
04/05/2017	0.1	7	19.2		1003	-2.25	2	0	NO ADJUSTMENT				
08/05/2017										2.74	-1.33	1.41	
10/05/2017	0	5.6	19		987	1.22	3	0	NO ADJUSTMENT				
08/06/2017	0	3.1	20.5		983	0.1	3	0	NO ADJUSTMENT	2.59	-1.33	1.26	37544
09/06/2017										2.57	-1.33	1.24	
07/07/2017										3.55	-1.33	2.22	
10/08/2017	0	2.6	20.3		1004	2.65	4	0	NO ADJUSTMENT	3.49	-1.33	2.16	
24/08/2017										3.48	-1.33	2.15	
29/08/2017										3.54	-1.33	2.21	37550
19/09/2017										3.57	-1.33	2.24	
05/10/2017	0.1	2.9	20.7		1000	-0.36	3	0	NO ADJUSTMENT	2.77	-1.33	1.44	

11/12/2018													64509
18/12/2018													64511
24/12/2018													64521
31/12/2018													65316
08/01/2019													65318
15/01/2019													65723
22/01/2019									2.1	-1.26	0.84		66498
29/01/2019													66521
01/02/2019									2.16	-1.26	0.9		66523
07/02/2019	0.1	4.2	21.2		982	-1.17	3	0	NO ADJUSTMENT				
20/02/2019	0.2	3.5	21.5		995	0.12	0	0	NO ADJUSTMENT	1.74	-1.26	0.48	69076
22/02/2019													68488
26/02/2019									4.05	-1.26	2.79		70352
05/03/2019													70863
13/03/2019													72079
19/03/2019													72474
26/03/2019													72634
02/04/2019													73371
09/04/2019													73882
15/04/2019	0	3.2	21		994	1.87	2	0	NO ADJUSTMENT	3.4	-1.26	2.14	74462
16/04/2019													74912
23/04/2019													74952
29/04/2019													75492
08/05/2019													76290
14/05/2019													76853
21/05/2019									2.48	-1.26	1.22		78057
28/05/2019													78311
04/06/2019													80676
10/06/2019													80677
18/06/2019													80679
25/06/2019													80679
02/07/2019													80679
03/07/2019	0.3	4.1	20		1007	0.1	4	0	NO ADJUSTMENT	2.5	-1.26	1.24	80680
10/07/2019													80682
16/07/2019													80726
17/07/2019	0.3	4	20.3		993	0.09	4	0	NO ADJUSTMENT	2.62	-1.26	1.36	80733
24/07/2019													80745
30/07/2019	0.5	4.5	19.8		983	0.09	4	0	NO ADJUSTMENT				80781
22/08/2019									2.32	-1.26	1.06		80884
28/08/2019													80884
03/09/2019									2.9	-1.26	1.64		
24/09/2019													80887
22/10/2019									2.46	-1.26	1.2		
30/10/2019													80890
12/11/2019													80890
25/11/2019													80891
12/12/2019									2.5	-1.26	1.24		
31/12/2019													80895
07/01/2020									1.94	-1.26	0.68		
28/01/2020													80917
26/02/2020													81553
20/03/2020									1.3	-1.26	0.04		81555

