

Date and Time	CH4 (%)	CO2 (%)	O2 (%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading	Notes
02/06/2016	66.2	29.2	1.1		1003	>>>>	4	0	NO ADJUSTMENT	2.78	-1.53	1.25		
09/06/2016	64.9	26.7	1.4		1001	3.01	5	1	NO ADJUSTMENT					
15/06/2016	69.7	25.8	0.5		976	-14.82	2	0	NO ADJUSTMENT					
04/07/2016										2.68	-1.53	1.15		
11/08/2016										3.06	-1.53	1.53		
12/08/2016	66.3	26.3	1.9		1002	-19.94	1	0	NO ADJUSTMENT					
24/08/2016	61.2	27.4	2.1		1000	-21.9	2	0	NO ADJUSTMENT					
31/08/2016	63.3	25.3	3.4		998	-23.67	1	0	NO ADJUSTMENT					
06/09/2016										3.32	-1.53	1.79		
19/09/2016	67.4	27.2	1.8		1003	-23.21	1	0	NO ADJUSTMENT					
28/09/2016	20.9	9.6	15.2		1000	-22.91	2	1	CLOSED SLIGHTLY					Gas levels not representative after adjusting valve position
19/10/2016	67.7	29.9	0.4		1001	20.81	3	0	NO ADJUSTMENT	3.73	-1.53	2.2		
02/11/2016										3.67	-1.53	2.14		
07/11/2016	63.4	34.4	0.6		994	-70.65	3	0	NO ADJUSTMENT					
16/11/2016	64.9	32.1	0.3		990	44.8	2	0	NO ADJUSTMENT					
28/11/2016	57.7	27.2	1.7		1008	-2.47	9	0	NO ADJUSTMENT					
02/12/2016										3	-1.53	1.47		
05/12/2016	64.9	27.1	1.4		1001	-46.81	2	0	NO ADJUSTMENT					
20/12/2016	68.1	26.1	1.4		995	-47.58	1	0	NO ADJUSTMENT					
06/01/2017	58	21.6	4.2		1010	-67.89	1	0	NO ADJUSTMENT					
11/01/2017	65.6	25.2	2.2		989	-69.95	2	0	NO ADJUSTMENT					
24/01/2017										2.8	-1.53	1.27		
27/01/2017	57.7	21.1	4.8		985	-68.5	1	0	NO ADJUSTMENT					
17/02/2017	63	24.4	1.4		1006	-72.26	3	0	NO ADJUSTMENT					
02/03/2017	71.4	25.3	0.8		988	-58.45	3	0	NO ADJUSTMENT					
17/03/2017	69.7	24.8	3.6		994	-49.46	1	0	NO ADJUSTMENT					
24/03/2017	42.1	23.1	2.6		1010	-26.51	4	0	NO ADJUSTMENT					
29/03/2017										2.65	-1.53	1.12		
20/04/2017	68.7	24.1	3.5		1014	-63.63	1	0	NO ADJUSTMENT					
02/05/2017										2.92	-1.53	1.39		
04/05/2017	70.8	26.9	1.3		1003	3.61	1	0	NO ADJUSTMENT					
10/05/2017	39.8	14.2	10.3		987	-71.62	2	0	CLOSED 1/4 TURN					
08/06/2017	24.4	16.1	7.8		983	-6.38	3	0	NO ADJUSTMENT	3.26	-1.53	1.73		
10/08/2017	62	31	1		1004	-59.09	4	0	NO ADJUSTMENT	3.73	-1.53	2.2		
24/08/2017										3.69	-1.53	2.16		
05/10/2017	58.8	23.1	3.6		1000	-100.65	0	0	NO ADJUSTMENT	3.32	-1.53	1.79		
01/12/2017	69.9	25.5	4.7		1003	-107.28	0	0	NO ADJUSTMENT	2.82	-1.53	1.29		
15/12/2017	62.3	24.5	1.2		999	-96.13	2	0	NO ADJUSTMENT					
04/01/2018	55.7	15.1	1.6		1000	-96.79	0	0	NO ADJUSTMENT					
22/01/2018	59.9	26.7	6.8		998	-69.52	0	0	NO ADJUSTMENT					
08/02/2018	64.3	17.3	6.2		995	-66.42	4	0	NO ADJUSTMENT					
19/02/2018	51.5	29.5	6.8		1000	-81.36	0	0	NO ADJUSTMENT					
05/03/2018	68.3	23.2	3.1		1002	-74.95	3	0	NO ADJUSTMENT					
09/03/2018										2.2	-1.31	0.89		
21/03/2018	53.6	19.5	2.5		999	-59.68	1	0	NO ADJUSTMENT					
06/04/2018										4.48	-1.31	3.17		
06/04/2018	65.5	17.8	6.0		998	-84.9	0	0	NO ADJUSTMENT					
16/04/2018	57.5	24.9	4.9		1000	-92.03	1	0	NO ADJUSTMENT					
04/05/2018	66.2	15.3	3.3		997	-94.76	1	0	NO ADJUSTMENT					

26/03/2019													44950
02/04/2019													46921
09/04/2019													47380
15/04/2019	33.2	10.4	11.9		994	-1.63	2	0	NO ADJUSTMENT	4.52	-1.31	3.21	48776
16/04/2019													49117
23/04/2019													49911
29/04/2019													51289
08/05/2019													52787
14/05/2019													53157
21/05/2019													54542
28/05/2019													55331
04/06/2019										3.81	-1.31	2.5	55797
10/06/2019													56930
18/06/2019													57490
25/06/2019													58365
02/07/2019													58488
03/07/2019	58.5	17.5	4.6		1007	2.71	7	0	NO ADJUSTMENT	3.8	-1.31	2.49	65692
10/07/2019													59498
16/07/2019													61555
17/07/2019	61	19.4	3.8		993	0	6	0	NO ADJUSTMENT	5.46	-1.31	4.15	66736
24/07/2019													64471
30/07/2019													65692
30/07/2019	62.2	19.5	3.8		983	94.78	6	0	OPEN 1/4 TURN				65692
22/08/2019										3.73	-1.31	2.42	68231
28/08/2019													68406
24/09/2019													72446
22/10/2019										3.56	-1.31	2.25	
30/10/2019													78233
12/11/2019										3.16	-1.31	1.85	80199
25/11/2019													81403
12/12/2019										4.73	-1.31	3.42	
31/12/2019													86199
07/01/2020										4.27	-1.31	2.96	
28/01/2020													90345
26/02/2020													95914
05/03/2020										4.2	-1.31	2.89	
20/03/2020										5.44	-1.31	4.13	95946
24/03/2020													95946
15/04/2020	72.5	26.3	1		1001	111.2	1	0					
22/04/2020										4.39	-1.31	3.08	95977
28/04/2020													95977
27/05/2020													95977
30/06/2020													95977
28/07/2020													95977
25/08/2020													95977
30/09/2020													95977
20/10/2020										4.02	-1.31	2.71	95977
27/10/2020													95977
11/11/2020	69	30.1	1.2	0	995	11.54	2	0					
19/11/2020										3.81	-1.31	2.5	
01/12/2020	67.6	32.5	1.4	0	1007	-4.59	2	7					
17/12/2020										3.88	-1.31	2.57	

05/01/2021	69.6	31.6	0.9	0	1003	3.85	1	4		3.4	-1.31	2.09		
02/02/2021	70.5	31	0.4	0	972	2.46	2	11		3.07	-1.31	1.76		
03/03/2021	71.3	31	1.2	0	1006	47.16	0	16		5.68	-1.31	4.37		
06/04/2021	71.1	29.8	1.8	0	1000	20.79	1	2						
05/05/2021	71.1	29.8	1	0	988	-0.38	1	10						
02/06/2021	61.2	27.3	2.2	9.3	993	0.44	1	0						
06/07/2021	69.3	30.5	0.9	0	974	7.53	1	8						
03/08/2021	68.6	31.1	1.7	0	993	3.4	0	2						
07/09/2021	69.4	31.3	1.5	0	1001	-14.45	0	2						
05/10/2021	48.6	27.1	5.8	18.5	975	-17.09	39	0						
10/11/2021	46.4	27	4.7	21.9	1002	-17.85	38	0						
01/12/2021	60.6	33.6	3.4	2.4	976	7.77	41	0						

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	62.6	32.1	0.3		1002	4.23	2	1	NO ADJUSTMENT				
15/06/2016	62.4	33.1	0.6		976	-20.79	3	0	NO ADJUSTMENT				
12/08/2016	67.1	32.4	1		1002	-22.18	2	0	NO ADJUSTMENT				
24/08/2016	62.4	33.5	0.5		1000	-21.87	2	0	NO ADJUSTMENT				
31/08/2016	66.7	32.8	1.5		998	-19.63	2	0	NO ADJUSTMENT				
19/09/2016	61	34.2	1		1002	-21.46	2	0	NO ADJUSTMENT				
28/09/2016	65.4	33.8	0.4		1000	-48.03	5	1	CLOSED SLIGHTLY				
19/10/2016	62.1	35.7	0.4		1001	-64.82	4	0	NO ADJUSTMENT				
07/11/2016	61.1	35.7	0.4		993	-14.94	2	0	NO ADJUSTMENT				
17/11/2016	64.7	31.9	0.4		975	-7.41	3	0	NO ADJUSTMENT				
30/11/2016	69.9	26.9	0.6		1013	-56.26	4	0	NO ADJUSTMENT				
05/12/2016	65.5	32	0.8		1001	-47.15	3	0	NO ADJUSTMENT				
20/12/2016	65.2	32.7	0.7		995	-47.2	2	0	NO ADJUSTMENT				
06/01/2017	66	31.3	0.7		1010	-67.05	2	0	NO ADJUSTMENT				
11/01/2017	67.4	31.2	0.6		989	-69.74	2	0	NO ADJUSTMENT				
27/01/2017	68.8	29.9	1		985	-68.06	2	0	NO ADJUSTMENT				
17/02/2017	66.7	31.6	0.5		1006	-71.87	4	0	NO ADJUSTMENT				
02/03/2017	66.6	32.2	0.5		988	-58.23	4	0	NO ADJUSTMENT				
17/03/2017	67.9	32.2	2.6		994	-49.24	1	0	NO ADJUSTMENT				
24/03/2017	68.2	30.8	1.4		1010	-26.56	1	0	NO ADJUSTMENT				
20/04/2017	68.6	28.4	2.3		1014	-64.33	2	0	NO ADJUSTMENT				
04/05/2017	65.1	33.2	0.5		1003	3.71	1	0	NO ADJUSTMENT				
10/05/2017	64	31	2.3		987	-71.02	3	0	NO ADJUSTMENT				
08/06/2017	24.7	16.4	8		983	-4.64	2	0	NO ADJUSTMENT				
10/08/2017	64.2	30.7	1.2		1004	-28.01	4	0	NO ADJUSTMENT				
05/10/2017	67	33	0.4		1000	-100.84	1	0	NO ADJUSTMENT				
01/12/2017	67.4	33.9	2.6		1003	-106.06	1	0	NO ADJUSTMENT				
15/12/2017	44.1	29.4	1.1		999	-92.25	4	0	NO ADJUSTMENT				
04/01/2018	49.6	21.3	1.3		1000	-60.99	3	0	NO ADJUSTMENT				
22/01/2018	57.9	21.1	5.0		998	-98.36	3	0	NO ADJUSTMENT				
08/02/2018	42.1	30.3	1.4		995	-97.65	2	0	NO ADJUSTMENT				
19/02/2018	60.1	27.8	0.9		1000	-88.31	1	0	NO ADJUSTMENT				
05/03/2018	54.3	17.8	5.9		1002	-93.04	0	0	NO ADJUSTMENT				
21/03/2018	46.6	17.0	7.2		999	-82.88	4	0	NO ADJUSTMENT				
06/04/2018	64.6	30.1	3.3		998	-83.99	0	0	NO ADJUSTMENT				
16/04/2018	55.8	23.4	7.7		1000	-60.68	3	0	NO ADJUSTMENT				
04/05/2018	57.2	21.2	8.0		997	-100.33	2	0	NO ADJUSTMENT				
17/05/2018	55.8	25.8	1.2		995	-64.47	2	0	NO ADJUSTMENT				
01/06/2018	60.3	24.3	6.0		998	-62.21	4	0	NO ADJUSTMENT				
12/06/2018	69.2	18.7	6.4		1002	-68.88	2	0	NO ADJUSTMENT				
09/07/2018	55.0	23.3	1.5		1001	-84.88	3	0	NO ADJUSTMENT				
27/07/2018	68.2	28.2	0.6		988	47.12	4	0	NO ADJUSTMENT				
03/08/2018									OPENED 1/4 TURN				
10/08/2018	69.8	28.9	0.9		995	19.75	2	0	NO ADJUSTMENT				
04/09/2018	68.5	34.8	2		1002	-43.07	2	0	NO ADJUSTMENT				
29/10/2018	57.1	28.1	1.9		986	-1.87	4	0	NO ADJUSTMENT				
15/11/2018	40.9	19.9	8.4		997	-0.72	3	0	CLOSED				
07/02/2019	72.1	28.2	0.6		982	17.49	1	0	OPENED 1/4 TURN				
20/02/2019	71.3	30.3	0.4		995	-38.75	2	0	NO ADJUSTMENT				
15/04/2019	68.3	31.1	0.3		994	3.72	3	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	59.9	30.3	0.8		1002	3.18	4	1	NO ADJUSTMENT
15/06/2016	55.5	31.3	1.2		976	-19.93	4	0	NO ADJUSTMENT
12/08/2016	66	34.2	0.7		1002	-22.06	2	0	NO ADJUSTMENT
24/08/2016	65.6	33.7	1		1000	-18.89	2	0	NO ADJUSTMENT
24/08/2016	63.9	35.1	0.5		1000	-18.93	2	0	NO ADJUSTMENT
31/08/2016	64.5	35.2	0.7		998	-16.47	2	0	NO ADJUSTMENT
19/09/2016	60	35.2	0.8		1003	-22.51	2	0	NO ADJUSTMENT
28/09/2016	66	33.6	0.4		1000	-28.3	6	0	CLOSED SLIGHTLY
19/10/2016	61.2	36.6	0.3		1001	-7.58	3	0	NO ADJUSTMENT
07/11/2016	32.7	23.3	9.2		993	-71.37	1	0	NO ADJUSTMENT
17/11/2016	60.8	35.8	0.4		974	-70.32	4	0	NO ADJUSTMENT
28/11/2016	63.4	33.8	0.5		1008	-29.5	3	0	NO ADJUSTMENT
05/12/2016	63.6	33.6	0.9		1001	-19.38	3	0	NO ADJUSTMENT
20/12/2016	62.4	35.7	0.4		995	-0.53	2	0	NO ADJUSTMENT
06/01/2017	63.6	32.8	0.9		1010	-29.57	2	0	NO ADJUSTMENT
11/01/2017	63.8	35.4	0.4		989	-17.07	2	0	NO ADJUSTMENT
27/01/2017	65.9	33.7	0.9		985	-42.47	2	0	NO ADJUSTMENT
17/02/2017	64	34.9	0.4		1006	-46.12	4	0	NO ADJUSTMENT
02/03/2017	63.6	35	0.3		988	-10.33	4	0	NO ADJUSTMENT
17/03/2017	65.7	34.2	1.5		994	-12.91	1	0	NO ADJUSTMENT
24/03/2017	25.9	14.8	11.8		1010	-26.03	2	0	NO ADJUSTMENT
20/04/2017	64.6	33.3	1.2		1014	-39.15	1	0	NO ADJUSTMENT
04/05/2017	63.9	34.2	0.7		1003	11.14	1	0	NO ADJUSTMENT
10/05/2017	58.4	29.8	3.4		987	-60.45	2	0	NO ADJUSTMENT
08/06/2017	30.9	20.5	6		983	-7.1	2	0	NO ADJUSTMENT
10/08/2017	64.1	32	1.1		1004	-17.83	1	0	NO ADJUSTMENT
05/10/2017	69	30.9	0.5		1000	-17.12	0	0	NO ADJUSTMENT
01/12/2017	27.6	16.2	13.4		1003	-23.21	0	0	NO ADJUSTMENT
04/12/2017	48.4	19.3	3.6		1012	-3.87	12	0	NO ADJUSTMENT
15/12/2017	38.8	34.2	4.6		999	-31.34	0	0	NO ADJUSTMENT
04/01/2018	47.9	36.0	9.1		1000	-44.69	2	0	NO ADJUSTMENT
22/01/2018	35.9	21.9	12.8		998	-57.82	2	0	NO ADJUSTMENT

08/02/2018	60.5	32.4	2.7		995	-29.57	0	0	NO ADJUSTMENT
19/02/2018	35.3	14.9	3.1		1000	-28.59	2	0	NO ADJUSTMENT
05/03/2018	58.1	16.2	11.3		1002	-34.69	2	0	NO ADJUSTMENT
21/03/2018	27.9	26.9	11.3		999	-1.59	3	0	NO ADJUSTMENT
06/04/2018	55.1	34.1	5.1		998	-50.08	0	0	NO ADJUSTMENT
16/04/2018	41.3	28.7	7.2		1000	-31.65	2	0	NO ADJUSTMENT
04/05/2018	37.7	27.1	13.2		997	-36.13	2	0	NO ADJUSTMENT
17/05/2018	31.7	14.6	3.7		995	-36.81	1	0	NO ADJUSTMENT
01/06/2018	48.6	34.8	3.5		998	-44.85	0	0	NO ADJUSTMENT
12/06/2018	28.8	26.5	11.5		1002	-14.41	3	0	NO ADJUSTMENT
09/07/2018	43.5	24.4	8.8		1001	-45.55	2	0	NO ADJUSTMENT
27/07/2018	65.2	31	1.1		988	39.66	3	0	NO ADJUSTMENT
03/08/2018									OPENED 1/4 TURN
10/08/2018	63.2	34.1	0.5		994	-41.65	2	0	NO ADJUSTMENT
29/10/2018	41.8	21.6	6.7		987	-0.36	3	0	NO ADJUSTMENT
15/11/2018	68.3	33.4	1.6		997	3.61	3	0	OPENED 1/4 TURN
07/02/2019	65.4	31.5	1.4		982	-37.29	2	0	OPENED 1/4 TURN
20/02/2019	65.8	31.7	1.2		995	-39.36	2	0	NO ADJUSTMENT
15/04/2019	67.5	31.9	0.3		994	2.74	2	0	NO ADJUSTMENT
30/07/2019	58.9	27.3	2.8		983	2.2	3	0	NO ADJUSTMENT
15/04/2020	22.1	11.3	13.9		1002	-6.9	0	0	
11/11/2020	66.2	35.3	0.4	0	994	30.1	1	9	
01/12/2020	64.3	34.4	0.9	0.4	1007	27.45	2	10	
05/01/2021	66.5	35.5	0.7	0	1003	35.07	1	5	
02/02/2021	66.7	35.5	0.4	0	971	48.52	2	10	
03/03/2021	68.4	35.1	0.1	0	1006	28.6	0	6	
06/04/2021	62.6	32.2	1.1	4.1	1000	2.46	1	0	
05/05/2021	61.2	30	2.4	6.4	988	0.15	1	1	
02/06/2021	61.8	29.7	1.3	7.2	992	4.19	1	0	
06/07/2021	66.6	33.9	0.6	0	974	47.33	1	24	
03/08/2021	66.9	33.6	0.7	0	992	43.24	0	10	
07/09/2021	68.1	34.1	0.5	0	1000	47.19	0	7	
05/10/2021	58.9	34.1	1.6	5.4	974	36.94	41	8	
10/11/2021	52.9	33.3	2.2	11.6	1001	-15.45	40	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	64.7	29.3	0.5		1002	4.52	3	1	NO ADJUSTMENT
15/06/2016	63.6	30.5	0.4		975	-20.24	3	0	NO ADJUSTMENT
12/08/2016	58.6	29.1	1.4		1002	-21.97	2	0	NO ADJUSTMENT
24/08/2016	66.4	32	1		1000	-21.65	3	0	NO ADJUSTMENT
31/08/2016	58.8	28.8	3.4		998	-25.34	2	0	NO ADJUSTMENT
19/09/2016	60.3	34.3	1		1003	-23.33	1	0	NO ADJUSTMENT
28/09/2016	63.6	30.8	1		1000	-48.16	3	0	CLOSED SLIGHTLY
19/10/2016	58	34.1	1.3		1001	-64.15	3	0	NO ADJUSTMENT
07/11/2016	0.6	10.2	16.6		993	3.7	2	0	NO ADJUSTMENT
17/11/2016	0.6	5.3	20.1		974	-70.1	1	0	NO ADJUSTMENT
28/11/2016	1.5	6.3	19.9		1008	-73.84	1	0	NO ADJUSTMENT
05/12/2016	0	4.9	21		1001	-47.85	1	0	NO ADJUSTMENT
20/12/2016	34.8	15.9	10.2		995	-47.82	1	0	NO ADJUSTMENT
06/01/2017	1.7	6.2	20.1		1010	-68.02	1	0	NO ADJUSTMENT
11/01/2017	12.3	10.5	16.9		989	-69.21	1	0	NO ADJUSTMENT
27/01/2017	0.4	5.2	21.3		985	-68.64	0	0	NO ADJUSTMENT
17/02/2017	7	8.6	18.1		1006	-71.68	2	0	NO ADJUSTMENT
02/03/2017	61.3	29.5	1.5		988	-58.3	5	0	NO ADJUSTMENT
17/03/2017	63.9	26	4.3		993	-50.49	2	0	NO ADJUSTMENT
24/03/2017	23.3	15.6	9.6		1010	-30.69	2	0	NO ADJUSTMENT
20/04/2017	16.3	11.9	14.4		1014	-64.4	1	0	CLOSED 1/8 TURN
04/05/2017	66.1	31.9	0.7		1003	0.83	2	0	NO ADJUSTMENT
10/05/2017	8.7	7.9	17.5		987	-70.73	1	0	CLOSED 1/4 TURN
08/06/2017	29.3	19.1	6.8		983	-3.8	3	0	NO ADJUSTMENT
10/08/2017	63.5	30.6	0.8		1003	-15.94	7	0	NO ADJUSTMENT
05/10/2017	60.5	28.9	2.3		1000	-107.08	0	0	NO ADJUSTMENT
01/12/2017	0.1	0.9	22.1		1003	-105.91	0	0	NO ADJUSTMENT
04/12/2017	69.3	30.4	2		1012	-106.32	1	0	NO ADJUSTMENT
15/12/2017	65.8	20.6	4.9		999	-96.33	4	0	NO ADJUSTMENT
04/01/2018	56.5	25.3	2.5		1000	-75.7	1	0	NO ADJUSTMENT
22/01/2018	61.1	23.7	0.9		998	-84.95	5	0	NO ADJUSTMENT
08/02/2018	65.1	19.4	6.5		995	-100.4	0	0	NO ADJUSTMENT

19/02/2018	61.8	26.4	2.5		1000	-76.93	1	0	NO ADJUSTMENT
05/03/2018	58.0	23.5	6.8		1002	-103.73	2	0	NO ADJUSTMENT
21/03/2018	53.5	27.7	6.8		999	-105.11	2	0	NO ADJUSTMENT
06/04/2018	65.2	26.8	5.8		998	-82.24	5	0	NO ADJUSTMENT
16/04/2018	65.7	22.5	1.5		1000	-94.9	3	0	NO ADJUSTMENT
04/05/2018	65.6	28.2	2.6		997	-90.19	2	0	NO ADJUSTMENT
17/05/2018	63.9	20.4	0.8		995	-84.13	2	0	NO ADJUSTMENT
01/06/2018	63.0	28.1	2.6		998	-99.11	0	0	NO ADJUSTMENT
12/06/2018	60.1	24.4	3.2		1002	-88.12	1	0	NO ADJUSTMENT
09/07/2018	54.2	22.2	4.6		1001	-101.8	3	0	NO ADJUSTMENT
27/07/2018	42.2	20.2	7.9		988	-41.15	4	0	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	65	32.5	0.6		994	18.14	4	0	NO ADJUSTMENT
04/09/2018	67.8	35.1	1.1		1002	14.56	6	0	NO ADJUSTMENT
29/10/2018	66	28.4	2.8		986	2.28	1	0	NO ADJUSTMENT
15/11/2018	66.1	27.4	2.5		997	-0.36	2	0	NO ADJUSTMENT
07/02/2019	74.2	17.2	1.8		982	-1.51	1	0	OPENED 1/4 TURN
20/02/2019	69.7	15.5	2.8		995	0.15	2	0	NO ADJUSTMENT
15/04/2019	52.4	9.9	7		994	0.15	2	0	NO ADJUSTMENT
17/07/2019	72.2	19.5	1.7		993	10.43	6	0	NO ADJUSTMENT
30/07/2019	69.3	25.3	1.2		983	2.86	5	0	NO ADJUSTMENT
15/04/2020	30	13.2	12.4		1002	-8.23	1	0	
11/11/2020	64.5	32.8	1.2	1.5	994	5.08	2	1	
01/12/2020	67.3	34.1	0.7	0	1006	-14.24	1	1	
05/01/2021	67.8	34.2	0.7	0	1003	-18.16	1	2	
02/02/2021	68	34	0.5	0	971	2.34	2	12	
03/03/2021	68.1	32.7	0.7	0	1006	0.99	1	3	
06/04/2021	38.3	19.9	8.6	33.2	1000	-0.07	1	0	
05/05/2021	60.8	27.2	3	9	988	-0.15	1	0	
02/06/2021	55.7	16.2	4.7	23.4	993	0.55	1	0	
06/07/2021	63.5	23.7	2.7	10.1	974	3.67	1	1	
03/08/2021	68.9	30.9	2	0	992	9.83	0	2	
07/09/2021	67.5	32.3	1.3	0	1000	8.07	0	2	
05/10/2021	62.4	35.3	4.5	0	975	1.03	41	0	

10/11/2021	0	0.1	19.1	80.8	1001	-16.13	38	0	
01/12/2021	54	30.4	3.5	12.1	976	0.17	42	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	1.2	10	15.6		1001	18.46	2	1	CLOSED
15/06/2016	1.3	10.8	15.9		975	14.94	3	0	NO ADJUSTMENT
12/08/2016	0.9	7.7	16.3		1002	19.84	3	0	NO ADJUSTMENT
24/08/2016	0.7	7	16.6		1000	2.48	3	0	NO ADJUSTMENT
31/08/2016	2.8	7.9	16.6		998	4.75	2	0	NO ADJUSTMENT
19/09/2016	0.6	12.8	14.3		1002	2.53	2	0	NO ADJUSTMENT
28/09/2016	1.2	6.5	17		1000	13.29	4	0	NO ADJUSTMENT
19/10/2016	0.6	11.5	15.8		1000	3.09	3	0	NO ADJUSTMENT
07/11/2016	67.1	30.7	0.6		993	20.32	3	0	NO ADJUSTMENT
17/11/2016	0	5.2	17.1		974	23.67	3	0	NO ADJUSTMENT
28/11/2016	0.2	5	17.4		1008	-0.31	2	0	NO ADJUSTMENT
05/12/2016	0	4.9	17.7		1001	3.94	2	0	NO ADJUSTMENT
20/12/2016	0.5	8.7	16.7		995	18.03	2	0	NO ADJUSTMENT
06/01/2017	0.1	5.3	17.5		1010	5.2	2	0	NO ADJUSTMENT
11/01/2017	0.5	7	17.5		989	-3.16	2	0	NO ADJUSTMENT
27/01/2017	0.3	5.4	18		985	3.46	1	0	NO ADJUSTMENT
17/02/2017	0.6	6.8	17		1005	-15.37	3	0	NO ADJUSTMENT
02/03/2017	1.1	11.7	16.3		988	-5.03	2	0	NO ADJUSTMENT
17/03/2017	3.1	10.4	16.9		995	11.78	1	0	NO ADJUSTMENT
24/03/2017	1	7.1	16.7		1010	4.99	1	0	NO ADJUSTMENT
20/04/2017	0.6	8.7	16.3		1014	11.18	1	0	NO ADJUSTMENT
04/05/2017	0.4	11.3	15.5		1003	9.83	1	0	NO ADJUSTMENT
10/05/2017	0.1	7.9	16		987	31.79	2	0	NO ADJUSTMENT
08/06/2017	0.6	8.1	16.2		983	10.93	2	0	NO ADJUSTMENT
10/08/2017	0.2	7.3	16.1		1003	-5.85	2	0	NO ADJUSTMENT
05/10/2017	0.6	7.2	15.7		1000	-9.97	0	0	NO ADJUSTMENT
01/12/2017	1.3	3.7	15.5		1003	0.17	1	0	NO ADJUSTMENT
04/12/2017	1.3	8.5	14		1011	-0.91	1	0	NO ADJUSTMENT
15/12/2017	1.1	5.8	15.9		999	3.3	1	0	NO ADJUSTMENT
04/01/2018	2.8	4.7	13.9		1000	10.72	1	0	NO ADJUSTMENT
22/01/2018	0.2	3.5	15.0		998	9.22	0	0	NO ADJUSTMENT

08/02/2018	1.9	4.4	16.4		995	7.2	1	0	NO ADJUSTMENT
19/02/2018	1.9	7.7	14.9		1000	14.11	1	0	NO ADJUSTMENT
05/03/2018	0.5	7.3	16.3		1002	14.13	3	0	NO ADJUSTMENT
21/03/2018	1.4	4.1	14.8		999	7.9	1	0	NO ADJUSTMENT
06/04/2018	0.9	7.3	15.6		998	13.97	3	0	NO ADJUSTMENT
16/04/2018	1.9	5.3	14.6		1000	9.94	3	0	NO ADJUSTMENT
04/05/2018	1.0	4.0	14.2		997	2.88	2	0	NO ADJUSTMENT
17/05/2018	2.1	5.4	14.6		995	1.2	1	0	NO ADJUSTMENT
01/06/2018	1.0	5.8	14.8		998	12.78	1	0	NO ADJUSTMENT
12/06/2018	1.5	5.8	16.4		1002	7.62	3	0	NO ADJUSTMENT
09/07/2018	2.3	5.9	15.5		1001	5.16	2	0	NO ADJUSTMENT
27/07/2018	0	4.8	17.4		988	14.78	5	0	NO ADJUSTMENT
10/08/2018	0	4.6	17.6		994	12.78	4	0	NO ADJUSTMENT
04/09/2018	0.6	9.5	16.5		1002	-0.39	3	0	NO ADJUSTMENT
29/10/2018	0.4	6.3	17.3		986	3.76	2	0	NO ADJUSTMENT
15/11/2018	0.3	5.9	17		997	2.55	2	0	NO ADJUSTMENT
07/02/2019	0.2	6.1	17.4		982	4.34	1	0	NO ADJUSTMENT
20/02/2019	0.3	6	17.4		995	2.92	1	0	NO ADJUSTMENT
15/04/2019	0.2	6.4	17.3		994	13.98	1	0	NO ADJUSTMENT
03/07/2019	0.2	4.4	17.9		1006	8.78	3	0	NO ADJUSTMENT
17/07/2019	0.2	6.5	17.7		993	16.59	3	0	NO ADJUSTMENT
30/07/2019	0.3	7.2	17.8		983	6.74	3	0	NO ADJUSTMENT
15/04/2020	0.1	6.4	17		1001	22.55	1	0	
11/11/2020	0.4	3.9	18.9	76.8	994	7.29	1	0	
01/12/2020	0.3	4.1	18.7	76.9	1007	5.13	1	0	
05/01/2021	0.2	4.2	19.6	76	1003	-30.26	1	0	
02/02/2021	0.5	4.6	19.1	75.8	971	0.67	1	0	
03/03/2021	0.8	5.9	18.4	74.9	1006	3.59	1	0	
06/04/2021	0.5	7	16.4	76.1	1000	2.94	1	0	
05/05/2021	0.5	7.6	16.7	75.2	988	2.34	1	0	
02/06/2021	0.5	6.4	16.3	76.8	992	11.85	2	0	
06/07/2021	0.4	6.7	17	75.9	974	2.7	2	0	
03/08/2021	0.7	6	16.8	76.5	992	4.81	0	1	
07/09/2021	0.4	5.2	16.9	77.5	1000	4.04	0	1	

05/10/2021	0	5.5	16.2	78.3	974	5.58	41	0	
10/11/2021	0	4.7	17.2	78.1	1001	0.21	41	0	
01/12/2021	0.1	5	15.9	79	977	4.93	42	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	64.6	29.5	1.1		1001	2.17	8	1	NO ADJUSTMENT				
15/06/2016	58.7	28.5	2.6		975	-0.21	9	0	NO ADJUSTMENT				
12/08/2016	62.9	28.1	2.8		1002	-17.36	7	0	NO ADJUSTMENT				
24/08/2016	62.4	31.5	1.6		1000	-17.33	7	0	NO ADJUSTMENT				
31/08/2016	54	28.8	1.9		998	-24.52	3	0	NO ADJUSTMENT				
19/09/2016	62.8	30.5	1.6		1002	-8.65	4	0	NO ADJUSTMENT				
28/09/2016	64.8	27.8	1.5		1000	-12.73	11	0	CLOSED SLIGHTLY				
19/10/2016	66.9	30.5	0.4		1000	22.02	3	0	NO ADJUSTMENT				
07/11/2016	43.8	27.1	2.6		993	0.07	3	0	NO ADJUSTMENT				
17/11/2016	64.3	32	0.4		968	21.03	4	0	NO ADJUSTMENT				
28/11/2016	65.6	26.3	1.8		1009	1.49	3	0	NO ADJUSTMENT				
05/12/2016	67.5	27.6	1.2		1001	-45.88	4	0	OPENED 1/4 TURN				
20/12/2016	66.1	32	0.4		995	-47.37	5	0	NO ADJUSTMENT				
06/01/2017	68.2	27.8	0.9		1010	-65.98	4	0	NO ADJUSTMENT				
11/01/2017	69.1	28.4	0.7		989	-69.21	5	0	NO ADJUSTMENT				
27/01/2017	70.7	27.7	1.1		985	-68.64	4	0	NO ADJUSTMENT				
17/02/2017	68.2	29.1	0.6		1005	-71.93	6	0	NO ADJUSTMENT				
02/03/2017	67.6	30.7	0.5		988	-58.23	7	0	NO ADJUSTMENT				
17/03/2017	69	31.1	2.7		993	-49.22	2	0	NO ADJUSTMENT				
24/03/2017	55.5	28.1	1.5		1010	-43.22	3	0	NO ADJUSTMENT				
20/04/2017	68.1	28	2.3		1014	-64.23	3	0	NO ADJUSTMENT				
04/05/2017	67.4	30.6	1.2		1003	0.88	2	0	NO ADJUSTMENT				
10/05/2017	62.6	27.9	2.9		987	-71.06	6	0	NO ADJUSTMENT				
08/06/2017	46.3	25.7	2.8		983	-86.84	5	0	NO ADJUSTMENT				
10/08/2017	62.2	29.2	0.9		1003	-9.28	8	0	NO ADJUSTMENT				
05/10/2017	68.5	31.4	0.4		1000	-90.25	4	0	NO ADJUSTMENT				
01/12/2017	51.7	16.4	12.9		1003	-98.75	2	0	NO ADJUSTMENT				
04/12/2017	69	31.8	1.2		1012	-91.09	3	0	NO ADJUSTMENT				
15/12/2017	52.6	26.6	0.8		999	-90.63	1	0	NO ADJUSTMENT				
04/01/2018	67.4	24.9	1.0		1000	-97.95	3	0	NO ADJUSTMENT				
22/01/2018	69.4	26.9	1.2		998	-84.06	0	0	NO ADJUSTMENT				
08/02/2018	61.1	17.5	1.4		995	-94.67	0	0	NO ADJUSTMENT				
19/02/2018	57.3	24.0	2.5		1000	-87.08	1	0	NO ADJUSTMENT				
05/03/2018	52.5	29.3	0.9		1002	-85.94	1	0	NO ADJUSTMENT				
21/03/2018	52.3	20.4	0.6		999	-97.11	1	0	NO ADJUSTMENT				
06/04/2018	61.1	22.2	1.3		998	-88.85	1	0	NO ADJUSTMENT				
16/04/2018	54.0	24.7	2.8		1000	-98.86	0	0	NO ADJUSTMENT				
04/05/2018	68.9	19.0	0.5		997	-97.03	1	0	NO ADJUSTMENT				
17/05/2018	69.3	21.0	2.8		995	-87.31	2	0	NO ADJUSTMENT				
01/06/2018	67.6	19.7	1.0		998	-94.63	0	0	NO ADJUSTMENT				
12/06/2018	70.6	25.0	0.5		1002	-94.86	2	0	NO ADJUSTMENT				
09/07/2018	50.9	22.1	1.9		1001	-93.29	1	0	NO ADJUSTMENT				
27/07/2018	66.2	28.5	1.8		987	-37.22	10	0	NO ADJUSTMENT				
10/08/2018	66.4	30.9	1.2		994	-43.51	4	0	NO ADJUSTMENT				
04/09/2018	70.5	32.4	2.3		1002	-45.33	5	0	NO ADJUSTMENT				
29/10/2018	58.6	26.5	2.1		986	-0.48	4	0	NO ADJUSTMENT				
15/11/2018	69.6	31.8	1.5		997	-30.22	5	0	OPENED 1/4 TURN				
07/02/2019	69.7	30.2	0.7		981	-39.67	3	0	OPENED 1/4 TURN				
20/02/2019	69.5	32.1	0.4		995	-37.12	4	0	NO ADJUSTMENT				
15/04/2019	74	24.5	1.4		994	3.46	4	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	27.5	18.1	9.1		1001	0.17	2	1	NO ADJUSTMENT				
15/06/2016	32.2	18.4	8.2		975	0.12	2	0	CLOSED				
12/08/2016	54.2	16.9	5.7		1002	-0.19	3	0	NO ADJUSTMENT				
24/08/2016	55.1	14.7	6.2		1000	0.12	4	0	NO ADJUSTMENT				
31/08/2016	58.1	17.8	5.2		998	-0.12	2	0	NO ADJUSTMENT				
19/09/2016	62.4	32.5	0.9		1002	-0.67	2	0	NO ADJUSTMENT				
28/09/2016	35.7	15.5	15.2		1000	0.15	6	0	NO ADJUSTMENT				
19/10/2016	40.2	26.5	2.6		1000	-0.02	5	0	NO ADJUSTMENT				
07/11/2016	63.4	34.2	0.3		993	-15.73	3	0	NO ADJUSTMENT				
17/11/2016	45.1	26.6	2.6		974	0.05	4	0	NO ADJUSTMENT				
28/11/2016	50	26.5	2.3		1008	-0.19	3	0	NO ADJUSTMENT				
05/12/2016	66.7	18.7	1.5		1000	-40.41	3	0	1/4 TURN OPEN				
20/12/2016	4.4	12.6	14.7		995	-0.14	0	0	NO ADJUSTMENT				
06/01/2017	44.5	20.2	5.3										
11/01/2017	50.7	21	4.4		989	-0.24	1	0	NO ADJUSTMENT				
27/01/2017	62.1	22.7	2.6		984	-0.41	1	0	NO ADJUSTMENT				
17/02/2017	67.1	22.1	1.7		1005	0.09	3	0	NO ADJUSTMENT				
02/03/2017	67.9	21.5	1.6		988	-0.02	3	0	NO ADJUSTMENT				
17/03/2017	70.5	20.7	2.3		993	-0.05	1	0	NO ADJUSTMENT				
24/03/2017	70.5	16	2.9		1009	0.07	1	0	NO ADJUSTMENT				
20/04/2017	71.9	18	2.1		1014	0.12	1	0	NO ADJUSTMENT				
04/05/2017	70.4	18.2	2.3		1003	0.21	1	0	NO ADJUSTMENT				
10/05/2017	68.5	17.7	2.5		987	0.22	2	0	NO ADJUSTMENT				
08/06/2017	70.4	17.1	2.9		983	0.21	2	0	NO ADJUSTMENT				
10/08/2017	67	19.8	3.1		1003	-0.12	3	0	NO ADJUSTMENT				
05/10/2017	68.5	22.3	2.5		1000	-0.36	1	0	NO ADJUSTMENT				
01/12/2017	69.5	23.5	3.8		1003	-1.27	1	0	NO ADJUSTMENT				
04/12/2017	69.2	24.6	2.9		1012	0.12	1	0	NO ADJUSTMENT				
07/12/2017									OPENED 1/4 TURN				
15/12/2017	66.6	21.6	3.3		999	-0.56	3	0	NO ADJUSTMENT				
04/01/2018	65.6	20.4	2.7		1000	0.15	2	0	NO ADJUSTMENT				
22/01/2018	71.7	19.0	3.4		998	-0.62	3	0	NO ADJUSTMENT				
08/02/2018	71.5	23.0	3.4		995	-0.08	2	0	NO ADJUSTMENT				
19/02/2018	68.2	21.5	2.7		1000	-1.06	3	0	NO ADJUSTMENT				
05/03/2018	66.3	23.3	3.8		1002	-0.09	3	0	NO ADJUSTMENT				
09/03/2018										5.24	-1.38	3.86	
21/03/2018	68.3	24.3	3.7		999	-0.6	1	0	NO ADJUSTMENT				
06/04/2018	71.7	23.8	3.8		998	-1.02	2	0	NO ADJUSTMENT				
16/04/2018	69.8	19.8	3.9		1000	0.2	1	0	NO ADJUSTMENT				
04/05/2018	68.1	22.4	2.5		997	-0.41	2	0	NO ADJUSTMENT				
17/05/2018	65.7	19.3	3.7		995	-0.3	1	0	NO ADJUSTMENT				
01/06/2018	68.0	19.3	2.3		998	-1.25	2	0	NO ADJUSTMENT				
12/06/2018	65.8	22.4	3.2		1002	-1.24	1	0	NO ADJUSTMENT				
09/07/2018	70.9	21.7	2.8		1001	-0.25	3	0	NO ADJUSTMENT				
27/07/2018	0.1	4.2	18.3		987	-31.67	2	0	NO ADJUSTMENT				
03/08/2018									CLOSED				
10/08/2018	10.8	8.9	14.7		994	1.98	1	0	NO ADJUSTMENT				
04/09/2018	29.4	16.6	10.3		1002	0.02	2	0	NO ADJUSTMENT				
29/10/2018	51.6	21.9	4.8		986	-1.76	2	0	NO ADJUSTMENT				
15/11/2018	54.3	21.9	4.5		997	0.12	2	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	62.5	31	0.7		1002	2.27	3	1	NO ADJUSTMENT
15/06/2016	62.5	32.7	0.4		975	-21.66	4	0	NO ADJUSTMENT
12/08/2016	63.8	31.8	0.5		1002	-21.3	3	0	NO ADJUSTMENT
24/08/2016	67.4	31.4	1.3		1000	-22.21	4	0	NO ADJUSTMENT
31/08/2016	67.8	31.5	1.6		998	-25.24	3	0	NO ADJUSTMENT
19/09/2016	60.8	34.1	0.9		1002	-22.9	3	0	NO ADJUSTMENT
28/09/2016	67.7	32.4	0.3		1000	-32.85	8	0	CLOSED SLIGHTLY
19/10/2016	62.9	34	0.3		1000	-8.92	5	0	NO ADJUSTMENT
07/11/2016	63.8	33.4	0.7		993	-71.28	2	0	NO ADJUSTMENT
17/11/2016	60.7	34.4	0.5		974	-11.95	5	0	NO ADJUSTMENT
28/11/2016	64.7	33.5	0.6		1008	-22.45	3	0	NO ADJUSTMENT
05/12/2016	66.3	30.7	0.8		1000	-31.35	4	0	NO ADJUSTMENT
20/12/2016	66.2	31.5	0.7		995	-17.82	3	0	NO ADJUSTMENT
11/01/2017	67.3	30.7	0.7		988	-45.56	3	0	NO ADJUSTMENT
27/01/2017	68.1	31.1	1		985	-61.71	3	0	NO ADJUSTMENT
17/02/2017	36.4	24	0.8		1005	-55.88	9	0	NO ADJUSTMENT
02/03/2017	66.8	31.8	0.4		988	-37.13	5	0	NO ADJUSTMENT
17/03/2017	67.5	32.9	2.2		993	-33.01	2	0	OPENED 1/4 TURN
24/03/2017	62.5	30	1.3		1009	-64.21	2	0	NO ADJUSTMENT
20/04/2017	66.4	29.6	2.1		1014	-64.52	2	0	NO ADJUSTMENT
04/05/2017	66.7	31.4	0.8		1003	1.05	2	0	NO ADJUSTMENT
10/05/2017	63.5	31.5	1.3		987	-70.95	4	0	NO ADJUSTMENT
08/06/2017	37.2	25.2	2		982	-30.5	7	0	NO ADJUSTMENT
10/08/2017	61.9	29.3	1.2		1003	-8.15	7	0	NO ADJUSTMENT
05/10/2017	66.6	32.9	0.3		999	-99.27	3	0	NO ADJUSTMENT
01/12/2017	45.9	16.5	13.4		1003	-105.2	1	0	NO ADJUSTMENT
04/12/2017	68.2	32.4	2.1		1012	-105.56	2	0	NO ADJUSTMENT
15/12/2017	69.7	27.0	2.2		999	-102.18	2	0	NO ADJUSTMENT
04/01/2018	60.6	28.6	2.0		1000	-104.09	1	0	NO ADJUSTMENT
22/01/2018	66.0	28.0	1.4		998	-99.75	2	0	NO ADJUSTMENT
08/02/2018	66.1	17.8	0.4		995	-100.73	5	0	NO ADJUSTMENT
19/02/2018	60.1	17.5	0.6		1000	-100.98	5	0	NO ADJUSTMENT

05/03/2018	60.4	17.2	1.4		1002	-100.37	2	0	NO ADJUSTMENT
21/03/2018	63.5	18.4	0.6		999	-100.46	1	0	NO ADJUSTMENT
06/04/2018	66.6	22.6	0.7		998	-100.38	5	0	NO ADJUSTMENT
16/04/2018	69.1	28.8	1.5		1000	-103.13	1	0	NO ADJUSTMENT
04/05/2018	61.1	21.3	1.0		997	-99.44	1	0	NO ADJUSTMENT
17/05/2018	62.1	21.1	2.1		995	-102.27	4	0	NO ADJUSTMENT
01/06/2018	62.2	26.2	2.1		998	-102.24	2	0	NO ADJUSTMENT
12/06/2018	64.4	19.6	0.5		1002	-99.31	2	0	NO ADJUSTMENT
09/07/2018	62.9	26.1	1.6		1001	-103.22	3	0	NO ADJUSTMENT
27/07/2018	65.7	29.2	1.6		987	-40.86	7	0	NO ADJUSTMENT
03/08/2018									OPENED 1/4 TURN
10/08/2018	66.2	30.6	1.4		994	-45.53	4	0	NO ADJUSTMENT
04/09/2018	69.9	33	2		1002	-45.15	4	0	NO ADJUSTMENT
29/10/2018	71.5	31.1	1.3		986	4.02	4	0	NO ADJUSTMENT
15/11/2018	69.1	32.6	1.4		997	-5.9	4	0	NO ADJUSTMENT
07/02/2019	68.4	32.6	0.5		982	-40.58	2	0	OPENED 1/4 TURN
20/02/2019	68.5	33.8	0.3		995	-40.51	2	0	NO ADJUSTMENT
15/04/2019	69.2	30.6	1		994	3.76	4	0	NO ADJUSTMENT
03/07/2019	69.9	29.4	0.3		1006	-16.43	8	0	NO ADJUSTMENT
17/07/2019	67.5	31.4	0.3		993	10.53	6	0	NO ADJUSTMENT
30/07/2019	71.8	29.9	0.5		983	42.06	3	0	NO ADJUSTMENT
15/04/2020	68.1	31.2	0.8		1001	-8.52	1	0	
11/11/2020	66.4	34.6	0.7	0	994	7.43	1	0	
01/12/2020	66.4	34.3	1	0	1006	3.29	1	0	
05/01/2021	66.8	34.5	1.2	0	1002	-0.77	1	1	
02/02/2021	67.3	34.7	0.5	0	971	5.66	2	5	
03/03/2021	69.2	33.7	1.1	0	1006	0.46	1	4	
06/04/2021	66.3	32.5	1.8	0	1000	-0.48	1	2	
05/05/2021	68.6	33.6	0.1	0	988	0.12	1	4	
02/06/2021	64.9	31.5	0.6	3	992	0.38	1	1	
06/07/2021	66.8	34.6	0.9	0	974	7.29	1	4	
03/08/2021	66.8	32.8	0.7	0	992	3.16	0	5	
07/09/2021	67.3	33.7	1.4	0	1000	-16.89	0	3	
05/10/2021	61.6	35.7	1.8	0.9	975	-17.25	41	0	

10/11/2021	43.5	26.5	5.7	24.3	1001	-14.9	41	0	
01/12/2021	58.6	33.8	2.7	4.9	976	-6.96	43	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	62.4	32.4	0.4		1001	2.15	2	1	NO ADJUSTMENT
15/06/2016	58.7	31.9	0.7		975	-22.4	2	0	NO ADJUSTMENT
12/08/2016	53.3	27	3.6		1002	-22.4	1	0	NO ADJUSTMENT
24/08/2016	57.7	29.6	2.5		1000	-20.1	2	0	NO ADJUSTMENT
31/08/2016	63.4	30.6	2.1		998	-25.74	1	0	NO ADJUSTMENT
19/09/2016	59.2	33.3	1.3		1002	-22.76	1	0	NO ADJUSTMENT
28/09/2016	64.2	31.9	0.9		1000	-50.92	4	0	CLOSED SLIGHTLY
19/10/2016	62	35.1	0.4		1000	-65.14	3	0	NO ADJUSTMENT
07/11/2016	65.2	32.2	0.8		993	-71.64	2	0	NO ADJUSTMENT
17/11/2016	63.1	32.3	0.5		974	-69.86	3	0	NO ADJUSTMENT
28/11/2016	57	25.8	2.3		1008	-14.94	8	0	NO ADJUSTMENT
05/12/2016	65.4	31.1	1		1000	-45.85	2	0	NO ADJUSTMENT
20/12/2016	66.5	30.2	0.9		995	-48.2	2	0	NO ADJUSTMENT
11/01/2017	64.3	32.8	0.9		989	-69	2	0	NO ADJUSTMENT
27/01/2017	56.4	30.4	3.2		984	-67.6	2	0	NO ADJUSTMENT
17/02/2017	35.6	28.1	0.8		1005	-30.05	8	0	NO ADJUSTMENT
02/03/2017	64	33.4	0.6		987	-57.18	3	0	NO ADJUSTMENT
17/03/2017	66.6	33.3	1.7		993	-50.41	1	0	OPENED 1/4 TURN
24/03/2017	66.8	31.5	1.3		1009	-63.29	1	0	NO ADJUSTMENT
20/04/2017	53.9	26.6	4.9		1014	-64.66	1	0	NO ADJUSTMENT
04/05/2017	65.2	32.9	0.7		1003	3.42	1	0	NO ADJUSTMENT
10/05/2017	46.2	24.6	6		987	-70.23	2	0	NO ADJUSTMENT
08/06/2017	39.4	24.3	2.7		982	-8.97	6	0	NO ADJUSTMENT
10/08/2017	61.8	29.6	1.3		1003	-7.93	4	0	NO ADJUSTMENT
05/10/2017	61.1	29.8	1.9		1000	-101.62	0	0	NO ADJUSTMENT
01/12/2017	39.8	14.9	15		1003	-105.27	0	0	NO ADJUSTMENT
04/12/2017	65.7	30.8	3.2		1012	-106.18	0	0	NO ADJUSTMENT
15/12/2017	64.6	24.3	1.0		999	-103.94	5	0	NO ADJUSTMENT
04/01/2018	64.1	31.5	2.0		1000	-104.55	2	0	NO ADJUSTMENT
22/01/2018	66.1	26.6	3.0		998	-104.45	0	0	NO ADJUSTMENT
08/02/2018	61.8	31.0	3.3		995	-105.59	3	0	NO ADJUSTMENT
19/02/2018	65.5	25.9	3.1		1000	-102.62	3	0	NO ADJUSTMENT
05/03/2018	63.0	29.0	4.6		1002	-102.92	4	0	NO ADJUSTMENT
21/03/2018	62.0	29.0	3.9		999	-102.93	4	0	NO ADJUSTMENT
06/04/2018	64.0	25.7	2.9		998	-105.94	0	0	NO ADJUSTMENT
16/04/2018	62.8	29.3	0.7		1000	-104.19	2	0	NO ADJUSTMENT
04/05/2018	66.4	25.2	1.5		997	-101.84	3	0	NO ADJUSTMENT
17/05/2018	63.2	29.8	1.4		995	-102.32	2	0	NO ADJUSTMENT
01/06/2018	64.6	31.3	1.3		998	-103.27	4	0	NO ADJUSTMENT
12/06/2018	65.9	32.2	0.1		1002	-104.42	0	0	NO ADJUSTMENT
09/07/2018	61.7	30.7	2.6		1001	-105.66	3	0	NO ADJUSTMENT
27/07/2018	32.9	14.3	11.1		987	-41.03	3	0	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	66.8	31.4	0.6		994	27.48	3	0	NO ADJUSTMENT
04/09/2018	67.5	31.5	1.8		1002	38.41	2	0	NO ADJUSTMENT
29/10/2018	69.9	33	0.6		986	51.31	2	0	NO ADJUSTMENT
15/11/2018	54.6	27.3	2.2		997	-3.32	5	0	OPENED 1/4 TURN
07/02/2019	67.7	31.2	0.8		982	-40.62	1	0	OPENED 1/4 TURN
15/04/2019	68.6	29.5	0.6		994	3.94	1	0	NO ADJUSTMENT
03/07/2019	68.5	29.7	0.4		1006	-17.25	5	0	NO ADJUSTMENT

17/07/2019	64.4	28.2	1.5		993	33.65	4	0	NO ADJUSTMENT
30/07/2019	68.9	29.2	1.2		982	48.49	4	0	NO ADJUSTMENT
15/04/2020	69	30	1.4		1001	-8.56	1	0	
11/11/2020	66.1	34.8	0.6	0	993	4.3	1	3	
01/12/2020	67	33.8	1.1	0	1006	-1.16	1	3	
05/01/2021	59.2	30.4	3	7.4	1002	-1.27	1	3	
02/02/2021	67.6	34.6	0.5	0	971	6.11	2	13	
03/03/2021	68.3	33.2	1.4	0	1006	1.21	0	11	
06/04/2021	68.3	33.5	1.4	0	1000	-0.26	0	8	
05/05/2021	68.6	33.1	0.4	0	987	0.17	1	8	
02/06/2021	67	31.8	0.3	0.9	992	0.03	1	4	
06/07/2021	68.2	34.8	0.8	0	974	7.31	1	12	
03/08/2021	68.3	31.9	1.3	0	992	3.38	0	8	
07/09/2021	60.2	32.6	2.2	5	1000	-1.7	2	4	
05/10/2021	60.3	33.2	2.5	4	975	-17.66	40	0	
10/11/2021	42.8	24.9	5.9	26.4	1001	-15.38	39	0	
01/12/2021	58	32.3	2	7.7	976	-8.25	41	1	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	64.3	30.7	0.3		1001	4.23	2	1	NO ADJUSTMENT
15/06/2016	64.5	31	0.3		975	-20.58	2	0	NO ADJUSTMENT
12/08/2016	70.3	29.1	1		1002	-22.83	2	0	NO ADJUSTMENT
24/08/2016	69.7	29.1	1.3		999	-22.56	2	0	NO ADJUSTMENT
31/08/2016	66.1	30.5	0.5		998	-24.98	1	0	NO ADJUSTMENT
19/09/2016	62.4	32.1	0.8		1002	-22.99	1	0	NO ADJUSTMENT
28/09/2016	69.4	31.1	0.3		1000	-11.41	4	0	CLOSED SLIGHTLY
19/10/2016	65.9	31.6	0.4		994	-63.87	3	0	NO ADJUSTMENT
07/11/2016	67.2	30.2	0.5		993	-55.62	12	0	NO ADJUSTMENT
17/11/2016	66.8	28.2	0.6		974	-70.39	3	0	NO ADJUSTMENT
28/11/2016	36.3	23.9	7.2		1008	-7.68	5	0	NO ADJUSTMENT
05/12/2016	67.2	29.8	0.9		992	-45.88	2	0	NO ADJUSTMENT
20/12/2016	66.2	31	0.9		995	-48.35	2	0	NO ADJUSTMENT
11/01/2017	68.2	29.8	0.8		988	-69.77	2	0	NO ADJUSTMENT
27/01/2017	68.1	31.3	0.4		984	-67.68	1	0	NO ADJUSTMENT
17/02/2017	36	27.7	0.8		1005	-27.84	8	0	NO ADJUSTMENT
02/03/2017	68.2	30.3	0.5		987	-58.9	3	0	NO ADJUSTMENT
17/03/2017	68.9	31.5	2.3		993	-49.38	1	0	NO ADJUSTMENT
24/03/2017	69.7	29.2	1.6		1009	-65.09	1	0	NO ADJUSTMENT
20/04/2017	68.8	29.3	2		1013	-64.94	1	0	NO ADJUSTMENT
04/05/2017	67.1	31.2	0.7		1002	3.49	1	0	NO ADJUSTMENT
10/05/2017	65.9	29	2		986	-70.18	3	0	NO ADJUSTMENT
08/06/2017	39.5	24.3	2.8		982	-6.69	6	0	NO ADJUSTMENT
10/08/2017	62.6	28.3	1.5		1003	0.17	9	0	NO ADJUSTMENT
05/10/2017	68	31.7	0.3		1000	-101.57	0	0	NO ADJUSTMENT
04/12/2017	70.1	30.8	2.5		1012	-106.94	0	0	NO ADJUSTMENT
15/12/2017	65.6	30.4	0.6		999	-105.63	3	0	NO ADJUSTMENT
04/01/2018	64.1	30.2	1.8		1000	-101.22	2	0	NO ADJUSTMENT
22/01/2018	64.1	28.2	2.1		998	-106.32	0	0	NO ADJUSTMENT
08/02/2018	65.1	26.9	1.3		995	-102.83	3	0	NO ADJUSTMENT
19/02/2018	66.2	28.9	1.9		1000	-106.85	1	0	NO ADJUSTMENT
05/03/2018	68.6	28.8	2.0		1002	-106.69	1	0	NO ADJUSTMENT
21/03/2018	66.1	31.0	0.3		999	-101.31	0	0	NO ADJUSTMENT
06/04/2018	63.9	26.0	0.9		998	-102.31	1	0	NO ADJUSTMENT
16/04/2018	67.9	28.8	1.0		1000	-106.44	1	0	NO ADJUSTMENT
04/05/2018	64.1	26.7	1.4		997	-99.77	0	0	NO ADJUSTMENT
17/05/2018	64.5	27.2	2.1		995	-106.19	2	0	NO ADJUSTMENT
01/06/2018	63.6	27.3	0.8		998	-105.99	2	0	NO ADJUSTMENT
12/06/2018	67.0	30.9	0.8		1002	-102.91	3	0	NO ADJUSTMENT
09/07/2018	63.2	25.3	1.5		1001	-99.77	0	0	NO ADJUSTMENT
27/07/2018	69.2	27.1	1.4		987	-41.82	4	0	NO ADJUSTMENT
03/08/2018									OPENED 1/8 TURN
10/08/2018	70.4	28.4	1.4		994	-44.91	2	0	NO ADJUSTMENT
04/09/2018	72.5	30	2.4		1002	-45.34	2	0	NO ADJUSTMENT
29/10/2018	70.6	32.4	0.5		986	-1.28	1	0	NO ADJUSTMENT
15/11/2018	54.9	26.5	2.7		997	-1.8	6	0	NO ADJUSTMENT
07/02/2019	70.1	30.7	0.5		982	-41.28	1	0	OPENED 1/4 TURN
15/04/2019	70.2	29.6	1.1		993	2.38	2	0	NO ADJUSTMENT
03/07/2019	70.7	28.4	0.3		1006	-0.02	5	0	NO ADJUSTMENT
17/07/2019	69	29.8	0.3		993	3.28	3	0	NO ADJUSTMENT

30/07/2019	70.5	31.4	0.3		982	-0.21	3	0	NO ADJUSTMENT
15/04/2020	71.2	28	1.1		1001	-8.47	1	0	
11/11/2020	64.3	33.5	1.2	1	993	6.2	1	2	
01/12/2020	56.4	29.3	3.3	11	1006	-0.6	1	1	
05/01/2021	58.7	29.8	3.7	7.8	1002	-0.79	1	3	
02/02/2021	69.9	31.6	0.5	0	971	5.48	1	9	
03/03/2021	71.6	32	0.2	0	1005	1.54	0	7	
03/03/2021	71.6	32	0.2	0	1005	1.54	0	7	
06/04/2021	68.2	29.4	2.4	0	999	-0.24	0	5	
05/05/2021	71	30.4	0.2	0	987	0.05	0	3	
02/06/2021	69.8	29.2	0.2	0.8	992	0.67	1	4	
06/07/2021	67.3	31.3	0.8	0.6	974	7.38	1	8	
03/08/2021	68.6	31.9	0.8	0	992	3.09	0	8	
07/09/2021	61.4	30.2	2.3	6.1	1000	-0.82	0	4	
05/10/2021	63.3	34.6	1.5	0.6	975	-17.83	41	0	
10/11/2021	63.2	33.8	1.8	1.2	1001	-14.96	40	2	
01/12/2021	60.3	32.5	2.8	4.4	976	-9.09	42	1	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	64	30.5	0.4		1001	4.57	3	1	NO ADJUSTMENT
15/06/2016	63.6	31.6	0.4		975	-25.86	6	0	NO ADJUSTMENT
12/08/2016	69.4	28.5	1.6		1002	-22.56	6	0	NO ADJUSTMENT
24/08/2016	62.7	29	0.9		999	-21.78	4	0	NO ADJUSTMENT
31/08/2016	67.9	30	1.1		998	-25	5	0	NO ADJUSTMENT
19/09/2016	62.9	30.7	1.1		1002	-22.81	5	0	NO ADJUSTMENT
28/09/2016	70.6	28.5	0.4		1000	-47.05	22	0	CLOSED SLIGHTLY
19/10/2016	65.7	31.2	0.4		1000	-48.15	13	0	NO ADJUSTMENT
07/11/2016	66.4	32.2	0.3		993	70.19	1	0	NO ADJUSTMENT
17/11/2016	67.6	28.1	0.6		973	-54.06	8	0	NO ADJUSTMENT
28/11/2016	55.8	31.1	1.5		1008	-7.67	6	0	NO ADJUSTMENT
05/12/2016	68.5	28.6	0.8		1000	-37.01	9	0	NO ADJUSTMENT
20/12/2016	67.2	30.1	0.8		995	-36.41	8	0	NO ADJUSTMENT
11/01/2017	68.7	28.8	0.7		988	-55.26	9	0	NO ADJUSTMENT
27/01/2017	67.7	30.7	1.1		984	-59.48	5	0	NO ADJUSTMENT
17/02/2017	38.7	26.9	0.8		1005	-28.32	8	0	NO ADJUSTMENT
02/03/2017	60.1	30.6	0.4		987	-44.11	13	0	NO ADJUSTMENT
17/03/2017	66.2	29.5	2		993	-39.1	6	0	NO ADJUSTMENT
24/03/2017	63.4	27.8	2.2		1010	-58.63	3	0	NO ADJUSTMENT
20/04/2017	61.5	29.8	1.4		1013	-48.91	10	0	NO ADJUSTMENT
04/05/2017	66.1	30.8	0.8		1002	3.89	3	0	NO ADJUSTMENT
10/05/2017	60.6	30.2	1.7		986	-58.68	7	0	NO ADJUSTMENT
08/06/2017	39.7	23.5	3.5		982	-5.57	7	0	NO ADJUSTMENT
10/08/2017	68.4	28.1	1		1003	-90.21	7	0	NO ADJUSTMENT
05/10/2017	5.3	20.7	16.2		995	0.39	0	0	NO ADJUSTMENT
13/10/2017									CLOSED
04/12/2017	73.3	27.5	1.1		1011	8.18	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	70.2	22.6	3.5		999	-63.14	2	0	NO ADJUSTMENT
04/01/2018	61.4	26.0	0.9		1000	-76.04	0	0	NO ADJUSTMENT
22/01/2018	66.6	26.5	1.2		998	-61.09	3	0	NO ADJUSTMENT
08/02/2018	62.8	22.9	1.9		995	-69.09	2	0	NO ADJUSTMENT
19/02/2018	65.4	27.8	2.2		1000	-83.86	1	0	NO ADJUSTMENT
05/03/2018	61.6	22.0	1.6		1002	-70.39	0	0	NO ADJUSTMENT
21/03/2018	65.4	21.6	3.4		999	-59.67	0	0	NO ADJUSTMENT
06/04/2018	70.0	24.7	2.8		998	-79.02	3	0	NO ADJUSTMENT
16/04/2018	61.4	25.4	1.3		1000	-61.18	1	0	NO ADJUSTMENT
04/05/2018	61.9	24.5	3.2		997	-53.68	2	0	NO ADJUSTMENT
17/05/2018	64.7	23.2	1.8		995	-49.61	2	0	NO ADJUSTMENT
01/06/2018	68.9	22.0	3.0		998	-76.87	2	0	NO ADJUSTMENT
12/06/2018	71.2	22.6	3.5		1002	-63.92	2	0	NO ADJUSTMENT
09/07/2018	67.6	28.6	2.1		1001	-51.04	1	0	NO ADJUSTMENT
27/07/2018	71	25.8	0.8		987	9.62	4	0	NO ADJUSTMENT
03/08/2018									OPENED 1/4 TURN
10/08/2018	67.1	28.2	1.6		994	-42.26	11	0	NO ADJUSTMENT
04/09/2018	70.8	31.3	1.8		1002	-43.97	12	0	NO ADJUSTMENT
29/10/2018	70.6	30.5	1.6		985	-27.92	3	0	NO ADJUSTMENT
15/11/2018	50.5	25.5	2.8		997	-1.71	4	0	NO ADJUSTMENT
07/02/2019	70.9	30	0.4		981	-41.76	7	0	OPENED 1/4 TURN
15/04/2019	69.9	29.7	0.3		994	3.64	4	0	NO ADJUSTMENT

03/07/2019	70.3	28.1	0.4		1006	-17.37	7	0	NO ADJUSTMENT
17/07/2019	70.7	28.7	0.3		993	3.65	5	0	NO ADJUSTMENT
30/07/2019	72.5	29.5	0.3		982	-0.1	5	0	NO ADJUSTMENT
15/04/2020	69.4	28	1.2		1001	-9.03	2	0	
11/11/2020	70.9	30.5	0.5	0	994	5.07	2	4	
01/12/2020	52.1	27.5	5.5	14.9	1006	-0.46	1	1	
05/01/2021	51.1	26.8	5.3	16.8	1003	-1.11	1	3	
02/02/2021	70.3	31.6	0.6	0	971	6.18	2	15	
03/03/2021	66.5	32.7	2.2	0	1005	1.67	1	9	
06/04/2021	69	30.6	1.6	0	999	-0.03	2	9	
05/05/2021	69.2	30.6	1.2	0	987	0.09	1	8	
02/06/2021	69	31.6	0.2	0	992	0.58	2	5	
06/07/2021	71.1	28	0.8	0.1	974	18.07	1	14	
03/08/2021	73.5	29.3	0.9	0	992	12.61	0	10	
07/09/2021	73	27.6	1.4	0	1001	10.89	0	6	
05/10/2021	68.5	29.7	1.5	0.3	975	16.13	40	0	
10/11/2021	62.1	27.1	3	7.8	1001	-15.99	39	5	
01/12/2021	64.7	30.9	2.7	1.7	976	-8.64	44	1	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	55	15.3	3.5		1001	0.4	3	1	NO ADJUSTMENT
15/06/2016	71.1	15.5	0.9		975	-25.84	4	0	NO ADJUSTMENT
12/08/2016	53.6	8.7	7		1002	-23.36	2	0	CLOSED
24/08/2016	43	16.7	8.4		1000	2.34	1	0	NO ADJUSTMENT
31/08/2016	76.1	21.4	0.3		998	8.27	0	0	NO ADJUSTMENT
19/09/2016	64.5	29.7	0.6		1002	0.41	1	0	NO ADJUSTMENT
28/09/2016	76.1	21.5	0.3		1000	16.98	3	0	NO ADJUSTMENT
19/10/2016	68.5	28.3	0.3		1000	18.49	2	0	NO ADJUSTMENT
07/11/2016	9.6	12.8	16.5		993	1.63	3	0	NO ADJUSTMENT
17/11/2016	65.6	31.5	0.3		973	146.87	2	0	NO ADJUSTMENT
28/11/2016	66.4	31.9	0.3		1008	116.63	2	0	NO ADJUSTMENT
05/12/2016	67.3	29.7	0.8		1000	-44.46	2	0	OPENED 1/4 TURN
20/12/2016	76.2	18.6	0.4		995	28.76	1	0	NO ADJUSTMENT
11/01/2017	77.1	16.3	0.3		989	7.07	1	0	NO ADJUSTMENT
27/01/2017	78.1	14.8	0.5		984	10.99	1	0	NO ADJUSTMENT
17/02/2017	76.9	18.4	0.3		1005	15.66	2	0	NO ADJUSTMENT
02/03/2017	78.6	16.2	0.3		987	12.85	2	0	NO ADJUSTMENT
17/03/2017	76.5	22.7	1.1		993	44.27	1	0	OPENED 1/4 TURN
24/03/2017	23.2	9.1	13.2		1009	-65.19	1	0	NO ADJUSTMENT
20/04/2017	36	9.5	11.4		1014	-54.12	0	0	NO ADJUSTMENT
04/05/2017	83.6	12.4	0.6		1003	11.35	0	0	CLOSED
10/05/2017	84.1	10	0.4		986	17.24	1	0	NO ADJUSTMENT
08/06/2017	81.6	14.2	0.4		983	28.75	1	0	NO ADJUSTMENT
10/08/2017	67.6	30.5	0.5		1003	87.87	2	0	NO ADJUSTMENT
05/10/2017	69.2	30.6	0.3		1000	81.4	1	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	70.5	30.9	0.5		1012	98.39	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/8 TURN
15/12/2017	68.1	29.7	0.3		999	82.93	2	0	NO ADJUSTMENT
04/01/2018	67.8	29.8	0.5		1000	87.54	3	0	NO ADJUSTMENT
22/01/2018	67.6	29.5	0.6		998	83.33	3	0	NO ADJUSTMENT
08/02/2018	69.9	29.0	0.3		995	87.48	3	0	NO ADJUSTMENT
19/02/2018	67.6	29.5	0.6		1000	92.74	3	0	NO ADJUSTMENT
05/03/2018	68.2	28.6	0.5		1002	96.13	3	0	NO ADJUSTMENT
21/03/2018	67.6	29.9	0.5		999	85.99	1	0	NO ADJUSTMENT
06/04/2018	68.2	29.7	0.3		998	81.98	2	0	NO ADJUSTMENT
16/04/2018	70.0	29.3	0.4		1000	88.88	1	0	NO ADJUSTMENT
04/05/2018	67.9	28.8	0.5		997	91.11	3	0	NO ADJUSTMENT
17/05/2018	67.9	29.9	0.4		995	95.05	0	0	NO ADJUSTMENT
01/06/2018	67.6	29.2	0.3		998	89.81	3	0	NO ADJUSTMENT
12/06/2018	67.3	29.1	0.4		1002	93.53	1	0	NO ADJUSTMENT
09/07/2018	70.1	28.8	0.3		1001	98.18	1	0	NO ADJUSTMENT
27/07/2018	67.1	29.9	0.5		987	85.19	4	0	NO ADJUSTMENT
03/08/2018									OPENED 1/8 TURN
10/08/2018	52.2	23.2	2.6		994	-46.8	2	0	NO ADJUSTMENT
04/09/2018	55.6	27	1.5		1002	-44.95	1	0	NO ADJUSTMENT
29/10/2018	71.3	27	2.1		984	-29.12	1	0	NO ADJUSTMENT
15/11/2018	52.3	26.2	2.4		997	-1.27	5	0	NO ADJUSTMENT
07/02/2019	58.2	19.4	4.2		982	-42.23	1	0	CLOSED
15/04/2019	70.6	29.3	0.3		994	91.95	1	0	

03/07/2019	63	16.4	5.3		1006	0.27	9	0	
17/07/2019	70.2	29	0.3		993	3.19	4	0	
30/07/2019	63.7	26.5	2.2		982	0.22	6	0	OPENED 1/2 TURN
15/04/2020	53.1	17.6	5.3		1001	-8.97	1	0	
11/11/2020	85.4	12.1	0.5	2	994	15.11	0	1	
01/12/2020	84.8	12.8	0.9	1.5	1006	3.39	0	1	
05/01/2021	58.8	27.6	4.2	9.4	1002	-0.8	1	3	
02/02/2021	74.9	24.8	0.5	0	971	6.11	1	12	
03/03/2021	68.8	27.6	2.6	1	1005	0.14	1	6	
06/04/2021	59.5	14.8	5.2	20.5	999	-0.07	0	3	
05/05/2021	75.8	24.5	0.6	0	987	0.03	1	11	
02/06/2021	82.9	11.6	0.5	5	992	11.91	1	0	
06/07/2021	68	31.7	0.7	0	974	4.2	1	12	
03/08/2021	70	27.5	1.7	0.8	992	3.11	0	6	
07/09/2021	60.9	29.8	1.5	7.8	1000	-0.36	0	7	
05/10/2021	63.9	19.7	3.2	13.2	975	-17.75	39	0	
10/11/2021	34.2	15.8	9.4	40.6	1001	-14.79	39	1	
01/12/2021	57.7	22.8	4.4	15.1	976	-9.45	41	2	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	63.4	30	0.3		1001	0.3	5	0	NO ADJUSTMENT
15/06/2016	66.6	28.3	0.5		975	-3.82	4	0	NO ADJUSTMENT
12/08/2016	7.9	5	18.2		1002	-23.09	0	0	CLOSED
24/08/2016	6.1	5.4	18.2		1000	0.03	1	0	NO ADJUSTMENT
31/08/2016	6.2	5.8	18		998	0.15	1	0	NO ADJUSTMENT
19/09/2016	5.1	11	15.4		1002	-42.36	1	0	NO ADJUSTMENT
28/09/2016	6.3	6.9	18.5		1000	0.19	3	0	NO ADJUSTMENT
19/10/2016	7.8	11.1	16.9		1000	0.77	3	0	NO ADJUSTMENT
07/11/2016	0.3	9.4	7.7		993	0.02	1	0	NO ADJUSTMENT
17/11/2016	10.5	11.8	16.2		973	3.22	3	0	NO ADJUSTMENT
28/11/2016	12.4	14.2	14.8		1008	0.67	3	0	NO ADJUSTMENT
05/12/2016	13	13.1	15.3		1000	1.2	3	0	NO ADJUSTMENT
20/12/2016	14.9	10.1	15.5		995	1.48	3	0	NO ADJUSTMENT
11/01/2017	18.8	9.8	15.3		989	0.65	3	0	NO ADJUSTMENT
27/01/2017	20.5	9.7	15		984	2.25	3	0	NO ADJUSTMENT
17/02/2017	22.3	11	14		1005	1.78	4	0	CLOSED
02/03/2017	23.9	10.9	14.1		987	0.21	4	0	NO ADJUSTMENT
17/03/2017	25.9	10.2	14.5		993	0.22	3	0	NO ADJUSTMENT
24/03/2017	26.7	8.8	14		1009	0.41	3	0	NO ADJUSTMENT
20/04/2017	30.2	10.6	12.7		1014	0.67	4	0	NO ADJUSTMENT
04/05/2017	32.6	11.8	11.6		1002	1.31	4	0	NO ADJUSTMENT
10/05/2017	32.9	11.4	11.1		986	0.52	5	0	NO ADJUSTMENT
08/06/2017	36.6	12.3	10.6		982	0.74	4	0	NO ADJUSTMENT
10/08/2017	49.7	26.5	4.6		1003	-0.33	1	0	NO ADJUSTMENT
05/10/2017	65.6	30.6	1.2		1000	0.26	1	0	NO ADJUSTMENT
04/12/2017	68.3	27.9	2.7		1012	1.72	1	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	67.9	15.1	5.0		999	-2.06	1	0	NO ADJUSTMENT
04/01/2018	68.5	17.9	5.2		1000	-0.98	5	0	NO ADJUSTMENT
22/01/2018	68.1	22.6	8.8		998	-1.48	2	0	NO ADJUSTMENT
08/02/2018	66.1	15.2	2.6		995	-3.39	3	0	NO ADJUSTMENT
19/02/2018	71.1	20.4	7.2		1000	-0.83	4	0	NO ADJUSTMENT
05/03/2018	68.3	26.2	1.7		1002	-1.18	4	0	NO ADJUSTMENT
21/03/2018	68.3	21.0	3.5		999	-0.93	2	0	NO ADJUSTMENT
06/04/2018	69.5	22.1	1.6		998	-2.72	3	0	NO ADJUSTMENT
16/04/2018	67.3	14.0	4.5		1000	-2.37	2	0	NO ADJUSTMENT
04/05/2018	70.1	17.8	3.9		997	-0.78	4	0	NO ADJUSTMENT
17/05/2018	71.9	22.5	5.0		995	-2.99	4	0	NO ADJUSTMENT
01/06/2018	70.2	26.9	2.6		998	-2.75	4	0	NO ADJUSTMENT
12/06/2018	68.2	27.3	3.1		1002	-2.67	4	0	NO ADJUSTMENT
09/07/2018	67.0	19.4	6.9		1001	-0.36	4	0	NO ADJUSTMENT
27/07/2018	47.2	15.1	7.9		987	1.92	8	0	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	49.7	14.6	8.4		994	0.34	8	0	NO ADJUSTMENT
04/09/2018	52.2	18.4	7.8		1002	0.55	8	0	NO ADJUSTMENT
29/10/2018	57.3	15.3	7.8		985	0.33	7	0	NO ADJUSTMENT
15/11/2018	56.6	16	7.7		997	1.8	7	0	NO ADJUSTMENT
07/02/2019	58.6	16.3	6.7		982	-1.15	7	0	NO ADJUSTMENT
15/04/2019	60.4	17.9	6.2		994	0.19	6	0	NO ADJUSTMENT
03/07/2019	75.9	21.2	0.3		1006	2.88	3	0	NO ADJUSTMENT

17/07/2019	63.4	14.8	5.8		993	-0.05	10	0	NO ADJUSTMENT
30/07/2019	64	17	5.9		982	0.12	10	0	NO ADJUSTMENT
15/04/2020	63.3	14.5	6.6		1001	0	6	0	
11/11/2020	22.3	6.8	11.6	59.3	994	1.73	1	0	
01/12/2020	29.1	8.4	9.6	52.9	1006	-1.27	1	0	
05/01/2021	34.4	9.3	9.1	47.2	1002	-5.75	1	0	
02/02/2021	36.9	9.1	8	46	971	-0.39	2	0	
03/03/2021	43	12.4	7.2	37.4	1006	-0.22	1	0	
06/04/2021	41.3	10.9	6.9	40.9	999	-0.1	2	0	
05/05/2021	39.8	9.4	6.9	43.9	988	0.27	2	0	
02/06/2021	38.5	8.1	6.5	46.9	992	1.28	3	0	
06/07/2021	40.3	9.5	6.9	43.3	974	0.07	3	0	
03/08/2021	42.2	9.2	6.9	41.7	992	0.31	0	2	
07/09/2021	44.2	9.7	7.1	39	1001	0.84	1	3	
05/10/2021	42.9	10.7	7.4	39	975	0.19	44	0	
10/11/2021	36	9.7	9.5	44.8	1001	3.76	43	0	
01/12/2021	48.3	14.2	6.7	30.8	976	0.22	46	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	0.7	9.3	16		1001	0.02	1	0	NO ADJUSTMENT
16/06/2016	0	5.7	18		981	-0.03	0	0	NO ADJUSTMENT
12/08/2016	0.1	4.3	15.5		1002	-0.05	1	0	NO ADJUSTMENT
24/08/2016	0.2	5	14.3		1000	0.1	1	0	NO ADJUSTMENT
31/08/2016	0	4.9	14.2		998	-0.07	0	0	NO ADJUSTMENT
19/09/2016	0	7	12.3		1001	1.93	1	0	NO ADJUSTMENT
28/09/2016	0.2	4.8	12.1		1000	0.19	2	0	NO ADJUSTMENT
19/10/2016	0.1	8.6	8.8		1000	1.82	1	0	NO ADJUSTMENT
07/11/2016	66.9	29.2	1.1		993	4.13	3	0	NO ADJUSTMENT
17/11/2016	0.1	9	6.5		973	0.07	1	0	NO ADJUSTMENT
28/11/2016	0.5	10.5	3.7		1008	0.15	1	0	NO ADJUSTMENT
05/12/2016	1	10.6	2.3		1000	-0.02	1	0	OPENED 1/4 TURN
20/12/2016	1.7	10.1	1.7		995	-0.02	1	0	NO ADJUSTMENT
11/01/2017	0.6	10	4.7		989	0.12	1	0	NO ADJUSTMENT
27/01/2017	0.4	9.9	5.5		984	0.1	0	0	NO ADJUSTMENT
17/02/2017	0.3	9.2	7.8		1005	0.09	1	0	NO ADJUSTMENT
02/03/2017	0.3	8.9	9.9		987	-0.15	1	0	NO ADJUSTMENT
17/03/2017	0.4	9.3	13.3		993	-0.03	0	0	NO ADJUSTMENT
24/03/2017	0	5.7	14.8		1009	-0.09	0	0	NO ADJUSTMENT
20/04/2017	0.1	7.6	15.9		1014	0.07	0	0	NO ADJUSTMENT
04/05/2017	0	7.5	16.2		1003	0.22	0	0	CLOSED
10/05/2017	0	7.4	14.4		986	0.26	1	0	NO ADJUSTMENT
08/06/2017	0	6.2	12.6		983	-0.41	1	0	NO ADJUSTMENT
10/08/2017	0	6.5	12.7		1003	-1.26	1	0	NO ADJUSTMENT
05/10/2017	0	7.7	9.7		1000	-3.29	0	0	NO ADJUSTMENT
04/12/2017	0.1	9.4	7		1012	-0.65	0	0	NO ADJUSTMENT
15/12/2017	0.3	9.4	11.6		999	-2.07	0	0	NO ADJUSTMENT
04/01/2018	0.2	9.5	11.1		1000	-2.61	1	0	NO ADJUSTMENT
22/01/2018	0.3	8.6	10.4		998	-1.48	0	0	NO ADJUSTMENT
08/02/2018	0.0	6.8	8.1		995	-0.85	1	0	NO ADJUSTMENT
19/02/2018	0.2	8.0	10.4		1000	-1.34	1	0	NO ADJUSTMENT
05/03/2018	0.4	7.0	8.2		1002	-2.77	1	0	NO ADJUSTMENT
21/03/2018	0.4	6.5	11.4		999	-2.75	0	0	NO ADJUSTMENT
06/04/2018	0.0	7.0	10.5		998	-1.87	1	0	NO ADJUSTMENT
16/04/2018	0.3	9.8	9.4		1000	-0.13	0	0	NO ADJUSTMENT
04/05/2018	0.2	8.2	7.6		997	-1.47	0	0	NO ADJUSTMENT
17/05/2018	0.1	9.1	10.2		995	-2	1	0	NO ADJUSTMENT
01/06/2018	0.0	7.1	10.6		998	-0.76	0	0	NO ADJUSTMENT
12/06/2018	0.3	9.0	9.5		1002	0.14	1	0	NO ADJUSTMENT
09/07/2018	0.4	6.6	11.7		1001	-0.38	1	0	NO ADJUSTMENT
27/07/2018	0	4.9	13.3		987	-0.03	2	0	NO ADJUSTMENT
10/08/2018	0	5.6	13.7		994	0.41	1	0	NO ADJUSTMENT
04/09/2018	0.6	9.3	11.1		1002	0.8	1	0	NO ADJUSTMENT
29/10/2018	0.3	8	8.2		985	-0.09	0	0	NO ADJUSTMENT
15/11/2018	0.2	7.9	6.7		997	-0.29	1	0	NO ADJUSTMENT
07/02/2019	0	9	10.1		982	-1.72	0	0	NO ADJUSTMENT
15/04/2019	0	8.4	13.8		994	-1.56	0	0	NO ADJUSTMENT
03/07/2019	0.1	7.4	10.4		1006	0.12	2	0	NO ADJUSTMENT
17/07/2019	0.1	7.5	14.3		993	-0.22	1	0	NO ADJUSTMENT
30/07/2019	0.2	7.8	14.8		982	0.19	1	0	NO ADJUSTMENT

15/04/2020	0	5.4	17.5		1001	-0.79	0	0	
11/11/2020	0.9	10.4	1.7	87	994	-0.29	0	0	
01/12/2020	0.5	10.6	2.5	86.4	1006	-0.56	0	0	
05/01/2021	0.2	10.3	8.2	81.3	1003	-0.67	0	0	
02/02/2021	0.3	9.2	8.8	81.7	971	-0.38	0	0	
03/03/2021	0.4	7.6	13.2	78.8	1005	-4.8	0	0	
06/04/2021	0.2	6.4	15.3	78.1	1000	-4.49	0	0	
05/05/2021	0.2	6.2	14.7	78.9	988	-2.2	0	0	
02/06/2021	0.2	7.5	7.9	84.4	992	0.32	0	0	
06/07/2021	0.1	6.5	14.1	79.3	974	-1.73	0	0	
03/08/2021	0.3	7.7	11	81	992	0.27	0	2	
07/09/2021	0.2	8.5	7.5	83.8	1001	0.02	0	2	
05/10/2021	0	8.9	8.1	83	975	0.14	39	0	
10/11/2021	0.4	7	8.3	84.3	1001	0.19	39	0	
01/12/2021	1	10	3.6	85.4	976	0.1	40	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	64.1	29.2	0.8		1001	1.07	6	0	NO ADJUSTMENT	3.82	-1.48	2.34	
16/06/2016	3.7	8.1	18.2		981	-33.59	0	0	CLOSED				
04/07/2016										3.9	-1.48	2.42	
11/08/2016										4.21	-1.48	2.73	
12/08/2016	64.6	30.9	1.4		1002	0.29	2	0	NO ADJUSTMENT				
24/08/2016	64.4	31	1.2		1000	0.41	3	0	OPENED 1/4 TURN				
31/08/2016	20.2	10.2	15.2		998	-0.38	1	0	CLOSED				
06/09/2016										4.41	-1.48	2.93	
22/09/2016	66.4	27.8	1.7		999	0.86	2	0	NO ADJUSTMENT				
28/09/2016	0.3	4.4	20.9		1000	0.31	2	0	NO ADJUSTMENT				
19/10/2016	65.2	30	0.9		1000	1.29	4	0	NO ADJUSTMENT	4.65	-1.48	3.17	
02/11/2016										4.77	-1.48	3.29	
07/11/2016	66.5	31.8	0.4		993	0.29	4	0	NO ADJUSTMENT				
17/11/2016	65.6	28.9	1.1		973	3.43	4	0	NO ADJUSTMENT				
28/11/2016	66.6	28.4	1.3		1008	3	3	0	NO ADJUSTMENT				
02/12/2016										4.52	-1.48	3.04	
05/12/2016	67.1	27.9	1.6		1000	-42.64	3	0	OPENED 1/4 TURN				
20/12/2016	11.2	9.2	16.9		995	9.19	1	0	NO ADJUSTMENT				
11/01/2017	12.7	9	17		989	3.1	2	0	NO ADJUSTMENT				
24/01/2017										3.86	-1.48	2.38	
27/01/2017	14.4	9.6	16.5		984	4.24	1	0	NO ADJUSTMENT				
17/02/2017	17.7	9.6	15.3		1005	2.09	3	0	NO ADJUSTMENT				
02/03/2017	20.6	10.2	15		987	3.07	3	0	NO ADJUSTMENT				
17/03/2017	26.6	15.6	12.2		993	3.13	1	0	NO ADJUSTMENT				
24/03/2017	29.1	10.9	12.5		1010	2.32	1	0	NO ADJUSTMENT				
29/03/2017										3.67	-1.48	2.19	
20/04/2017	19	8.7	16.4		1014	-64.54	0	0	CLOSED				
02/05/2017										3.94	-1.48	2.46	
04/05/2017	17.8	9.1	16		1003	7.48	1	0	NO ADJUSTMENT				
10/05/2017	20.9	9.7	14.6		986	8.08	2	0	NO ADJUSTMENT				
08/06/2017	65.3	31.5	0.8		982	3.15	2	0	NO ADJUSTMENT	4.23	-1.48	2.75	
10/08/2017	65.5	31.4	1		1003	2.63	3	0	NO ADJUSTMENT	4.81	-1.48	3.33	
24/08/2017										4.7	-1.48	3.22	
05/10/2017	68.3	29.5	0.9		1000	1.03	2	0	NO ADJUSTMENT	4.96	-1.48	3.48	
01/12/2017										4.44	-1.48	2.96	
04/12/2017	69.9	28	2.4		1012	9.87	3	0	NO ADJUSTMENT				
15/12/2017	67.6	21.2	2.1		999	7.9	1	0	NO ADJUSTMENT				
04/01/2018	70.0	28.2	1.7		1000	8.82	1	0	NO ADJUSTMENT				
22/01/2018	65.7	23.8	0.7		998	3.32	1	0	NO ADJUSTMENT				
08/02/2018	69.6	20.1	2.3		995	9.02	0	0	NO ADJUSTMENT				
19/02/2018	66.4	20.3	1.5		1000	7.9	1	0	NO ADJUSTMENT				
05/03/2018	71.3	26.1	1.0		1002	3.45	1	0	NO ADJUSTMENT				
09/03/2018										3.45	-1.34	2.11	
21/03/2018	70.1	21.3	1.2		999	9.6	0	0	NO ADJUSTMENT				
06/04/2018										6.6	-1.34	5.26	
06/04/2018	66.9	24.0	2.2		998	8.26	1	0	NO ADJUSTMENT				
16/04/2018	66.6	26.3	1.4		1000	4.48	0	0	NO ADJUSTMENT				
04/05/2018	67.5	25.7	1.6		997	1.96	0	0	NO ADJUSTMENT				
17/05/2018	70.8	27.6	1.5		995	2.81	0	0	NO ADJUSTMENT				
25/05/2018										5.13	-1.34	3.79	

09/04/2019													653460
15/04/2019	69.1	28.1	1.4		994	2.41	2	0	NO ADJUSTMENT	4.54	-1.34	3.2	654108
16/04/2019													654109
23/04/2019													654507
29/04/2019													655196
08/05/2019													655777
14/05/2019													655970
21/05/2019													660556
28/05/2019										5.02	-1.34	3.68	660905
04/06/2019													661119
10/06/2019													661347
18/06/2019													661611
25/06/2019													661935
02/07/2019													664170
03/07/2019	66.4	27	1.2		1006	2.52	6	0	NO ADJUSTMENT	5.58	-1.34	4.24	662910.5
10/07/2019													666886
16/07/2019													671173
17/07/2019	64.6	26.3	1.9		993	0.22	5	0	NO ADJUSTMENT	6.59	-1.34	5.25	672585
24/07/2019													674374
30/07/2019													677096
30/07/2019	65.9	27.7	2		982	0.31	4	0	OPENED 1/4 TURN				677096
22/08/2019										5.72	-1.34	4.38	684433
28/08/2019													685406
24/09/2019													694206
22/10/2019										6.23	-1.34	4.89	
30/10/2019													704882
12/11/2019										5.29	-1.34	3.95	708959
25/11/2019													714402
12/12/2019										4.64	-1.34	3.3	
31/12/2019													727006
07/01/2020										5.4	-1.34	4.06	
28/01/2020													741705
26/02/2020													770130
20/03/2020										6.39	-1.34	5.05	793855
24/03/2020													798749
15/04/2020	65.8	29.2	1.7		1001	-8.9	2	0					
22/04/2020										5.44	-1.34	4.1	823846
28/04/2020													828264
27/05/2020													842415
30/06/2020													855272
08/07/2020										5.9	-1.34	4.56	
28/07/2020													862081
25/08/2020													863663
30/09/2020													873405
20/10/2020										6.39	-1.34	5.05	892843
27/10/2020													903733
11/11/2020	68.4	32.7	0.7	0	994	4.5	1	10					
19/11/2020										5.9	-1.34	4.56	
01/12/2020	65.5	31.7	1.7	1.1	1007	-0.14	1	13					
17/12/2020										5.87	-1.34	4.53	
05/01/2021										6.36	-1.34	5.02	
02/02/2021										5.5	-1.34	4.16	

03/03/2021										6.65	-1.34	5.31	
05/01/2021	69	33.2	1	0	1003	-0.74	1	18					
02/02/2021	69.2	32.9	0.6	0	971	6.14	2	20					
03/03/2021	69.7	33.3	1.7	0	1006	1.59	1	15					
06/04/2021	9.3	4.7	17.5	68.5	1000	-0.1	0	1					
05/05/2021	69.8	32.4	0.2	0	988	0.07	1	40					
02/06/2021	68.6	31.1	0.4	0	992	-1.61	1	24					
06/07/2021	68.1	32	0.8	0	975	7.05	1	13					
03/08/2021	66.8	31.7	1.6	0	992	3.42	0	5					
07/09/2021	18.9	9	15	57.1	1001	-0.05	0	1					
05/10/2021	18.4	11	13.7	56.9	975	-17.99	40	0					
10/11/2021	0	0.2	18.7	81.1	1002	-13.07	39	0					
01/12/2021	48.1	27.9	4.5	19.5	976	-6.18	41	17					

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
02/06/2016													91969
09/06/2016	63.1	30.5	0.4		1001	1.91	5	0	NO ADJUSTMENT	7	-1.26	5.74	
16/06/2016	69	27.8	0.9		981	-26.05	3	0	NO ADJUSTMENT				
04/07/2016										7.96	-1.26	6.7	91969
05/07/2016										7.07	-1.26	5.81	
11/08/2016										7.58	-1.26	6.32	93339
12/08/2016	58.8	26	2.7		1002	-24.02	3	0	NO ADJUSTMENT				
24/08/2016	57	25.2	3.9		1000	-23.42	2	0	NO ADJUSTMENT				
31/08/2016	55.5	26.3	2.6		998	-24.98	2	0	NO ADJUSTMENT				
06/09/2016										9.2	-1.26	7.94	95667
22/09/2016	62.3	30.2	1.3		998	-19.08	2	0	NO ADJUSTMENT				
28/09/2016										8.58	-1.26	7.32	
28/09/2016	61.7	24.3	2.9		1000	-51.34	7	0	CLOSED SLIGHTLY				
19/10/2016	52.9	28.8	3.2		999	-63.46	5	0	NO ADJUSTMENT	4.13	-1.26	2.87	97432
25/10/2016										9.59	-1.26	8.33	
02/11/2016										10.81	-1.26	9.55	99692
07/11/2016	12.1	13	15.7		993	0.36	5	0	NO ADJUSTMENT				
10/11/2016										11.02	-1.26	9.76	
17/11/2016	66.6	30.9	0.3		973	212.06	5	0	NO ADJUSTMENT				
28/11/2016	67.2	31.1	0.3		1008	175.14	3	0	NO ADJUSTMENT				
02/12/2016										9.85	-1.26	8.59	101707
05/12/2016	66	32	0.5		1000	152.15	3	0	NO ADJUSTMENT				
08/12/2016										10.48	-1.26	9.22	
20/12/2016	66.4	27.2	1.6		995	-13.76	2	0	NO ADJUSTMENT				
06/01/2017										7.95	-1.26	6.69	
11/01/2017	68.8	30.3	0.4		989	27.72	2	0	NO ADJUSTMENT				
24/01/2017										8.19	-1.26	6.93	104284
27/01/2017	56.7	22.4	4.6		984	-55.13	1	0	NO ADJUSTMENT				
30/01/2017										7.39	-1.26	6.13	
17/02/2017	40	21.1	4.8		1005	-23.93	6	0	NO ADJUSTMENT				
02/03/2017	57.5	22.1	4.1		988	-58.93	3	0	NO ADJUSTMENT				
03/03/2017										6.33	-1.26	5.07	
17/03/2017	70.3	30.5	0.3		994	243.36	1	0	OPENED 1/4 TURN				
24/03/2017	70.5	28.4	0.7		1009	69.01	1	0	NO ADJUSTMENT				
29/03/2017										8.96	-1.26	7.7	104305
07/04/2017										8.35	-1.26	7.09	
20/04/2017	69.2	29.7	0.3		1014	214.65	2	0	NO ADJUSTMENT				
02/05/2017										8.83	-1.26	7.57	104315
04/05/2017	67.9	30.1	0.3		1002	152.58	2	0	NO ADJUSTMENT				
08/05/2017										8.4	-1.26	7.14	
10/05/2017	66.6	29.7	0.4		986	160.03	4	0	NO ADJUSTMENT				
08/06/2017	66.8	31	0.1		982	155.25	2	0	NO ADJUSTMENT	8.41	-1.26	7.15	104320
09/06/2017										8.58	-1.26	7.32	
07/07/2017										8.95	-1.26	7.69	
10/08/2017	65.9	31.3	0.2		1003	147.75	3	0	NO ADJUSTMENT	9.1	-1.26	7.84	104336
24/08/2017										8.98	-1.26	7.72	
29/08/2017										9.11	-1.26	7.85	104336
19/09/2017										11.1	-1.26	9.84	117290
05/10/2017	70.9	29.1	0.3		1000	147.64	1	0	NO ADJUSTMENT	11.17	-1.26	9.91	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	62.2	31.7	0.4		1001	0.26	6	0	NO ADJUSTMENT
16/06/2016	0	6.5	19.6		981	-26.61	0	0	CLOSED
12/08/2016	3.7	4.5	19.5		1002	0.4	2	0	NO ADJUSTMENT
24/08/2016	3.6	4.1	19		1000	0.22	4	0	NO ADJUSTMENT
31/08/2016	5.1	3.9	18.8		998	-0.12	3	0	NO ADJUSTMENT
22/09/2016	6	9.1	15.7		998	0.95	4	0	NO ADJUSTMENT
28/09/2016	6.5	7.3	18.6		1000	0.31	6	0	NO ADJUSTMENT
19/10/2016	10	7.9	17.1		1000	0.74	5	0	NO ADJUSTMENT
07/11/2016	65.9	29.2	1.1		993	-71.37	2	0	NO ADJUSTMENT
17/11/2016	12.9	12.2	15.6		973	0.17	5	0	NO ADJUSTMENT
28/11/2016	14.6	13.3	14.5		1008	-0.19	5	0	NO ADJUSTMENT
05/12/2016	14.3	13.4	14.5		1000	0.02	4	0	NO ADJUSTMENT
20/12/2016	15.9	12.2	14.7		995	0.03	5	0	NO ADJUSTMENT
11/01/2017	18.7	12.5	14.3		989	0.03	5	0	NO ADJUSTMENT
27/01/2017	20.9	11.9	14		984	-3.21	4	0	NO ADJUSTMENT
17/02/2017	22.1	10.8	13.5		1005	-5.13	6	0	NO ADJUSTMENT
02/03/2017	23.2	11.4	13.6		988	-0.21	6	0	NO ADJUSTMENT
17/03/2017	25.2	12.5	12.7		994	-0.03	3	0	NO ADJUSTMENT
24/03/2017	25.2	7.8	13.9		1009	-7.36	4	0	NO ADJUSTMENT
20/04/2017	24	11.5	12.6		1014	-0.29	4	0	NO ADJUSTMENT
04/05/2017	23.1	10.7	12.5		1002	0.28	4	0	NO ADJUSTMENT
10/05/2017	22.6	10.9	12.3		986	-0.58	6	0	NO ADJUSTMENT
08/06/2017	23.6	6	13.5		983	0.79	5	0	NO ADJUSTMENT
10/08/2017	22.4	6.2	13		1003	3.66	7	0	NO ADJUSTMENT
05/10/2017	22.8	6.8	13.1		1000	-0.12	6	0	NO ADJUSTMENT
04/12/2017	28.8	8.2	12.6		1012	-1.13	5	0	NO ADJUSTMENT
15/12/2017	26.4	11.5	14.5		999	-6.5	6	0	NO ADJUSTMENT
04/01/2018	26.3	8.5	12.9		1000	-4.54	6	0	NO ADJUSTMENT
22/01/2018	25.2	8.1	12.7		998	-4.73	7	0	NO ADJUSTMENT
08/02/2018	20.8	10.4	13.4		995	-4.29	7	0	NO ADJUSTMENT
19/02/2018	26.5	9.9	14.6		1000	-0.15	7	0	NO ADJUSTMENT
05/03/2018	21.3	8.2	12.0		1002	2.34	4	0	NO ADJUSTMENT

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	62.4	31.8	0.5		1001	-0.15	3	0	NO ADJUSTMENT
16/06/2016	66.6	29.7	0.6		976	-33.56	1	0	NO ADJUSTMENT
12/08/2016	67.9	31.4	0.8		1002	-23.31	2	0	NO ADJUSTMENT
24/08/2016	60.1	30.3	0.9		1000	-23.49	1	0	NO ADJUSTMENT
31/08/2016	67.2	30.5	1.7		998	-24.81	2	0	NO ADJUSTMENT
22/09/2016	64.3	30.1	1.5		998	-19.79	1	0	NO ADJUSTMENT
28/09/2016	67.9	32.1	0.4		1000	-52.48	5	0	CLOSED SLIGHTLY
19/10/2016	64.5	31.2	0.5		1000	-62.78	4	0	NO ADJUSTMENT
07/11/2016	66.2	32.1	0.3		993	88.69	3	0	NO ADJUSTMENT
17/11/2016	66.8	28.8	0.6		973	-72.07	3	0	NO ADJUSTMENT
28/11/2016	65.2	30.7	1		1008	-3.34	2	0	NO ADJUSTMENT
05/12/2016	65.8	31.2	0.8		1001	-46.82	3	0	NO ADJUSTMENT
20/12/2016	63	30.2	0.6		995	-48.11	1	0	NO ADJUSTMENT
11/01/2017	67.1	31.5	0.6		989	-6.09	2	0	NO ADJUSTMENT
27/01/2017	69.7	28.7	1		984	-69.14	1	0	NO ADJUSTMENT
17/02/2017	67.2	30.8	0.4		1005	-23.19	3	0	NO ADJUSTMENT
02/03/2017	68.6	29.2	0.6		987	-59.77	3	0	NO ADJUSTMENT
17/03/2017	70.3	29	2.9		994	-51.47	1	0	NO ADJUSTMENT
24/03/2017	67.1	31.1	0.6		1009	-25.87	1	0	NO ADJUSTMENT
20/04/2017	69	28.8	2.5		1014	-65.13	1	0	NO ADJUSTMENT
04/05/2017	67.3	30.2	1.1		1003	3.63	1	0	NO ADJUSTMENT
10/05/2017	66.2	27.5	2.7		987	-70.32	3	0	NO ADJUSTMENT
08/06/2017	68.1	29.2	1		983	-2.58	2	0	NO ADJUSTMENT
10/08/2017	64.6	32	0.7		1003	-8.48	2	0	NO ADJUSTMENT
05/10/2017	69.2	29	0.7		1000	-101.32	1	0	NO ADJUSTMENT
04/12/2017	68.9	30.4	2.6		1012	-106.23	1	0	NO ADJUSTMENT
15/12/2017	64.3	27.7	0.5		999	-79.74	2	0	NO ADJUSTMENT
04/01/2018	63.3	30.6	1.6		1000	-65.64	3	0	NO ADJUSTMENT
22/01/2018	63.2	30.2	1.8		998	-93.37	1	0	NO ADJUSTMENT
08/02/2018	66.1	30.5	1.5		995	-92.68	3	0	NO ADJUSTMENT
19/02/2018	68.7	29.1	1.7		1000	-77.03	3	0	NO ADJUSTMENT
05/03/2018	64.7	27.6	0.9		1002	-99.98	2	0	NO ADJUSTMENT

21/03/2018	66.0	27.5	0.9		999	-70.94	3	0	NO ADJUSTMENT
06/04/2018	69.7	28.0	1.2		998	-76.92	1	0	NO ADJUSTMENT
16/04/2018	63.2	28.3	2.2		1000	-76.02	3	0	NO ADJUSTMENT
04/05/2018	70.4	27.8	1.0		997	-103.42	2	0	NO ADJUSTMENT
17/05/2018	66.8	28.7	1.9		995	-79.94	1	0	NO ADJUSTMENT
01/06/2018	66.7	27.7	2.0		998	-93.75	1	0	NO ADJUSTMENT
12/06/2018	64.3	30.3	0.7		1002	-84.47	1	0	NO ADJUSTMENT
09/07/2018	63.8	28.5	0.8		1001	-65.14	1	0	NO ADJUSTMENT
27/07/2018	46.1	19.7	7		987	-41.54	4	0	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	71	29.2	1.1		994	51.93	2	0	NO ADJUSTMENT
04/09/2018	71.7	31.8	0.7		1002	43.75	2	0	NO ADJUSTMENT
29/10/2018	71	32.3	1		986	-0.09	1	0	NO ADJUSTMENT
15/11/2018	69.6	31.7	1.4		997	2.72	2	0	OPEN 1/4 TURN
07/02/2019	51.2	23.4	5.3		982	-42.36	1	0	CLOSED
15/04/2019	65.7	29.7	0.4		994	26.07	2	0	NO ADJUSTMENT
03/07/2019	69.3	29.2	0.3		1006	0.12	5	0	NO ADJUSTMENT
17/07/2019	69.1	29.7	0.3		993	2.33	4	0	NO ADJUSTMENT
30/07/2019	72.2	29.1	0.4		982	2.33	3	0	OPEN 1/4 TURN
15/04/2020	53.4	21.1	5.6		1001	-9.55	1	0	
11/11/2020	62.6	31.8	1.7	3.9	994	4.88	2	0	
01/12/2020	63.7	32.3	1.8	2.2	1006	1.45	1	1	
05/01/2021	61.4	31.1	3.1	4.4	1002	-0.03	1	3	
02/02/2021	69.2	32.6	0.4	0	971	4.74	2	14	
03/03/2021	69.3	32.8	3.6	0	1006	1.49	0	4	
06/04/2021	67.4	31.8	2.1	0	1000	-0.09	0	3	
05/05/2021	68.9	32.4	0.9	0	988	0.05	1	4	
02/06/2021	63.8	29.6	1.4	5.2	992	-1.71	1	3	
06/07/2021	66.8	33	0.9	0	975	6.95	1	5	
03/08/2021	66.8	33.3	0.6	0	993	1.98	0	4	
07/09/2021	66.1	34.2	1	0	1001	0.29	0	4	
05/10/2021	54.2	32.8	4.3	8.7	975	-18.02	41	0	
10/11/2021	3.3	2.5	18.5	75.7	1002	-16.97	39	0	
01/12/2021	50.4	30.5	6.5	12.6	976	0.14	41	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	28.1	9.9	4.2		1001	5.45	3	0	NO ADJUSTMENT				
16/06/2016	40.3	10.7	2.9		981	117.49	2	0	NO ADJUSTMENT				
12/08/2016	64.9	19.6	1.8		1002	48.26	4	0	NO ADJUSTMENT				
24/08/2016	68.8	30	0.5		1000	31.26	5	0	NO ADJUSTMENT				
31/08/2016	68.3	30	0.6		998	97.05	4	0	OPENED 1/2 TURN				
31/08/2016	65.3	30.7	0.2		998	-22.85	2	0	NO ADJUSTMENT				
22/09/2016	64.6	30.4	0.5		998	94.04	2	0	CLOSED				
28/09/2016	4	15	16.9		1000	95.64	2	0	NO ADJUSTMENT				
19/10/2016	65.5	31.4	0.3		1001	89.98	5	0	NO ADJUSTMENT				
07/11/2016	64.7	33.5	0.4		993	6.38	2	0	NO ADJUSTMENT				
17/11/2016	65	32	0.4		973	99.5	3	0	NO ADJUSTMENT				
28/11/2016	65.1	31.8	0.7		1008	-3.12	2	0	NO ADJUSTMENT				
05/12/2016	64.4	28.4	1.8		1001	-46.91	3	0	NO ADJUSTMENT				
20/12/2016	65.7	27.2	0.9		995	8.06	2	0	NO ADJUSTMENT				
11/01/2017	64.2	24.7	1		989	-0.46	2	0	NO ADJUSTMENT				
27/01/2017	64.1	23.1	1.3		984	3.21	1	0	NO ADJUSTMENT				
17/02/2017	61.1	21	1.2		1005	0.34	3	0	NO ADJUSTMENT				
02/03/2017	58.7	20.5	1.4		987	-0.86	1	0	NO ADJUSTMENT				
17/03/2017	58.3	19.4	2.3		994	-0.14	1	0	NO ADJUSTMENT				
24/03/2017	57.8	15.6	1.8		1009	-0.31	1	0	NO ADJUSTMENT				
20/04/2017	44.6	15.2	3.9		1014	8.72	1	0	NO ADJUSTMENT				
04/05/2017	38	13.5	4.8		1002	11.02	1	0	CLOSED 1/8 TURN				
10/05/2017	34.8	12.5	5.1		987	9.25	3	0	NO ADJUSTMENT				
08/06/2017	31.2	9.8	5		982	13.94	2	0	NO ADJUSTMENT				
10/08/2017	53.9	18.4	2		1003	36.41	4	0	NO ADJUSTMENT				
05/10/2017	70.8	28.6	0.6		1000	26.09	2	0	NO ADJUSTMENT				
13/10/2017									OPENED 1/4 TURN				
04/12/2017	68.7	26.9	2.7		1012	-1.46	1	0	NO ADJUSTMENT				
07/12/2017									OPENED 1/4 TURN				
15/12/2017	69.6	27.6	2.4		999	-3.74	2	0	NO ADJUSTMENT				
04/01/2018	67.9	27.9	2.7		1000	-3.05	4	0	NO ADJUSTMENT				
22/01/2018	68.8	27.0	2.4		998	-3.02	4	0	NO ADJUSTMENT				
08/02/2018	67.8	28.7	1.9		995	-3.14	4	0	NO ADJUSTMENT				
19/02/2018	70.9	26.9	2.1		1000	-2.93	2	0	NO ADJUSTMENT				
05/03/2018	68.3	28.9	1.0		1002	-3.24	1	0	NO ADJUSTMENT				
09/03/2018										3.96	-1.3	2.66	
21/03/2018	70.3	26.7	1.8		999	-1.71	3	0	NO ADJUSTMENT				
06/04/2018	68.9	28.2	1.7		998	-3.41	1	0	NO ADJUSTMENT				
16/04/2018	69.2	28.2	1.9		1000	-1.52	1	0	NO ADJUSTMENT				
04/05/2018	69.3	26.7	0.6		997	-1.54	4	0	NO ADJUSTMENT				
17/05/2018	69.6	28.1	1.9		995	-3.75	4	0	NO ADJUSTMENT				
01/06/2018	70.0	27.9	1.1		998	-3.24	3	0	NO ADJUSTMENT				
12/06/2018	67.8	26.9	0.9		1002	-3.04	1	0	NO ADJUSTMENT				
09/07/2018	70.7	27.3	1.1		1001	-1.96	1	0	NO ADJUSTMENT				
27/07/2018	38.7	16.4	6.9		987	-40.6	4	0	NO ADJUSTMENT				
03/08/2018									CLOSED				
10/08/2018	51	21.6	4.8		994	3.49	2	0	NO ADJUSTMENT				
04/09/2018	55.1	23.9	3.9		1002	19.8	3	0	NO ADJUSTMENT				
29/10/2018	61.6	22.4	4		986	-2.43	2	0	NO ADJUSTMENT				
15/11/2018	60.6	21	4.6		997	-0.72	3	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	63.7	29	0.4		1001	1.99	2	0	NO ADJUSTMENT				
16/06/2016	15.2	12.3	14.1		981	-33.56	0	0	CLOSED				
12/08/2016	69.4	29.7	0.9		1002	3.3	2	0	NO ADJUSTMENT				
24/08/2016	68.7	30.4	0.9		1000	4.3	2	0	NO ADJUSTMENT				
31/08/2016	67.9	30.7	0.8		998	5.55	1	0	OPENED 1/4 TURN				
31/08/2016	66	32.4	0		998	-10.42	1	0	NO ADJUSTMENT				
22/09/2016	63.6	31.4	0.7		998	4.95	1	0	NO ADJUSTMENT				
28/09/2016	68.2	31	0.3		1000	7.39	4	0	NO ADJUSTMENT				
28/09/2016	67.9	31.8	0.3		1000	-51.54	4	0	OPENED SLIGHTLY				
19/10/2016	64.5	32.3	0.2		1001	12.74	3	0	NO ADJUSTMENT				
07/11/2016	63.3	34.1	0.6		993	0.99	2	0	NO ADJUSTMENT				
17/11/2016	63.8	33.3	0.3		973	15.01	2	0	NO ADJUSTMENT				
28/11/2016	65.4	32.8	0.4		1008	16.53	2	0	NO ADJUSTMENT				
07/12/2016	67.4	30.4	0.5		1000	16.47	4	0	NO ADJUSTMENT				
20/12/2016	65.4	33	0.4		995	24.97	1	0	NO ADJUSTMENT				
11/01/2017	65.8	33.6	0.3		988	33.67	1	0	NO ADJUSTMENT				
27/01/2017	66.9	33.6	0.4		984	34.13	1	0	NO ADJUSTMENT				
17/02/2017	66.3	32.3	0.3		1005	29	3	0	NO ADJUSTMENT				
02/03/2017	66.8	32.2	0.3		987	28.76	3	0	NO ADJUSTMENT				
17/03/2017	68.1	32.5	0.9		994	22.92	1	0	NO ADJUSTMENT				
24/03/2017	69	30	1		1009	21.04	1	0	NO ADJUSTMENT				
20/04/2017	67.4	31.6	0.1		1013	4.02	0	0	NO ADJUSTMENT				
04/05/2017	66.4	30.4	0.8		1003	6.28	1	0	NO ADJUSTMENT				
10/05/2017	64.7	29.8	0.9		986	3.27	3	0	NO ADJUSTMENT				
08/06/2017	67.8	30	0.9		983	3.34	2	0	NO ADJUSTMENT				
10/08/2017	66.3	30.6	0.7		1003	3.13	2	0	NO ADJUSTMENT				
05/10/2017	69.2	31.1	0.3		1000	2.76	0	0	NO ADJUSTMENT				
13/10/2017									OPENED 1/4 TURN				
04/12/2017	69.8	31.5	1.1		1012	6.41	0	0	NO ADJUSTMENT				
07/12/2017									OPENED 1/4 TURN				
15/12/2017	67.1	30.4	0.4		999	9.39	2	0	NO ADJUSTMENT				
04/01/2018	67.8	30.5	0.3		1000	11.38	0	0	NO ADJUSTMENT				
22/01/2018	68.5	29.9	0.4		998	7.37	1	0	NO ADJUSTMENT				
08/02/2018	65.5	30.0	1.0		995	7.44	0	0	NO ADJUSTMENT				
19/02/2018	67.9	31.0	1.0		1000	7.68	1	0	NO ADJUSTMENT				
05/03/2018	67.5	31.5	0.5		1002	10.89	1	0	NO ADJUSTMENT				
09/03/2018										5.1	-1.23	3.87	
21/03/2018	66.5	31.5	0.3		999	11.77	2	0	NO ADJUSTMENT				
06/04/2018	65.6	31.3	0.7		998	9.26	3	0	NO ADJUSTMENT				
16/04/2018	64.6	30.8	0.3		1000	8.81	1	0	NO ADJUSTMENT				
04/05/2018	66.5	29.9	1.0		997	9.95	3	0	NO ADJUSTMENT				
17/05/2018	64.9	30.0	0.4		995	10.53	1	0	NO ADJUSTMENT				
01/06/2018	66.4	31.5	0.4		998	8.32	0	0	NO ADJUSTMENT				
12/06/2018	67.4	31.1	0.8		1002	9.09	2	0	NO ADJUSTMENT				
09/07/2018	66.0	31.2	1.0		1001	11.59	0	0	NO ADJUSTMENT				
27/07/2018	7.1	6	16.3		987	-41.22	1	0	NO ADJUSTMENT				
03/08/2018									CLOSED				
10/08/2018	70.2	30.2	1.5		994	1.83	3	0	NO ADJUSTMENT				
04/09/2018	70.6	32.5	1		1002	1.64	2	0	NO ADJUSTMENT				
29/10/2018	71.6	32	0.7		985	0.17	1	0					

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	61.9	32	0.4		1001	0.31	3	0	NO ADJUSTMENT
16/06/2016	54	30.1	2.8		981	-33.2	1	0	NO ADJUSTMENT
12/08/2016	58	28.8	2.2		1002	-22.28	2	0	NO ADJUSTMENT
24/08/2016	59.4	29.9	2.1		1000	-23.45	2	0	NO ADJUSTMENT
31/08/2016	59	29.1	2.8		998	-25.55	2	0	NO ADJUSTMENT
22/09/2016	58.1	32.1	1.5		998	-20.91	1	0	NO ADJUSTMENT
28/09/2016	61.6	31.8	1.4		1000	-52.16	4	0	CLOSED SLIGHTLY
19/10/2016	61.3	32.8	0.6		1001	2.25	4	0	NO ADJUSTMENT
07/11/2016	63.2	34.7	0.4		993	7.14	2	0	NO ADJUSTMENT
17/11/2016	61.7	35.3	0.3		973	29.35	2	0	NO ADJUSTMENT
28/11/2016	63.6	34.6	0.4		1008	14.84	2	0	NO ADJUSTMENT
07/12/2016	64.4	33.7	0.4		1000	7.29	3	0	NO ADJUSTMENT
20/12/2016	63.7	34.3	0.5		995	39.02	1	0	NO ADJUSTMENT
11/01/2017	64.6	34.4	0.3		989	38.13	1	0	NO ADJUSTMENT
27/01/2017	66	34.4	0.4		984	28.76	1	0	NO ADJUSTMENT
17/02/2017	65.1	33.6	0.3		1005	30.19	2	0	NO ADJUSTMENT
02/03/2017	65.4	33.6	0.2		987	41.47	2	0	NO ADJUSTMENT
17/03/2017	68.1	32.7	0.7		994	34.66	0	0	OPENED 1/4 TURN
24/03/2017	30	18.8	7.5		1009	-24.26	2	0	NO ADJUSTMENT
20/04/2017	46.4	21.8	7.2		1014	-65.97	0	0	NO ADJUSTMENT
04/05/2017	64.6	32.8	0.7		1003	3.95	1	0	CLOSED 1/8 TURN
10/05/2017	26.3	17.6	10.5		987	-70.06	1	0	CLOSED 1/4 TURN
08/06/2017	66.7	31	1		983	7.26	1	0	NO ADJUSTMENT
10/08/2017	66.4	29.6	1.1		1003	-0.02	2	0	NO ADJUSTMENT
05/10/2017	67.6	32.1	0.5		1000	2.01	0	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	68.2	33.1	1		1012	15.35	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	66.6	28.3	0.9		999	21.6	0	0	NO ADJUSTMENT
04/01/2018	66.7	29.4	0.5		1000	20.8	0	0	NO ADJUSTMENT
22/01/2018	68.4	27.5	1.2		998	21.01	1	0	NO ADJUSTMENT
08/02/2018	67.3	27.3	1.1		995	24.42	1	0	NO ADJUSTMENT

19/02/2018	67.7	28.9	0.9		1000	17.76	0	0	NO ADJUSTMENT
05/03/2018	67.1	31.1	0.5		1002	24.21	0	0	NO ADJUSTMENT
21/03/2018	67.7	29.3	0.7		999	23.74	3	0	NO ADJUSTMENT
06/04/2018	68.4	28.1	0.6		998	23.25	0	0	NO ADJUSTMENT
16/04/2018	67.6	30.9	0.5		1000	19.85	3	0	NO ADJUSTMENT
04/05/2018	67.3	31.3	0.7		997	18.04	1	0	NO ADJUSTMENT
17/05/2018	67.7	27.7	0.9		995	18.05	2	0	NO ADJUSTMENT
01/06/2018	66.7	26.8	0.9		998	18.97	0	0	NO ADJUSTMENT
12/06/2018	68.1	30.1	1.0		1002	19.45	3	0	NO ADJUSTMENT
09/07/2018	68.4	29.8	0.5		1001	24.53	1	0	NO ADJUSTMENT
27/07/2018	0	1.8	19.8		987	-41.49	2	0	NO ADJUSTMENT
03/08/2018									CLOSED
10/08/2018	16.1	10.5	15.3		994	1.27	1	0	NO ADJUSTMENT
04/09/2018	68.5	33	1.3		1002	0.21	2	0	NO ADJUSTMENT
29/10/2018	69.9	33.5	0.8		986	2.29	1	0	NO ADJUSTMENT
15/11/2018	30.8	14.7	11.6		997	-0.36	2	0	NO ADJUSTMENT
07/02/2019	68.5	32.3	0.3		982	14.54	1	0	OPENED 1/4 TURN
15/04/2019	32.5	13.4	11.8		994	-0.29	3	0	NO ADJUSTMENT
03/07/2019	62.3	27	1.8		1007	0.45	11	0	NO ADJUSTMENT
17/07/2019	46.8	22	6.1		993	-14.65	2	0	NO ADJUSTMENT
30/07/2019	67.2	30.8	1		983	-6.12	2	0	NO ADJUSTMENT
15/04/2020	25.4	12.5	12.9		1001	-10.39	1	0	
11/11/2020	67	34.2	0.6	0	994	30.67	1	5	
01/12/2020	67.2	34.4	0.8	0	1007	32.52	0	6	
05/01/2021	53.1	27.4	5	14.5	1002	-1.11	1	5	
02/02/2021	68.2	33.7	0.7	0	971	6.09	2	19	
03/03/2021	66.4	36.8	1	0	1006	0.48	0	13	
06/04/2021	51.9	27.2	4.7	16.2	1000	-0.27	0	7	
05/05/2021	65.6	32.8	0.8	0.8	988	-0.12	1	14	
02/06/2021	46.6	24.3	5.3	23.8	992	0.41	1	4	
06/07/2021	67	33	0.7	0	975	6.13	1	10	
03/08/2021	65.2	32.3	1.5	1	992	2.97	0	8	
07/09/2021	58.8	29.6	2.4	9.2	1001	0.55	0	4	
05/10/2021	42.8	27.2	5.6	24.4	975	-18.35	40	0	

10/11/2021	33.5	21.1	10	35.4	1002	-17.59	40	0	
01/12/2021	48.1	29.6	5.2	17.1	976	-9.81	41	2	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	61.9	32	0.5		1001	4.06	2	0	NO ADJUSTMENT
16/06/2016	62.7	33.5	0.6		982	-32.84	1	0	NO ADJUSTMENT
12/08/2016	51.3	28	3.3		1002	-23.07	2	0	NO ADJUSTMENT
24/08/2016	48.9	26.8	3.9		1000	-22.83	2	0	NO ADJUSTMENT
31/08/2016	49.7	26.6	5		998	2.22	1	0	OPENED 1/2 TURN
31/08/2016	62.2	33.9	0.6		998	-19.22	2	0	NO ADJUSTMENT
22/09/2016	60.8	34.1	0.8		998	16.47	1	0	NO ADJUSTMENT
28/09/2016	3.5	16.4	17.3		1000	14.49	2	0	CLOSED
19/10/2016	62.2	34.3	0.3		1001	7.77	4	0	NO ADJUSTMENT
07/11/2016	63.4	34.7	0.3		993	1.58	1	0	NO ADJUSTMENT
17/11/2016	61.6	35.2	0.4		973	16.48	2	0	NO ADJUSTMENT
28/11/2016	66	31	0.4		1009	36.1	1	0	NO ADJUSTMENT
07/12/2016	66.6	31	0.3		1000	39.19	2	0	NO ADJUSTMENT
20/12/2016	67.6	29.3	0.4		995	68.16	1	0	NO ADJUSTMENT
11/01/2017	69.1	28.8	0.3		989	61.95	1	0	NO ADJUSTMENT
27/01/2017	69.2	30.4	0.4		984	73.32	0	0	NO ADJUSTMENT
17/02/2017	72.9	23.7	0.2		1005	58.2	2	0	NO ADJUSTMENT
02/03/2017	72.6	25.1	0.2		987	69.7	1	0	NO ADJUSTMENT
17/03/2017	72.8	27	0.5		994	80.94	0	0	NO ADJUSTMENT
24/03/2017	76.4	21.1	0.9		1009	33.49	0	0	NO ADJUSTMENT
20/04/2017	68.4	30.4	0.5		1014	43.7	0	0	NO ADJUSTMENT
04/05/2017	64.3	33.1	0.5		1003	45.82	1	0	NO ADJUSTMENT
10/05/2017	63.9	31.7	0.9		987	32.99	2	0	NO ADJUSTMENT
08/06/2017	67.1	30.8	0.9		983	16.66	1	0	NO ADJUSTMENT
10/08/2017	66.6	27.6	1.7		1003	0.24	3	0	NO ADJUSTMENT
05/10/2017	68.1	30.5	0.9		1001	0.22	1	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	68.3	32.7	1.3		1012	0.1	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	66.3	30.5	0.8		999	0.24	3	0	NO ADJUSTMENT
04/01/2018	64.1	29.2	0.9		1000	0.23	2	0	NO ADJUSTMENT
22/01/2018	66.7	27.6	1.4		998	0.16	0	0	NO ADJUSTMENT

08/02/2018	65.7	28.6	1.1		995	0.13	1	0	NO ADJUSTMENT
19/02/2018	65.4	32.2	1.4		1000	0.18	2	0	NO ADJUSTMENT
05/03/2018	68.3	27.9	1.0		1002	0.13	2	0	NO ADJUSTMENT
21/03/2018	65.5	29.7	1.7		999	0.15	0	0	NO ADJUSTMENT
06/04/2018	66.2	29.9	0.9		998	0.14	0	0	NO ADJUSTMENT
16/04/2018	63.8	29.9	1.4		1000	0.09	0	0	NO ADJUSTMENT
04/05/2018	64.0	28.4	1.5		997	0.17	3	0	NO ADJUSTMENT
17/05/2018	63.9	30.2	0.9		995	0.08	1	0	NO ADJUSTMENT
01/06/2018	64.5	32.4	1.6		998	0.12	1	0	NO ADJUSTMENT
12/06/2018	65.1	30.7	1.9		1002	0.16	1	0	NO ADJUSTMENT
09/07/2018	66.2	27.5	1.6		1001	0.24	1	0	NO ADJUSTMENT
10/08/2018	69.8	29.6	1		995	-0.05	3	0	NO ADJUSTMENT
04/09/2018	70.5	31.9	1.3		1002	0.36	2	0	NO ADJUSTMENT
29/10/2018	70.7	32.2	0.9		985	0.07	1	0	NO ADJUSTMENT
15/11/2018	16.3	18.9	8.8		997	-23.53	1	0	CLOSED
07/02/2019	67.3	33.5	0.2		982	14.54	1	0	OPENED 1/4 TURN
15/04/2019	21.2	15	11.5		994	0.33	0	0	NO ADJUSTMENT
03/07/2019	70.7	26.4	0.6		1007	-0.07	5	0	NO ADJUSTMENT
17/07/2019	41.1	22.3	6.9		993	-15.68	4	0	NO ADJUSTMENT
30/07/2019	37.9	23.7	5		982	-6.69	3	0	CLOSED
15/04/2020	70.9	27.2	1.4		1001	-0.07	2	0	
11/11/2020	44.4	31.6	1.5	22.5	994	5.66	2	3	
01/12/2020	35.9	28.1	1.1	34.9	1007	-0.21	2	1	
05/01/2021	31.3	22.7	2.6	43.4	1003	-1.22	2	1	
02/02/2021	68.9	32.6	0.6	0	971	6.11	1	22	
03/03/2021	68.4	34	1.2	0	1006	1.21	1	13	
06/04/2021	64.5	32.3	1.6	1.6	1000	-0.05	0	11	
05/05/2021	67.4	32.8	0.5	0	988	0.07	1	17	
02/06/2021	65.9	32.1	0.3	1.7	992	1.9	1	15	
06/07/2021	67.7	32.4	0.2	0	975	3.71	1	10	
03/08/2021	66.6	31.7	1.2	0.5	992	3.68	0	10	
07/09/2021	24.3	25.2	4.5	46	1001	0.46	0	2	
05/10/2021	15.9	17.8	9.5	56.8	975	-18.45	39	0	
10/11/2021	9.3	12	12.7	66	1002	-9.48	41	0	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	65.3	28.4	0.2		1001	4.71	3	0	CLOSED
16/06/2016	65.5	31.8	0.8		982	16.49	1	0	NO ADJUSTMENT
12/08/2016	67.5	32.1	0.7		1002	19.7	2	0	NO ADJUSTMENT
24/08/2016	63.2	32.3	0.4		1000	7.93	2	0	NO ADJUSTMENT
31/08/2016	66.5	31.9	1		999	5.6	2	0	NO ADJUSTMENT
22/09/2016	61.6	33.1	0.7		998	3.7	1	0	NO ADJUSTMENT
28/09/2016	4.1	14.6	17.8		1000	4.24	1	0	NO ADJUSTMENT
19/10/2016	63.1	34	0.3		1001	1.53	3	0	NO ADJUSTMENT
07/11/2016	63.1	34.4	0.6		993	-54.8	3	0	NO ADJUSTMENT
17/11/2016	62.1	34.8	0.3		973	7.31	2	0	NO ADJUSTMENT
30/11/2016	66.4	32.3	0.4		1012	22.14	3	0	NO ADJUSTMENT
07/12/2016	64.3	34.1	0.3		1000	43.02	2	0	NO ADJUSTMENT
20/12/2016	64.8	33.3	0.4		995	13.65	1	0	NO ADJUSTMENT
11/01/2017	67.1	30.6	0.3		989	0.34	1	0	NO ADJUSTMENT
27/01/2017	71.8	25.9	0.4		984	6.35	0	0	NO ADJUSTMENT
17/02/2017	73.3	19.2	0.2		1005	17.17	2	0	NO ADJUSTMENT
02/03/2017	72.6	21.7	0.3		988	-0.51	1	0	NO ADJUSTMENT
17/03/2017	71.9	19.8	0.9		994	14.42	0	0	NO ADJUSTMENT
24/03/2017	74.2	16.8	1.1		1010	-3.3	0	0	NO ADJUSTMENT
20/04/2017	69.8	25.3	0.7		1009	5.45	0	0	NO ADJUSTMENT
04/05/2017	64	33.5	0.5		1003	44.91	1	0	NO ADJUSTMENT
10/05/2017	62.5	33.1	0.6		986	44.87	2	0	NO ADJUSTMENT
08/06/2017	66	32.1	0.7		983	56.29	1	0	NO ADJUSTMENT
10/08/2017	66.1	31.9	0.6		1003	3.4	1	0	NO ADJUSTMENT
05/10/2017	68.4	31.8	0.3		1000	8.37	0	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	68.5	33	0.6		1012	62.86	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	62.7	33.0	0.2		999	47.92	0	0	NO ADJUSTMENT
04/01/2018	62.8	32.3	0.9		1000	50.13	0	0	NO ADJUSTMENT
22/01/2018	63.6	32.3	1.0		998	50.99	1	0	NO ADJUSTMENT
08/02/2018	62.5	32.9	0.8		995	57.35	1	0	NO ADJUSTMENT

19/02/2018	65.5	32.8	0.3		1000	56.7	0	0	NO ADJUSTMENT
05/03/2018	66.5	32.2	0.2		1002	52.45	0	0	NO ADJUSTMENT
21/03/2018	65.0	31.9	1.0		999	61.37	2	0	NO ADJUSTMENT
06/04/2018	65.7	32.8	1.1		998	54.33	0	0	NO ADJUSTMENT
16/04/2018	63.1	32.3	0.9		1000	45.22	1	0	NO ADJUSTMENT
04/05/2018	65.8	32.2	0.4		997	63.71	1	0	NO ADJUSTMENT
17/05/2018	64.1	33.0	0.2		995	46.9	0	0	NO ADJUSTMENT
01/06/2018	64.0	32.4	0.7		998	48.93	1	0	NO ADJUSTMENT
12/06/2018	64.1	32.7	0.3		1002	51.64	1	0	NO ADJUSTMENT
09/07/2018	62.9	33.3	0.6		1001	62.38	1	0	NO ADJUSTMENT
27/07/2018	65.8	28.9	0.8		987	31.5	6	0	NO ADJUSTMENT
03/08/2018									OPENED 1/4 TURN
10/08/2018	30.7	18.7	9.5		995	-6.59	1	0	NO ADJUSTMENT
04/09/2018	21.4	19.8	10.4		1003	-45.09	1	0	NO ADJUSTMENT
29/10/2018	37.8	25.9	4.8		985	-33.4	1	0	NO ADJUSTMENT
15/11/2018	69.5	32.6	0.5		997	70.79	8	0	NO ADJUSTMENT
07/02/2019	68.2	32.9	0.2		982	79.86	1	0	OPENED 1/4 TURN
15/04/2019	63.1	25.8	3.2		994	0.24	1	0	NO ADJUSTMENT
03/07/2019	65.5	27.9	1.1		1007	3.53	5	0	NO ADJUSTMENT
17/07/2019	64.7	28.2	1.2		993	-16.09	4	0	NO ADJUSTMENT
30/07/2019	70.2	30.3	0.5		983	-7.44	2	0	NO ADJUSTMENT
15/04/2020	59.1	26.9	3.4		1001	-10.27	1	0	
11/11/2020	67.9	33.4	0.5	0	994	4.3	1	15	
01/12/2020	67.5	33.2	0.9	0	1007	-0.05	1	4	
05/01/2021	66.9	33	1.6	0	1003	-0.05	0	4	
02/02/2021	68.5	33.4	0.5	0	972	4.52	1	30	
03/03/2021	69.4	33.5	1.2	0	1006	1.5	0	1	
06/04/2021	66.5	32.7	0.7	0.1	1000	0.05	0	9	
05/05/2021	68.9	33	0.5	0	988	0.31	1	14	
02/06/2021	66.1	31.5	0.6	1.8	992	0.43	1	13	
06/07/2021	67.2	32.7	0.7	0	975	5.47	1	11	
03/08/2021	67.3	31.9	1.8	0	992	3.92	0	9	
07/09/2021	46.4	31.1	2.5	20	1001	0.72	0	3	
05/10/2021	36.9	31.6	3.4	28.1	976	-9.76	42	0	

10/11/2021	28.6	17.6	10.7	43.1	1002	-3.44	41	0	
01/12/2021	49.2	29.1	5.5	16.2	977	-9.9	42	15	

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	61.9	32	0.5		1001	1.94	3	0	NO ADJUSTMENT
16/06/2016	63.2	33.9	0.6		982	-34.4	2	0	NO ADJUSTMENT
12/08/2016	67.5	31.7	1.3		1002	-21.9	3	0	NO ADJUSTMENT
24/08/2016	65	33.2	0.4		1000	-22.97	3	0	NO ADJUSTMENT
31/08/2016	65.5	32.9	0.9		999	-24.41	3	0	NO ADJUSTMENT
22/09/2016	60.7	33.9	0.8		998	-20.12	2	0	NO ADJUSTMENT
28/09/2016	66.9	33.6	0.3		1000	-49.17	6	0	CLOSED SLIGHTLY
19/10/2016	61.7	34.2	0.4		1001	-47.77	6	0	NO ADJUSTMENT
07/11/2016	53.7	32.4	1.3		993	-71.03	2	0	NO ADJUSTMENT
17/11/2016	63.4	32.7	0.5		972	-50.2	4	0	NO ADJUSTMENT
30/11/2016	65.7	32.9	0.5		1013	-35.81	5	0	NO ADJUSTMENT
07/12/2016	65.1	32.7	0.5		1000	-47.06	5	0	NO ADJUSTMENT
20/12/2016	63.6	34.2	0.5		995	-33.14	3	0	NO ADJUSTMENT
11/01/2017	63.8	34.8	0.4		989	-1.87	2	0	NO ADJUSTMENT
27/01/2017	67	31.6	1.1		985	-62.57	3	0	NO ADJUSTMENT
17/02/2017	65.6	32.3	0.4		1005	-61.57	3	0	NO ADJUSTMENT
02/03/2017	66.5	31.2	0.6		988	-53.34	5	0	NO ADJUSTMENT
17/03/2017	66.4	34	1.5		994	-42.5	2	0	OPENED 1/4 TURN
24/03/2017	67.7	30.8	1.6		1010	-23.14	2	0	NO ADJUSTMENT
20/04/2017	68	30.1	1.9		1014	-66.29	2	0	NO ADJUSTMENT
04/05/2017	64.2	33.2	0.7		1003	3.83	2	0	NO ADJUSTMENT
10/05/2017	61.4	33.9	1.1		987	-70.46	4	0	NO ADJUSTMENT
08/06/2017	64.8	33	0.5		983	-1.63	2	0	NO ADJUSTMENT
10/08/2017	65.9	31.4	0.9		1003	-24.33	3	0	NO ADJUSTMENT
05/10/2017	67.7	31.9	0.4		1001	-101.13	2	0	NO ADJUSTMENT
04/12/2017	68.1	33	1.5		1012	-103.64	1	0	NO ADJUSTMENT
15/12/2017	61.5	31.6	1.1		999	-85.03	0	0	NO ADJUSTMENT
04/01/2018	65.3	30.0	1.1		1000	-104.53	2	0	NO ADJUSTMENT
22/01/2018	65.3	30.7	1.4		998	-90.27	1	0	NO ADJUSTMENT
08/02/2018	63.4	30.2	0.8		995	-87.97	3	0	NO ADJUSTMENT
19/02/2018	66.5	30.4	0.8		1000	-83.38	2	0	NO ADJUSTMENT
05/03/2018	62.4	32.7	1.6		1002	-101.65	3	0	NO ADJUSTMENT

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
12/08/2016	65.3	30.5	1.2		1002	-23.19	2	0	NO ADJUSTMENT
24/08/2016	63.2	31.4	1		1001	-24.14	2	0	NO ADJUSTMENT
31/08/2016	64.1	30.8	1.5		999	-24.47	2	0	NO ADJUSTMENT
22/09/2016	60.2	33	0.8		999	-21.61	1	0	NO ADJUSTMENT
28/09/2016	67.8	32.4	0.3		1000	-51.56	5	0	CLOSED SLIGHTLY
19/10/2016	61.1	34	0.3		1001	-65.69	4	0	NO ADJUSTMENT
07/11/2016	62	30.8	0.7		993	-66.15	6	0	NO ADJUSTMENT
17/11/2016	62.3	32.5	0.6		973	-70.77	3	0	NO ADJUSTMENT
30/11/2016	66.4	31.6	0.6		1013	-62.96	4	0	NO ADJUSTMENT
07/12/2016	65.5	32.2	0.5		1001	-59.04	3	0	NO ADJUSTMENT
20/12/2016	65.1	32	0.9		995	-49.26	2	0	NO ADJUSTMENT
11/01/2017	63.8	34.5	0.4		989	-5.09	2	0	NO ADJUSTMENT
27/01/2017	65.6	33.9	1		985	-67.37	1	0	NO ADJUSTMENT
17/02/2017	67.6	30	0.4		1005	-69.53	3	0	NO ADJUSTMENT
02/03/2017	66	32	0.5		988	-60.05	3	0	NO ADJUSTMENT
17/03/2017	68.4	31.9	2.2		994	-49.43	1	0	NO ADJUSTMENT
24/03/2017	68.4	30.5	1.3		1010	-22.63	1	0	NO ADJUSTMENT
20/04/2017	66.3	32.5	1.3		1014	-66.11	1	0	NO ADJUSTMENT
04/05/2017	65.1	32.4	0.8		1003	3.52	2	0	CLOSED 1/8 TURN
10/05/2017	63.2	30.4	2.3		986	-69.75	3	0	NO ADJUSTMENT
08/06/2017	63.1	30.2	0.9		983	-1.24	2	0	NO ADJUSTMENT
10/08/2017	63.8	29.2	1.3		1003	3.51	2	0	NO ADJUSTMENT
05/10/2017	69.3	29.9	0.4		1001	-2.56	1	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	71.3	29.9	1.3		1013	-5.73	0	0	NO ADJUSTMENT
15/12/2017	68.0	29.0	0.4		999	-4.95	3	0	NO ADJUSTMENT
04/01/2018	70.2	29.1	0.5		1000	-4.79	3	0	NO ADJUSTMENT
22/01/2018	66.1	30.5	1.1		998	-2.72	2	0	NO ADJUSTMENT
08/02/2018	64.1	30.1	0.7		995	-3.39	2	0	NO ADJUSTMENT
19/02/2018	68.6	29.1	1.4		1000	-3.05	2	0	NO ADJUSTMENT
05/03/2018	66.0	29.1	0.5		1002	-3.02	2	0	NO ADJUSTMENT
21/03/2018	69.8	29.7	0.3		999	-5.12	3	0	NO ADJUSTMENT

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	61.6	31.6	0.2		1001	2.2	4	0	NO ADJUSTMENT
16/06/2016	65.8	30.1	0.3		982	-38.03	3	1	NO ADJUSTMENT
12/08/2016	68.3	30.4	1		1003	-22.08	4	0	NO ADJUSTMENT
24/08/2016	68.4	30.4	1.1		1001	-22.63	5	0	NO ADJUSTMENT
31/08/2016	65.5	31.6	0.4		999	-24.07	3	0	NO ADJUSTMENT
22/09/2016	62	32.4	0.8		998	-19.94	4	0	NO ADJUSTMENT
28/09/2016	67.4	31.5	0.3		1000	-47.49	8	0	CLOSED SLIGHTLY
19/10/2016	64.3	32.2	0.4		1001	-61.45	8	0	NO ADJUSTMENT
07/11/2016	62.5	26.3	2.1		993	0.12	1	0	NO ADJUSTMENT
17/11/2016	63.3	30.3	0.6		972	-67.96	5	0	NO ADJUSTMENT
30/11/2016	67.3	28.5	0.6		1013	-56.64	11	0	NO ADJUSTMENT
07/12/2016	63.1	30.8	0.5		1001	-56.48	6	0	NO ADJUSTMENT
20/12/2016	63.2	31.7	1		995	-45.5	5	0	NO ADJUSTMENT
11/01/2017	40.6	26.4	1.4		990	-56.07	4	0	NO ADJUSTMENT
27/01/2017	65.2	31.9	1		985	-65.83	4	0	NO ADJUSTMENT
17/02/2017	53.4	30.4	0.4		1005	-64.25	6	0	NO ADJUSTMENT
02/03/2017	61.5	31.5	0.5		988	-57.01	8	0	NO ADJUSTMENT
17/03/2017	67.2	28.9	2.9		995	-47.35	4	0	NO ADJUSTMENT
24/03/2017	16.4	14.6	8.3		1010	-13.91	9	0	NO ADJUSTMENT
20/04/2017	64.4	29.9	1.8		1014	-62.72	4	0	NO ADJUSTMENT
04/05/2017	64.2	32.3	0.7		1003	3.52	3	0	NO ADJUSTMENT
10/05/2017	60	31.1	1.6		987	-67.48	6	0	NO ADJUSTMENT
08/06/2017	26.2	23.1	1		983	-1.84	6	0	NO ADJUSTMENT
10/08/2017	67.3	27.6	1.5		1003	-14.96	7	0	NO ADJUSTMENT
05/10/2017	67.4	31.5	0.4		1000	-88.83	7	0	NO ADJUSTMENT
04/12/2017	71.2	29.4	3		1013	-97.31	4	0	NO ADJUSTMENT
15/12/2017	69.8	25.6	1.6		999	-90.47	5	0	NO ADJUSTMENT
04/01/2018	69.4	25.2	0.6		1000	-86.13	4	0	NO ADJUSTMENT
22/01/2018	65.1	30.9	1.4		998	-72.03	6	0	NO ADJUSTMENT
08/02/2018	67.8	28.2	0.9		995	-81.42	3	0	NO ADJUSTMENT
19/02/2018	71.2	26.4	0.9		1000	-70.42	4	0	NO ADJUSTMENT
05/03/2018	69.3	27.8	0.5		1002	-95.61	5	0	NO ADJUSTMENT

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position	Leachate Dip (m)	Exposed Well Head (m)	Level Minus Exposed Level (m)	Counter Reading
09/06/2016	29.4	12.2	5.3		1001	0.15	2	0	NO ADJUSTMENT	5.05	-1.42	3.63	
16/06/2016	35.8	8.1	5.4		982	-7.03	1	1	NO ADJUSTMENT				
04/07/2016										5.13	-1.42	3.71	
11/08/2016										5.43	-1.42	4.01	
12/08/2016	57.8	13.8	3.8		1003	-0.38	2	0	NO ADJUSTMENT				
24/08/2016	59.1	15.4	3.5		1000	-0.09	2	0	NO ADJUSTMENT				
31/08/2016	60.2	15.4	4		999	-0.1	2	0	NO ADJUSTMENT				
06/09/2016										5.5	-1.42	4.08	
22/09/2016	55.5	19.9	3.5		999	0.26	2	0	NO ADJUSTMENT				
28/09/2016	63.1	18.5	3.2		1000	0.36	3	0	OPENED SLIGHTLY				
19/10/2016	63.8	26.5	1.6		1001	-0.12	3	0	NO ADJUSTMENT	5.6	-1.42	4.18	
02/11/2016										5.66	-1.42	4.24	
07/11/2016	64.9	32.9	0.4		993	0.82	2	0	NO ADJUSTMENT				
17/11/2016	62.6	26.2	1.9		972	0.22	2	0	NO ADJUSTMENT				
30/11/2016	67.1	24	1.7		1013	1.94	2	0	NO ADJUSTMENT				
02/12/2016										5.02	-1.42	3.6	
07/12/2016	67.9	22.3	1.6		1000	11.8	2	0	NO ADJUSTMENT				
20/12/2016	67.1	21.6	1.8		995	0.12	1	0	NO ADJUSTMENT				
11/01/2017	69.1	18.7	1.7		990	0.02	1	0	NO ADJUSTMENT				
27/01/2017	69.9	18	1.7		985	6.26	1	0	NO ADJUSTMENT				
17/02/2017	69.2	15.1	1.5		1005	0	2	0	NO ADJUSTMENT				
02/03/2017	66.7	15.4	1.7		988	-0.34	2	0	NO ADJUSTMENT				
17/03/2017	65.3	14	2.4		995	-0.09	1	0	OPENED 1/4 TURN				
24/03/2017										4.83	-1.42	3.41	
24/03/2017	0.2	2.7	20.5		1010	-46.04	0	0	NO ADJUSTMENT				
29/03/2017										4.7	-1.42	3.28	
20/04/2017	0.9	7.7	17.7		1014	-66.05	0	0	CLOSED				
02/05/2017										6.2	-1.42	4.78	
04/05/2017	4.5	9.4	14.2		1003	0.17	0	0	NO ADJUSTMENT				
10/05/2017	13.3	10.5	11.3		987	0.28	2	0	NO ADJUSTMENT				
08/06/2017	42.6	13.7	6.3		983	3.44	1	0	NO ADJUSTMENT	5.38	-1.42	3.96	
10/08/2017	63.4	21	2.9		1004	0.53	2	0	NO ADJUSTMENT	5.67	-1.42	4.25	
24/08/2017										5.64	-1.42	4.22	
05/10/2017	65.8	22.9	2.3		1001	1.85	0	0	NO ADJUSTMENT	5.68	-1.42	4.26	
01/12/2017										5.35	-1.42	3.93	
04/12/2017	68.5	23.6	2.2		1013	-0.07	0	0	NO ADJUSTMENT				
15/12/2017	64.6	20.9	2.5		999	1.21	1	0	NO ADJUSTMENT				
04/01/2018	67.7	21.9	2.8		1000	1.01	0	0	NO ADJUSTMENT				
22/01/2018	67.8	21.5	2.7		998	0.99	0	0	NO ADJUSTMENT				
08/02/2018	66.2	23.2	3.0		995	1.44	0	0	NO ADJUSTMENT				
19/02/2018	67.8	23.7	3.0		1000	0.52	2	0	NO ADJUSTMENT				
05/03/2018	66.0	22.7	2.3		1002	1.13	2	0	NO ADJUSTMENT				
09/03/2018										4.57	-1.09	3.48	
21/03/2018	64.0	21.4	2.3		999	0.72	2	0	NO ADJUSTMENT				
06/04/2018	68.3	22.6	2.9		998	0.81	2	0	NO ADJUSTMENT				
16/04/2018	66.2	21.8	2.3		1000	1.82	1	0	NO ADJUSTMENT				
04/05/2018	66.7	23.6	2.5		997	1.14	1	0	NO ADJUSTMENT				
17/05/2018	65.7	22.0	2.5		995	1.71	1	0	NO ADJUSTMENT				
25/05/2018										5.15	-1.09	4.06	
01/06/2018	65.3	21.5	2.2		998	1.4	0	0	NO ADJUSTMENT				

Date and Time	CH4(%)	CO2(%)	O2(%)	Balance	Barometric Pressure (mb)	Relative Pressure (mb)	CO [ppm]	H2S [ppm]	Valve Position
09/06/2016	62.2	29.7	0.4		1001	0.38	7	0	NO ADJUSTMENT
16/06/2016	6.1	8.1	17.3		981	-33.04	0	1	CLOSED
12/08/2016	69	29.7	1		1002	0.55	2	0	NO ADJUSTMENT
24/08/2016	58.9	27.7	3.2		1001	-3.52	2	0	NO ADJUSTMENT
31/08/2016	65.8	32.2	0.6		999	4.09	2	0	OPENED 1/4 TURN
31/08/2016	64.9	33.4	0		999	-11.88	2	0	NO ADJUSTMENT
22/09/2016	62.7	30.7	0.8		998	1.87	1	0	NO ADJUSTMENT
28/09/2016	73.9	24.6	1.3		1000	3.17	5	0	OPENED SLIGHTLY
19/10/2016	64.7	33.2	0.3		1001	1.89	4	0	NO ADJUSTMENT
07/11/2016	42.9	27.5	2.9		994	-71.37	7	0	NO ADJUSTMENT
17/11/2016	63.5	33.4	0.3		972	13.14	3	0	NO ADJUSTMENT
30/11/2016	65.9	32.8	0.3		1012	5.2	3	0	NO ADJUSTMENT
07/12/2016	64.8	33.5	0.2		1000	5.63	3	0	NO ADJUSTMENT
20/12/2016	65.4	32.4	0.5		995	10.58	1	0	NO ADJUSTMENT
11/01/2017	66.4	32.2	0.3		989	11.05	2	0	NO ADJUSTMENT
27/01/2017	68.1	31.4	0.4		984	6.52	1	0	NO ADJUSTMENT
17/02/2017	67.3	30.9	0.3		1005	10.07	3	0	NO ADJUSTMENT
02/03/2017	68.4	29.5	0.2		988	-0.03	2	0	NO ADJUSTMENT
17/03/2017	68	32.4	1		995	7.6	1	0	OPENED 1/4 TURN
24/03/2017	5	2.4	20.1		1010	-59.52	0	0	NO ADJUSTMENT
20/04/2017	8.1	6.3	18.6		1014	-65.81	0	0	CLOSED 1/8 TURN
04/05/2017	66.5	30.7	1		1003	3.66	1	0	NO ADJUSTMENT
10/05/2017	64.9	30.2	1.1		987	3.83	2	0	NO ADJUSTMENT
08/06/2017	66.1	31.3	0.7		983	10.97	1	0	NO ADJUSTMENT
10/08/2017	65.6	31.3	0.9		1003	1.03	2	0	NO ADJUSTMENT
05/10/2017	68	31.7	0.3		1001	0.03	1	0	NO ADJUSTMENT
13/10/2017									OPENED 1/4 TURN
04/12/2017	68.7	32.4	1.2		1013	2.32	0	0	NO ADJUSTMENT
07/12/2017									OPENED 1/4 TURN
15/12/2017	66.3	31.2	0.8		999	1.78	1	0	NO ADJUSTMENT
04/01/2018	66.9	31.6	0.9		1000	0.67	2	0	NO ADJUSTMENT

22/01/2018	65.2	31.7	0.7		998	3.02	2	0	NO ADJUSTMENT
08/02/2018	64.8	32.1	0.8		995	2.38	1	0	NO ADJUSTMENT
19/02/2018	65.5	31.2	0.4		1000	1.91	1	0	NO ADJUSTMENT
05/03/2018	65.0	32.4	0.8		1002	2.34	1	0	NO ADJUSTMENT
21/03/2018	66.1	31.8	1.1		999	1.93	1	0	NO ADJUSTMENT
06/04/2018	67.0	31.9	0.8		998	0.84	0	0	NO ADJUSTMENT
16/04/2018	65.4	31.3	0.5		1000	2.29	0	0	NO ADJUSTMENT
04/05/2018	66.7	31.9	0.5		997	2.58	0	0	NO ADJUSTMENT
17/05/2018	66.2	32.2	0.5		995	0.74	1	0	NO ADJUSTMENT
01/06/2018	66.9	31.6	0.6		998	2.27	2	0	NO ADJUSTMENT
12/06/2018	66.9	31.9	0.7		1002	1.39	2	0	NO ADJUSTMENT
09/07/2018	66.1	32.3	1.1		1001	3.58	2	0	NO ADJUSTMENT
27/07/2018	63.7	28.4	1		987	2.21	6	0	NO ADJUSTMENT
03/08/2018									OPENED 1/4 TURN
10/08/2018	32.4	20.1	5.4		996	-4.43	6	0	NO ADJUSTMENT
04/09/2018	10.4	10.5	16		1003	-43.82	0	0	NO ADJUSTMENT
29/10/2018	6.1	6.5	18.9		986	0.14	0	0	NO ADJUSTMENT
15/11/2018	68.8	31.9	1.3		997	0.38	2	0	OPENED 1/4 TURN
07/02/2019	10.1	4.6	18.8		983	-43.31	0	0	CLOSED
15/04/2019	72	27.8	0.9		994	6.48	1	0	OPENED 1/4 TURN
03/07/2019	70.3	27.4	0.3		1007	3.55	5	0	NO ADJUSTMENT
17/07/2019	66.2	26.3	1.2		993	0.21	9	0	NO ADJUSTMENT
30/07/2019	34.1	16.6	8		983	0.33	2	0	CLOSED
15/04/2020	69.4	29.1	1.1		1001	2.67	2	0	
11/11/2020	31.4	22.3	8.8	37.5	994	-9.52	1	0	
01/12/2020	57.8	30.3	3.1	8.8	1007	0.1	2	2	
05/01/2021	25.9	14.3	13.7	46.1	1003	7.05	0	0	
02/02/2021	65.7	28.8	1.9	3.6	971	-4.86	1	18	
03/03/2021	70.3	34.7	0.3	0	1006	-60.28	1	13	
06/04/2021	65.3	32.3	1	1.4	1000	-0.07	0	1	
05/05/2021	69.1	33.3	0.7	0	988	-0.61	1	17	
02/06/2021	63	29.2	1.4	6.4	993	0.46	1	14	
06/07/2021	67.2	32.9	0.7	0	975	6.51	1	17	
07/09/2021	20.3	9.5	14.4	55.8	1001	1.07	0	4	

05/10/2021	3.8	6	15.8	74.4	976	-18.69	40	0	
10/11/2021	15.7	18.5	9.1	56.7	1002	0.43	38	0	
01/12/2021	48.6	32.4	3.2	15.8	977	0.15	42	1	